

PROJECT MANUAL

for

**West Branch – Rose City Area Schools
2024 Door and Window Replacement Project**

**Ogemaw Heights High Schools and
Surline Elementary/Middle School**

PROJECT NO. 263-18Q

January 19, 2024



**ANTHONY P. ESSON
ARCHITECT**

PO BOX 479

GAYLORD, MICHIGAN 49734

TELEPHONE:

(989) 732-0585

DOCUMENT 00 01 01

PROJECT TITLE PAGE

PROJECT NAME: West Branch – Rose City Area Schools
2024 Door and Window Replacement Project
Ogemaw Heights High School and
Surline Elementary/Middle School
AEA Project No. 263-18Q

OWNER: West Branch – Rose City Area Schools
PO Box 308
West Branch, MI 48661
Contact: Gail Hughey, Superintendent
Telephone: (989) 343-2019

ARCHITECT: Anthony Esson, Architect

Mailing Address:
P.O. Box 479
Gaylord, MI 49734

Shipping Address:
2111 Forester Drive
Frederic, MI 49733

Contact: Anthony P. Esson, Architect, LEED AP
PH: (989) 732-0585
tony@anthonyessonarchitect.com

DOCUMENT 00 01 10

TABLE OF CONTENTS

Section Title

**PROCUREMENT AND CONTRACTION REQUIREMENTS GROUP
 DIVISION 00 - PROCUREMENT AND CONTRACTING REQUIREMENTS**

INTRODUCTORY INFORMATION

00 01 01	Project Title Page.....	1
00 01 10	Table of Contents.....	2

PROCUREMENT REQUIREMENTS

00 11 16	Invitation to Bid.....	2
00 21 13	Instructions to Bidders	7
00 41 13	Bid Form - Stipulated Sum (Single-Prime Contract)	3
00 45 01	Familial Disclosure Statement	1
00 45 02	Iran Economic Sanctions Act Compliance Certificate.....	1

CONTRACTING REQUIREMENTS

00 52 14	Agreement Form - AIA Stipulated Sum (Single-Prime Contract).....	1
	AIA Document A104 – 2017	32
00 66 19	Contractors General Release of Claims	1

**SPECIFICATIONS GROUP
 GENERAL REQUIREMENTS SUBGROUP**

DIVISION 01 - GENERAL REQUIREMENTS

01 10 00	Summary.....	2
01 20 00	Price and Payment Procedures	3
01 30 00	Administrative Requirements	5
01 33 00	Submittal Procedures.....	5
01 40 00	Quality Requirements.....	3
01 50 00	Temporary Facilities and Controls	3
01 60 00	Product Requirements	3
01 70 00	Execution and Closeout Requirements.....	4

FACILITY CONSTRUCTION SUBGROUP

DIVISION 02 – EXISTING CONDITIONS

02 41 19	Selective Structure Demolition.....	3
----------	-------------------------------------	---

WEST BRANCH – ROSE CITY AREA SCHOOLS
2024 DOOR AND WINDOW REPLACEMENT PROJECT
Ogemaw Heights High Schools and
Surline Elementary/Middle School
January 19, 2024

DIVISION 08 – OPENINGS

08 41 13	Aluminum-Framed Entrances and Storefronts	10
08 51 13	Aluminum Windows.....	8
08 71 00	Door Hardware	9
08 80 00	Glazing	6

WEST BRANCH – ROSE CITY AREA SCHOOLS
2024 DOOR AND WINDOW REPLACEMENT PROJECT
Ogemaw Heights High Schools and
Surline Elementary/Middle School
January 19, 2024

DOCUMENT 00 11 16

INVITATION TO BID

Project: West Branch – Rose City Schools; 2024 Door and Window Replacement Project

Owner:

West Branch – Rose City Area Schools
PO Box 308
West Branch, MI 48661

Architect/Engineer:

Anthony P. Esson, Architect, PLLC
PO Box 479
Gaylord, MI 49734

Date: January 19, 2024

West Branch – Rose City Area Schools will receive Bids from Bidders for remodeling work comprising replacement of designated windows at Ogemaw Heights High Schools and designated doors at Surline Elementary/Middle School.

Sealed Bids should be delivered in person to West Branch – Rose City Area Schools Central Office, c/o Gail Hughey, Superintendent, 960 HWY M33, West Branch, MI 48661. Bids must be received prior to 1:00 PM local time on February 6, 2024. Bids will be opened publically and read aloud immediately following the closure of the bidding period, in the West Branch – Rose City Area Schools Central Office located at 960 S. M33, West Branch, MI 48661. The Owner will not consider or accept a bid received after the date and time specified for bid submission. Post Bid Interviews with the apparent low Bidder(s) will be scheduled following receipt of Bids. All Bids will be evaluated at a later date.

There will be a Pre-Bid Conference conducted by the Owner and Architect/Engineer at 11:00 AM local time, Tuesday, January 30, 2024. The meeting will convene in the Ogemaw Heights High School Lobby located at 960 HWY M33, West Branch, MI 48661. The Pre-Bid Conference will consist of a brief informational meeting followed by an opportunity for Bidders to examine the Project site. Attendance is not mandatory but is strongly encouraged.

Bidding Documents will be available on or about January 22, 2024. Bidding Documents will be available to Bidders in electronic format (.pdf) free of charge. Interested Bidders may view and download bidding documents at www.anthonypesonarchitect.com. Select West Branch – Rose City Area Schools; 2024 Door and Window Replacement Project under the Bid Docs button.

Each Bidder shall include with its Bid, a sworn and notarized statement disclosing any familial relationships that exist between the owner or any employee of the Bidder and any member of the Board of Education of the Superintendent of the School District.

Compliance with the Iran Economic Sanctions Act (PA 517 of 2012) is required. Each Bidder shall include a sworn and notarized certification that they are not an "Iran Linked Business" as the term is defined in the Act.

WEST BRANCH – ROSE CITY AREA SCHOOLS
2024 DOOR AND WINDOW REPLACEMENT PROJECT
Ogemaw Heights High Schools and
Surline Elementary/Middle School
January 19, 2024

A Bid security in the amount of no less than 5 percent of the Bid Sum in the form of a Bid Bond, or certified check payable to the Owner shall accompany each Bid. A personal or company check does not constitute a Bid security.

Refer to other bidding requirements described in Document 00 21 13.

Bids shall be submitted on the Bid Form provided in the Bidding Documents.

The successful Bidder will be required to furnish Performance and Labor/Material Payment Bonds in the amount of 100% of the contract amount.

Bids will be required to be submitted under a condition of irrevocability for a period of 60 days after submission.

The Owner reserves the right to accept or reject any or all Bids, either in whole or in part; to award the Contract to other than the lowest Bidder; to waive any irregularities and/or informalities; and in general, to make awards in any manner deemed to be in the best interest of the Owner.

END OF DOCUMENT

DOCUMENT 00 21 13

INSTRUCTIONS TO BIDDERS

1.1 SUMMARY

A. Document Includes:

1. Bid submission.
2. Intent.
3. Work identified in contract documents.
4. Contract Time.
5. Definitions.
6. Contract Documents identification.
7. Availability of documents.
8. Examination of documents.
9. Inquiries and Addenda.
10. Product substitutions.
11. Site examination.
12. Prebid conference.
13. Subcontractors.
14. Submission procedure.
15. Bid ineligibility.
16. Bid security.
17. Performance assurance.
18. Bid Form requirements.
19. Fees for changes in the Work.
20. Bid Form signature.
21. Familial Disclosure Statement
22. Iran Economic Sanctions Act Compliance Affidavit
23. Bid opening.
24. Duration of offer.
25. Acceptance of offer.

B. Related Documents:

1. Document 00 11 16 - Invitation to Bid.
2. Document 00 41 13 - Bid Form - Stipulated Sum (Trade Contract).

1.2 BID SUBMISSION

- A. Bids signed and under seal, executed, and dated will be received by West Branch – Rose City Area Schools Central Office, c/o Gail Hughey, Superintendent, 960 HWY M33, West Branch, MI 48661, until 1:00 PM local time on February 6, 2024.
- B. Bids submitted after the above time will be returned to Bidder unopened.
- C. Amendments to submitted Bids will be permitted when received in writing prior to bid closing and when endorsed by the same party or parties who signed and sealed the Bid.
- D. Bidders may withdraw their Bid by written request at any time before bid closing.

1.3 INTENT

- A. The intent of this bid request is to obtain an offer to perform work to replace designated doors and windows at Ogemaw Heights High Schools and at Surline Elementary/Middle School for a Stipulated Price contract, in accordance with Contract Documents.

1.4 WORK IDENTIFIED IN CONTRACT DOCUMENTS

- A. Work of this proposed Contract comprises remodeling of Ogemaw Heights High Schools and Surline Elementary/Middle School and, in general, includes removal and replacement associated therewith.
- B. Location(s):
 - 1. Ogemaw Heights High School; 960 HWY M33, West Branch, MI 48661.
 - 2. Surline Elementary/Middle School; 147 State Street, West Branch, MI 48661.

1.5 CONTRACT TIME

- A. The work is anticipated to be completed during the months of June through August 2024. Contractor must achieve final completion by August 30, 2024.
- B. Contractor shall indicate the Contract Time required on the Bid Form. Contract Time shall be calendar days measured from commencement of the work on site to the date of Substantial Completion.
- C. Damages as identified in the agreement apply.

1.6 DEFINITIONS

- A. Bidding Documents: Contract Documents supplemented with Invitation to Bid, Instructions to Bidders, Information Available to Bidders, Bid Form, and bid securities, identified
- B. Contract Documents: Defined in AIA Document A104-2017, including issued Addenda.
- C. Bid: Executed Bid Form and required attachments submitted in accordance with these Instructions to Bidders.
- D. Bid Price: Monetary sum identified by the Bidder in the Bid Form.

1.7 CONTRACT DOCUMENTS IDENTIFICATION

- A. The Contract Documents are identified as Project No. 263-18Q titled West Branch – Rose City Area Schools; 2024 Door and Window Replacement Project as prepared by Anthony P. Esson, Architect.

1.8 AVAILABILITY OF DOCUMENTS

- A. Bidding Documents may be obtained as stated in document 00 11 16 - Invitation to Bid.
- B. Bidding Documents will also be on file at the following Plan Rooms.
 - 1. Builders Exchange Traverse City, Grand Rapids, Lansing, and Saginaw

- C. Partial sets of Bidding Documents will not be issued to Bidders.
- D. Bidding Documents are made available only for the purpose of obtaining offers for this Project. Their use does not grant a license for other purposes.

1.9 EXAMINATION OF DOCUMENTS

- A. Bidders are responsible for full examination of the drawings, specifications, exhibits and any Addenda prior to submission of bids.
- B. Upon receipt of Bidding Documents verify documents are complete. Notify Architect/Engineer if documents are incomplete.
- C. Immediately notify Architect/Engineer upon finding discrepancies or omissions in Bidding Documents. When such discrepancies or omissions should be discovered through reasonable examination for the purpose of estimating and are not brought to the Architect's attention and clarified prior to bidding, Bidder shall include and/or shall be deemed to have included the higher quantity or quality of Product or material, and/or more labor intensive or costly installation in the Bid.
- D. Carefully review Drawings and Specifications. Contractor is responsible for the entire Work identified in the Contract Documents without regard to the specific location of the information within the Contract Documents.

1.10 INQUIRIES AND ADDENDA

- A. Direct questions in writing to Anthony Esson, at the office of the Architect/Engineer; Email tony@anthonyessonarchitect.com.
- B. Verbal answers are not binding on any party.
- C. Submit questions not less than 7 days before date set for receipt of Bids. Replies will be made by Addenda.
- D. Addenda may be issued during bidding period. Addenda will be posted on the Construction Manager's website. Addenda become part of the Contract Documents. Include resultant costs in the Bid Price.

1.11 PRODUCT SUBSTITUTIONS

- A. Where Bidding Documents stipulate particular Products, substitution requests will be considered by Architect/Engineer up to 5 days before receipt of Bids.
- B. With each substitution request, provide sufficient information for Architect/Engineer to determine acceptability of proposed products.
- C. When a request to substitute a Product is made, Architect/Engineer may approve the substitution. Approved substitutions will be identified by Addenda.
- D. In submission of substitutions to Products specified, Bidders shall include in their Bid, changes required in the Work, changes to Contract Time and Contract Price to accommodate such approved substitutions. Later claims by the Bidder for an addition to the Contract Time or

Contract Price because of changes in Work necessitated by use of substitutions will not be considered.

1.12 SITE EXAMINATION

- A. Examine Project site before submitting a Bid.

1.13 PREBID CONFERENCE

- A. A Bidders conference is scheduled for 11:00 PM on January 30, 2024. The meeting will convene in the Ogemaw Heights High School Lobby, 960 HWY M33, West Branch, MI 48661. The Pre-Bid Meeting will consist of a brief informational meeting followed by an opportunity for Bidders to examine the project sites.
- B. Attendance is not mandatory but is strongly encouraged as no other opportunity for site examination will be provided.
- C. Representatives of the Architect/Engineer and Owner will be in attendance.
- D. Information relevant to Bidding Documents will be issued by Addendum

1.14 SUBCONTRACTORS

- A. The owner reserves the right to reject any proposed subcontractor(s) for reasonable cause.
- B. Refer to AIA Document A104-2017.

1.15 SUBMISSION PROCEDURE

- A. Bidders shall be solely responsible for delivery of Bids in manner and time prescribed.
- B. Submit one copy of executed offer on Bid Forms provided, signed and sealed with required security deposit in a closed opaque envelope, clearly identified with Bidder's name, Project name, Specific Bid Category and Owner's name on the outside.
- C. Each Bid Category must be bid in its' entirety. Bid qualifiers that omit portions of the work will be grounds for rejection.
- D. Bidders may bid more than one Bid Category however each category must be bid separately, using separate Bid Forms, in separate envelopes.
- E. An abstract summary of submitted Bids will be made available to all Bidders following bid opening.

1.16 BID INELIGIBILITY

- A. Bids that are unsigned, improperly signed or sealed, conditional, illegible, obscure, contain arithmetical errors, erasures, alterations, or irregularities of any kind, will be declared unacceptable at Owner's discretion.
- B. Bid Forms, Appendices, and enclosures which are improperly prepared will be declared unacceptable at Owner's discretion.

- C. Failure to provide security deposit, bonds or insurance requirements will invalidate the Bid at the discretion of the Owner.
- D. Bidders that are "Iran Linked Businesses" as the term is defined in PA 517 of 2012, Iran Economic Sanctions Act are ineligible to Bid. Eligible Bidders must submit certification in accordance with the Act. Refer to Section 00 45 02.

1.17 SECURITY DEPOSIT

- A. Bids shall be accompanied by security deposit in one of the following forms:
 - 1. Bid Bond in the amount of not less than five percent (5%) of the Bid Price on standard surety company form.
 - 2. Certified check payable to Owner in the amount of five percent (5%) of the Bid Price.
- B. Endorse Bid Bond in name of West Branch – Rose City Area Schools as obligee, signed and sealed by the principal (Contractor) and surety.
- C. Endorse certified check in name of West Branch – Rose City Area Schools.

1.18 PERFORMANCE ASSURANCE

- A. Accepted Bidder: Provide a Performance and Payment bond as described in AIA Document A104-2017.
- B. Include the cost of performance assurance bonds in the Bid Sum.

1.19 BID FORM REQUIREMENTS

- A. Complete requested information in the Bid Form and Bid Form Supplements.

1.20 FEES FOR CHANGES IN THE WORK

- A. When the Architect/Engineer establishes that the method of valuation for Changes in the Work will be net cost plus a percentage fee in accordance with General Conditions, the percentage fee allowed for Overhead and Profit to the Contractor shall be Ten Percent (10%) on the net cost of work by performed directly by the General Contractor, and Five Percent (5%) on the gross cost of work by a Subcontractor. The percentage fee allowed for Overhead and Profit to any Subcontractor at any level shall be Ten Percent (10%) on the net cost of work by performed directly by the Subcontractor, and Five Percent (5%) on the gross cost of work by any lower tier Subcontractor.

1.21 BID FORM SIGNATURE

- A. Sign Bid Form, as follows:
 - 1. Sole Proprietorship: Signature of sole proprietor in the presence of a witness who will also sign. Insert the words "Sole Proprietor" under the signature. Affix seal.
 - 2. Partnership: Signature of all partners in the presence of a witness who will also sign. Insert the word "Partner" under each signature. Affix seal to each signature.
 - 3. Corporation: Signature of a duly authorized signing officers in their normal signatures. Insert the officer's capacity in which the signing officer acts, under each signature. Affix the corporate seal. If the Bid is signed by officials other than the president and secretary of the company, or the president/secretary/treasurer of the company, submit a copy of the by-law

resolution of their board of directors authorizing them to do so, with the Bid Form in the bid envelope.

4. Joint Venture: Signature of each party of the joint venture under their respective seals in a manner appropriate to such party as described above, similar to requirements for Partnerships.

1.22 FAMILIAL DISCLOSURE STATEMENT

- A. Include Familial Disclosure Statement – 00 45 01.
- B. Complete all requested information in the affidavit.
- C. Signature of the affidavit shall be notarized.
- D. Failure of the Bidder to submit a fully executed affidavit will result in disqualification of the bidder.

1.23 IRAN ECONOMIC SANCTIONS ACT COMPLIANCE AFFIDAVIT

- A. Include Iran Economic Sanctions Act Compliance Affidavit – 00 45 02.
- B. Complete all requested information in the affidavit.
- C. Signature of the affidavit shall be notarized.
- D. Failure of the Bidder to submit a fully executed affidavit will result in disqualification of the bidder.

1.24 BID OPENING

- A. Bids will be opened publicly and read aloud immediately following the closure of the bidding period in the Superintendent's office located in Ogemaw Heights High Schools at 960 S. M33, West Branch, MI 48661.
- B. Bidders may be present.

1.25 DURATION OF OFFER

- A. Bids shall remain open to acceptance and shall be irrevocable for a period of 60 days after bid closing date.

1.26 ACCEPTANCE OF OFFER

- A. The Owner reserves the right to accept or reject any or all offers.
- B. After acceptance by the Owner, the Architect/Engineer on behalf of the Owner, will issue to the accepted Bidder, a written letter of Contract Award.
- C. Notwithstanding delay in the preparation and execution of the Agreement, accepted Bidder shall be prepared, upon written Notice to Proceed, to commence work within seven days following receipt of official written order of the Owner to proceed, or on date stipulated in such order.
- D. The accepted bidder shall assist and cooperate with the Owner to prepare the Agreement, and within 7 days following its presentation shall execute Agreement and return it to the Owner.

WEST BRANCH – ROSE CITY AREA SCHOOLS
2024 DOOR AND WINDOW REPLACEMENT PROJECT
Ogemaw Heights High Schools and
Surline Elementary/Middle School
January 19, 2024

END OF DOCUMENT

DOCUMENT 00 41 13

BID FORM – STIPULATED PRICE

To: West Branch – Rose City Area Schools Central Office
c/o Gail Hughey, Superintendent
960 HWY M33
West Branch, Michigan 48661

Project: West Branch – Rose City Area Schools
2024 Door and Window Replacement Project
Project No. 263-18Q

Date: _____

Submitted by: _____
(full name)

(full address)

Estimator _____
(name)

(telephone)

(email address)

1. OFFER

Having examined the Place of The Work and all matters referred to in the Instructions to Bidders and the Contract Documents prepared by Anthony Esson, Architect dated January 19, 2024 for the above named project, we, the undersigned, hereby offer to enter into a Contract to perform the Work for the

Stipulated Sum of: \$ _____ (numerical)

\$ _____ dollars in
lawful (written) money of the United States of America.

- We have included the required security deposit as required by the Instruction to Bidders.
- All applicable federal and/or State of Michigan taxes are included in the Bid Sum.
- We have included the costs of all required construction permits and inspections in the bid sum.
- We acknowledge that Damages may be assessed for our failure to achieve Completion prior to the dates indicated in the Contract Documents.

2. ALLOCATION OF PRICE

Our Stipulated Price can be allocated to each building for information, but not as separate Bids as follows:

That portion of our Stipulated Price allocated to work at Ogemaw Heights High School:

\$ _____ (numerical).

That portion of our Stipulated Price allocated to work at Surline Elementary/Middle School:

\$ _____ (numerical)

3. CONTRACT TIME

a. If this Bid is accepted, we will:

- Achieve Substantial Completion of the Work not later than _____ (date).

- We acknowledge that we must achieve Final Completion not later than August 30, 2024.

4. ACCEPTANCE

This offer shall be open to acceptance and is irrevocable for sixty (60) days from the bid closing date. If this bid is accepted by the Owner within the time period stated above, we will:

a. Execute the Agreement within five (5) days of receipt of Notice of Award by the Construction Manager.

b. Commence work within three (3) days after written Notice to Proceed by the Construction Manager.

If this bid is accepted within the time stated, and we fail to commence the Work or we fail to provide the required Bond(s), the security deposit shall be forfeited as damages to the Owner by reason of our failure, limited in amount to the lesser of the face value of the security deposit or the difference between this bid and the bid upon which a Contract is signed.

In the event our bid is not accepted within the time stated above, the required security deposit shall be returned to the undersigned, in accordance with the provisions of the Instructions to Bidders; unless a mutually satisfactory arrangement is made for its retention and validity for an extended period of time.

5. ADDENDA

The following Addenda have been received. The modifications to the Bid Documents noted below have been considered and all costs are included in the Bid Sum.

Addendum # _____ Dated _____

Addendum # _____ Dated _____

WEST BRANCH – ROSE CITY AREA SCHOOLS
2024 DOOR AND WINDOW REPLACEMENT PROJECT
Ogemaw Heights High Schools and
Surline Elementary/Middle School
January 19, 2024

6. BID FORM SIGNATURE(S)
The Corporate Seal of

(Bidder - print the full name of firm)
was hereunto affixed in the presence of:

(Authorized signing officer _____ Title)

(Seal)

If the Bid is a joint venture or partnership, add additional forms of execution for each member of the joint venture in the appropriate form or forms as above.

END OF BID FORM - STIPULATED PRICE

DOCUMENT 00 45 01

FAMILIAL DISCLOSURE STATEMENT

The undersigned, the owner or authorized officer of _____ (the "Bidder") pursuant to the familial disclosure requirement provided in the advertisement for construction bids, hereby represent and warrant, except as provided below, that no familial relationships exist between the owner(s) or any employee of the Bidder and any member of the Board of Education or the Superintendent of West Branch – Rose City Area Schools (the School), except as indicated below:

List any Familial Relationships:

BIDDER:

By: _____

Its: _____

State of Michigan)
) SS
County of)

This instrument was acknowledged before me on the _____ day of _____, 20____, by

_____.

, Notary Public

_____, County, Michigan

My Commission Expires: _____

Acting in the County of: _____

END OF FAMILIAL DISCLOSURE STATEMENT

DOCUMENT 00 45 02

IRAN ECONOMIC SANCTIONS ACT COMPLIANCE AFFIDAVIT

Effective April 1, 2013, all Bids and/or Proposals received by public entities in the State of Michigan must comply with the Iran Economic Sanctions Act, Act 517 of 2012. As a condition to compliance with the Act, the following certification must be submitted with the Bid.

The undersigned, the owner or authorized officer of _____ (the "Bidder"), pursuant to the requirements of the Iran Economic Sanctions Act, Act 517 of 2012, hereby certifies under civil penalty for false certification, that the Bidder is not an "Iran Linked Business", as defined in the Act, and is eligible to submit a Bid.

By: _____

Its: _____

State of Michigan)
) SS
County of)

This instrument was acknowledged before me on the _____ day of _____, 20__, by
_____.

, Notary Public

_____, County, Michigan

My Commission Expires: _____

Acting in the County of: _____

END OF IRAN ECONOMIC SANCTIONS ACT COMPLIANCE AFFIDAVIT

DOCUMENT 00 52 14

AGREEMENT FORM - AIA STIPULATED SUM (SINGLE-PRIME CONTRACT)

1.1 SUMMARY

- A. Document Includes:
1. Agreement.

1.2 AGREEMENT

- A. AIA Document A104-2017, Standard Abbreviated Form of Agreement Between Owner and Contractor as modified, forms the basis of Agreement Between the Owner and Contractor.

END OF DOCUMENT



AIA® Document A104® – 2017

Standard Abbreviated Form of Agreement Between Owner and Contractor

AGREEMENT made as of the 19th day of February in the year 2024
(In words, indicate day, month and year.)

BETWEEN the Owner:
(Name, legal status, address and other information)

West Branch-Rose City Area Schools
960 South M-33
West Branch, Michigan 48661

and the Contractor:
(Name, legal status, address and other information)

for the following Project:
(Name, location and detailed description)

West Branch-Rose City Area Schools
2024 Door and Window Replacement Project
AEA Project No. 268-18Q

The Architect:
(Name, legal status, address and other information)

Anthony P. Esson, Architect
P.O. Box 479
Gaylord, Michigan 49734

The Owner and Contractor agree as follows.

This document has important legal consequences. Consultation with an attorney is encouraged with respect to its completion or modification.

TABLE OF ARTICLES

1 THE WORK OF THIS CONTRACT
2 DATE OF COMMENCEMENT AND SUBSTANTIAL COMPLETION
3 CONTRACT SUM
4 PAYMENT
5 DISPUTE RESOLUTION
6 ENUMERATION OF CONTRACT DOCUMENTS
7 GENERAL PROVISIONS
8 OWNER
9 CONTRACTOR
10 ARCHITECT
11 SUBCONTRACTORS
12 CONSTRUCTION BY OWNER OR BY SEPARATE CONTRACTORS
13 CHANGES IN THE WORK
14 TIME
15 PAYMENTS AND COMPLETION
16 PROTECTION OF PERSONS AND PROPERTY
17 INSURANCE AND BONDS
18 CORRECTION OF WORK
19 MISCELLANEOUS PROVISIONS
20 TERMINATION OF THE CONTRACT
21 CLAIMS AND DISPUTES

EXHIBIT A ~~DETERMINATION OF THE COST OF THE WORK~~ TERMS OF CONTRACT FOR ESSER-FUNDED PROJECTS

ARTICLE 1 THE WORK OF THIS CONTRACT

The Contractor shall execute the Work described in the Contract Documents, except as specifically indicated in the Contract Documents to be the responsibility of others.

ARTICLE 2 DATE OF COMMENCEMENT AND SUBSTANTIAL COMPLETION

§ 2.1 The date of commencement of the Work shall be:

(Check one of the following boxes.)

[] The date of this Agreement.

Init.

A date set forth in a notice to proceed issued by the Owner.

Established as follows:

(Insert a date or a means to determine the date of commencement of the Work.)

If a date of commencement of the Work is not selected, then the date of commencement shall be the date of this Agreement.

§ 2.2 The Contract Time shall be measured from the date of commencement.

§ 2.3 Substantial Completion

§ 2.3.1 Subject to adjustments of the Contract Time as provided in the Contract Documents, the Contractor shall achieve Substantial Completion of the entire Work:

(Check the appropriate box and complete the necessary information.)

Not later than () calendar days from the date of commencement of the Work.

By the following date: As proposed by Contractor (see Bid Form)

~~§ 2.3.2 Subject to adjustments of the Contract Time as provided in the Contract Documents, if portions of the Work are to be completed prior to Substantial Completion of the entire Work, the Contractor shall achieve Substantial Completion of such portions by the following dates:~~

Portion of Work

Substantial Completion Date

~~§ 2.3.3 If the Contractor fails to achieve Substantial Completion as provided in this Section 2.3, liquidated damages, if any, shall be assessed as set forth in Section 3.5.2.3 due to circumstances within the reasonable control of the Contractor, Owner may at their sole discretion hold Contractor responsible for costs that Owner would not have otherwise incurred. Such costs may be withheld from Progress payments or Final payment as applicable.~~

ARTICLE 3 CONTRACT SUM

§ 3.1 The Owner shall pay the Contractor the Contract Sum in current funds for the Contractor's performance of the Contract. The Contract Sum shall be one of the following:

(Check the appropriate box.)

Stipulated Sum, in accordance with Section 3.2 below

~~Cost of the Work plus the Contractor's Fee, in accordance with Section 3.3 below~~

~~Cost of the Work plus the Contractor's Fee with a Guaranteed Maximum Price, in accordance with Section 3.4 below~~

(Based on the selection above, complete Section 3.2, 3.3 or 3.4 below.)

§ 3.2 The Stipulated Sum shall be (\$), subject to additions and deductions as provided in the Contract Documents.

§ 3.2.1 The Stipulated Sum is based upon the following alternates, if any, which are described in the Contract Documents and are hereby accepted by the Owner:

(State the numbers or other identification of accepted alternates. If the bidding or proposal documents permit the Owner to accept other alternates subsequent to the execution of this Agreement, attach a schedule of such other alternates showing the amount for each and the date when that amount expires.)

None

§ 3.2.2 Unit prices, if any:

(Identify the item and state the unit price and the quantity limitations, if any, to which the unit price will be applicable.)

Init.

AIA Document A104 – 2017 (formerly A107™ – 2007). Copyright © 1936, 1951, 1958, 1961, 1963, 1966, 1970, 1974, 1978, 1987, 1997, 2007 and 2017. All rights reserved. "The American Institute of Architects," "American Institute of Architects," "AIA," the AIA Logo, and "AIA Contract Documents" are trademarks of The American Institute of Architects. This document was produced at 11:45:46 ET on 01/19/2024 under Order No.2114476379 which expires on 09/19/2024, is not for resale, is licensed for one-time use only, and may only be used in accordance with the AIA Contract Documents® Terms of Service. To report copyright violations, e-mail docinfo@aiaccontracts.com.

User Notes:

(2036554316)

Item	Units and Limitations	Price per Unit (\$0.00)
<u>None</u>		

§ 3.2.3 Allowances, if any, included in the stipulated sum:
(Identify each allowance.)

Item	Price
------	-------

~~§ 3.3 Cost of the Work Plus Contractor's Fee~~

~~§ 3.3.1 The Cost of the Work is as defined in Exhibit A, Determination of the Cost of the Work.~~

~~§ 3.3.2 The Contractor's Fee:~~

~~*(State a lump sum, percentage of Cost of the Work or other provision for determining the Contractor's Fee and the method of adjustment to the Fee for changes in the Work.)*~~

~~§ 3.4 Cost of the Work Plus Contractor's Fee With a Guaranteed Maximum Price~~

~~§ 3.4.1 The Cost of the Work is as defined in Exhibit A, Determination of the Cost of the Work.~~

~~§ 3.4.2 The Contractor's Fee:~~

~~*(State a lump sum, percentage of Cost of the Work or other provision for determining the Contractor's Fee and the method of adjustment to the Fee for changes in the Work.)*~~

~~§ 3.4.3 Guaranteed Maximum Price~~

~~§ 3.4.3.1 The sum of the Cost of the Work and the Contractor's Fee is guaranteed by the Contractor not to exceed — (\$), subject to additions and deductions by changes in the Work as provided in the Contract Documents. This maximum sum is referred to in the Contract Documents as the Guaranteed Maximum Price. Costs which would cause the Guaranteed Maximum Price to be exceeded shall be paid by the Contractor without reimbursement by the Owner. *(Insert specific provisions if the Contractor is to participate in any savings.)*~~

~~§ 3.4.3.2 The Guaranteed Maximum Price is based on the following alternates, if any, which are described in the Contract Documents and are hereby accepted by the Owner:~~

~~*(State the numbers or other identification of accepted alternates. If the bidding or proposal documents permit the Owner to accept other alternates subsequent to the execution of this Agreement, attach a schedule of such other alternates showing the amount for each and the date when that amount expires.)*~~

~~§ 3.4.3.3 Unit Prices, if any:~~

~~*(Identify the item and state the unit price and the quantity limitations, if any, to which the unit price will be applicable.)*~~

Item	Units and Limitations	Price per Unit (\$0.00)
------	-----------------------	-------------------------

Item	Price
<u>None</u>	

§ 3.4.3.4 Allowances, if any, included in the Guaranteed Maximum Price:
(Identify each allowance.)

Init.

User Notes:

Item

Price

~~§ 3.4.3.5 Assumptions, if any, on which the Guaranteed Maximum Price is based:~~

~~§ 3.4.3.6 To the extent that the Contract Documents are anticipated to require further development, the Guaranteed Maximum Price includes the costs attributable to such further development consistent with the Contract Documents and reasonably inferable therefrom. Such further development does not include changes in scope, systems, kinds and quality of materials, finishes or equipment, all of which, if required, shall be incorporated by Change Order.~~

~~§ 3.4.3.7 The Owner shall authorize preparation of revisions to the Contract Documents that incorporate the agreed upon assumptions contained in Section 3.4.3.5. The Owner shall promptly furnish such revised Contract Documents to the Contractor. The Contractor shall notify the Owner and Architect of any inconsistencies between the agreed upon assumptions contained in Section 3.4.3.5 and the revised Contract Documents.~~

~~§ 3.5 Liquidated damages, if any:
(Insert terms and conditions for liquidated damages, if any.)~~

ARTICLE 4 PAYMENT

§ 4.1 Progress Payments

§ 4.1.1 Based upon Applications for Payment submitted to the Architect by the Contractor and Certificates for Payment issued by the Architect, the Owner shall make progress payments on account of the Contract Sum to the Contractor as provided below and elsewhere in the Contract Documents.

§ 4.1.2 The period covered by each Application for Payment shall be one calendar month ending on the last day of the ~~month, or as follows:~~month.

§ 4.1.3 Provided that an Application for Payment is received by the Architect not later than the last day of a month, the Owner shall make payment of the ~~certified Architect-certified~~ amount to the Contractor not later than the ~~day of the month. If an last day of the following month, unless and to the extent the Owner reasonably disputes the Application or Certification in good faith. If an Architect-certified Application for Payment is received by the Architect-Owner after the date fixed above, payment-undisputed payments shall be made by the Owner not later than thirty (30) days after the Architect-Owner receives the certified Application for Payment.~~
(Federal, state or local laws may require payment within a certain period of time.)

§ 4.1.4 For each progress payment made prior to ~~Substantial-Final~~ Completion of the Work, the Owner may withhold retainage from the payment ~~otherwise due as follows:~~in an amount not less than ten percent (10%).
(Insert a percentage or amount to be withheld as retainage from each Application for Payment and any terms for reduction of retainage during the course of the Work. The amount of retainage may be limited by governing law.)

§ 4.1.5 Payments due and unpaid under the Contract shall bear interest from the date payment is due at the rate stated below, or in the absence thereof, at the legal rate prevailing from time to time at the place where the Project is located.
(Insert rate of interest agreed upon, if any.)

5 % Per Annum (See MCL 438.31)

Init.

§ 4.2 Final Payment

§ 4.2.1 Final payment, constituting the entire unpaid balance of the Contract Sum, shall be made by the Owner to the Contractor when

- .1 the Contractor has fully performed the Contract except for the Contractor’s responsibility to correct Work as provided in Section 18.2, and to satisfy other requirements, if any, which extend beyond final payment;
- .2 ~~the Contractor has submitted a final accounting for the Cost of the Work, where payment is on the basis of the Cost of the Work with or without a Guaranteed Maximum Price; and~~
- .3 a final Certificate for Payment has been issued by the Architect in accordance with Section 15.7.1.

§ 4.2.2 The Owner’s final payment to the Contractor shall be made no later than 30 days after ~~the issuance of the Owner’s agreement to the~~ Architect’s final Certificate for Payment, or as follows:

§ 4.3 Form of Payment

§ 4.3.1 Payments to the Contractor will be made by paper check. The Owner will not consider requests for ACH or other forms of electronic payment.

ARTICLE 5 DISPUTE RESOLUTION

§ 5.1 Binding Dispute Resolution

For any claim subject to, but not resolved by, mediation pursuant to Section 21.5, the method of binding dispute resolution shall be as follows:

(Check the appropriate box.)

- ~~Arbitration pursuant to Section 21.6 of this Agreement~~
- Litigation in a court of competent jurisdiction
- ~~Other (Specify)~~

If the Owner and Contractor do not select a method of binding dispute resolution, or do not subsequently agree in writing to a binding dispute resolution method other than litigation, claims will be resolved in a court of competent jurisdiction.

ARTICLE 6 ENUMERATION OF CONTRACT DOCUMENTS

§ 6.1 The Contract Documents are defined in Article 7 and, except for Modifications issued after execution of this Agreement, are enumerated in the sections below.

§ 6.1.1 The Agreement is this executed AIA Document A104™–2017, Standard Abbreviated Form of Agreement Between Owner and Contractor.

~~**§ 6.1.2** AIA Document E203™ 2013, Building Information Modeling and Digital Data Exhibit, dated as indicated below:~~

~~(Insert the date of the E203–2013 incorporated into this Agreement.)~~

§ 6.1.3 The Supplementary and other Conditions of the Contract:

Document	Title	Date	Pages
----------	-------	------	-------

§ 6.1.4 The Specifications:

(Either list the Specifications here or refer to an exhibit attached to this Agreement.)

Init.

/

All Sections dated January 19, 2024 unless dated otherwise below

Section	Title	Date	Pages
<u>01 10 00</u>	<u>Summary</u>		<u>2</u>
<u>01 20 00</u>	<u>Price and Payment</u>		<u>3</u>
	<u>Procedures</u>		
<u>01 30 00</u>	<u>Administrative</u>		<u>5</u>
	<u>Requirements</u>		
<u>01 33 00</u>	<u>Submittal Procedures</u>		<u>5</u>
<u>01 40 00</u>	<u>Quality Requirements</u>		<u>3</u>
<u>01 50 00</u>	<u>Temporary Facilities</u>		<u>3</u>
	<u>and Controls</u>		
<u>01 60 00</u>	<u>Product Requirements</u>		<u>3</u>
<u>01 70 00</u>	<u>Execution and Closeout</u>		<u>4</u>
	<u>Requirements</u>		
<u>02 41 19</u>	<u>Selective Structure</u>		<u>3</u>
	<u>Demolition</u>		
<u>08 41 13</u>	<u>Aluminum -Framed</u>		<u>10</u>
	<u>Entrances and</u>		
	<u>Storefronts</u>		
<u>08 51 13</u>	<u>Aluminum Windows</u>		<u>8</u>
<u>08 71 00</u>	<u>Door Hardware</u>		<u>9</u>
<u>08 80 00</u>	<u>Glazing</u>		<u>6</u>

§ 6.1.5 The Drawings:
(Either list the Drawings here or refer to an exhibit attached to this Agreement.)

All sheets dated January 19, 2024 unless noted otherwise

Number	Title	Date
<u>OGEMAW HEIGHTS HIGH SCHOOL</u>		
<u>T</u>	<u>Title Sheet / Composite</u>	
	<u>Floor Plan</u>	
<u>A1</u>	<u>Floor Plan Part "D" –</u>	
	<u>Demolition</u>	
<u>A2</u>	<u>Floor Plan Part "D" –</u>	
	<u>New Work and Window</u>	
	<u>Details</u>	
<u>SURLINE ELEMENTARY/MIDDLE SCHOOL</u>		
<u>T</u>	<u>Title Sheet / Composite</u>	
	<u>Floor Plan</u>	
<u>A1</u>	<u>Work Plans, Schedules</u>	
	<u>and Details</u>	

§ 6.1.6 The Addenda, if any:

Number	Date	Pages
--------	------	-------

Init.

/

Portions of Addenda relating to bidding or proposal requirements are not part of the Contract Documents unless the bidding or proposal requirements are enumerated in this Article 6.

§ 6.1.7 Additional documents, if any, forming part of the Contract Documents:

.1 Other Exhibits:

(Check all boxes that apply.)

— ~~Exhibit A, Determination of the Cost of the Work.~~

— ~~AIA Document E204™ 2017, Sustainable Projects Exhibit, dated as indicated below:
(Insert the date of the E204-2017 incorporated into this Agreement.)~~

— ~~The Sustainability Plan:~~

Title	Date	Pages
--------------	-------------	--------------

— ~~Supplementary and other Conditions of the Contract:~~

Document	Title	Date	Pages
-----------------	--------------	-------------	--------------

.2 Other documents, if any, listed below:

(List here any additional documents that are intended to form part of the Contract Documents.)

.1 Accepted portions of Contractor's Bid Response

The parties acknowledge that, due to the incorporation of several Contract Documents, the possibility exists (and is likely) that conflict or ambiguity may exist between or among the Contract Documents. In the event of any such conflict or ambiguity between or among the Contract Documents, the terms most beneficial to the Owner shall govern, as determined in the Owner's sole discretion.

ARTICLE 7 GENERAL PROVISIONS

§ 7.1 The Contract Documents

The Contract Documents are enumerated in Article 6 and consist of this Agreement (including, if applicable, Supplementary and other Conditions of the Contract), Drawings, Specifications, Addenda issued prior to the execution of this Agreement, other documents listed in this Agreement, and Modifications issued after execution of this Agreement. A Modification is (1) a written amendment to the Contract signed by both parties, (2) a Change Order, (3) a Construction Change Directive, or (4) a written order for a minor change in the Work issued by the Architect. The intent of the Contract Documents is to include all items necessary for the proper execution and completion of the Work by the Contractor. The Contract Documents are complementary, and what is required by one shall be as binding as if required by all; performance by the Contractor shall be required to the extent consistent with the Contract Documents and reasonably inferable from them as being necessary to produce the indicated results.

§ 7.2 The Contract

The Contract Documents form the Contract for Construction. The Contract represents the entire and integrated agreement between the parties hereto and supersedes prior negotiations, representations, or agreements, either written or oral. The Contract may be amended or modified only by a Modification. The Contract Documents shall not be construed to create a contractual relationship of any kind between any persons or entities other than the Owner and the Contractor.

§ 7.3 The Work

The term "Work" means the construction and services required by the Contract Documents, whether completed or partially completed, and includes all other labor, materials, equipment, and services provided or to be provided by the Contractor to fulfill the Contractor's obligations. The Work may constitute the whole or a part of the Project.

Init.

§ 7.4 Instruments of Service

Instruments of Service are representations, in any medium of expression now known or later developed, of the tangible and intangible creative work performed by the Architect and the Architect's consultants under their respective professional services agreements. Instruments of Service may include, without limitation, studies, surveys, models, sketches, drawings, specifications, and other similar materials.

§ 7.5 Ownership and use of Drawings, Specifications and Other Instruments of Service

~~§ 7.5.1 The Except as otherwise provided herein or in the Agreement between Owner and Architect, the Architect and the Architect's consultants shall be deemed the authors and owners of their respective Instruments of Service, including the Drawings and Specifications, and will retain all common law, statutory and other reserved rights in their Instruments of Service, including copyrights. The Contractor, Subcontractors, Sub-subcontractors, and suppliers shall not own or claim a copyright in the Instruments of Service. Submittal or distribution to meet official regulatory requirements or for other purposes in connection with the Project is not to be construed as publication in derogation of the Architect's or Architect's consultants' reserved rights.~~

~~§ 7.5.2 The Contractor, Subcontractors, Sub-subcontractors and suppliers are authorized to use and reproduce the Instruments of Service provided to them, Service, subject to the protocols established pursuant to Sections 7.6 and 7.7, solely and exclusively for execution of the Work. All copies made under this authorization shall bear the copyright notice, if any, shown on the Instruments of Service. The Contractor, Subcontractors, Sub-subcontractors, and suppliers may not use the Instruments of Service on other projects or for additions to this Project outside the scope of the Work without the specific written consent of the Owner, Architect and the Architect's consultants.~~

~~§ 7.6 Digital Data Use and Transmission~~

~~The parties shall agree upon protocols governing the transmission and use of Instruments of Service or any other information or documentation in digital form. The parties will use AIA Document E203™ 2013, Building Information Modeling and Digital Data Exhibit, to establish the protocols for the development, use, transmission, and exchange of digital data.~~

~~§ 7.7 Building Information Models Use and Reliance~~

~~Any use of, or reliance on, all or a portion of a building information model without agreement to protocols governing the use of, and reliance on, the information contained in the model and without having those protocols set forth in AIA Document E203™ 2013, Building Information Modeling and Digital Data Exhibit, and the requisite AIA Document G202™ 2013, Project Building Information Modeling Protocol Form, shall be at the using or relying party's sole risk and without liability to the other party and its contractors or consultants, the authors of, or contributors to, the building information model, and each of their agents and employees.~~

~~§ 7.5.3 The Drawings, Specifications, and other documents and all data used in compiling any tests, surveys, or inspections at the Project Site and the results therefrom, as well as all photographs, drawings, specifications, schedules, data processing output, computer-aided design/drafting (CADD) system disks/tapes, computations, studies, audits, reports, models and other items of like kind, and all intellectual property, prepared or created for or in connection with the Project and required by the Owner, the Contractor, or a third party, belong to the Owner. The Contractor may retain one record set. All copies of them, except Contractor's record set, shall be returned or suitably accounted for upon completion of the Work. They are for use solely with respect to the Project. The Contractor shall not, without the prior written consent of the Owner, use or permit anyone to use any Drawings, Specifications, or other documents prepared for or in connection with the Project, or any concepts or ideas developed in connection with the Project, for any purpose other than the Project. The Owner shall at all times have access to and control over the disposition of any Drawings, Specifications, and other documents pertaining to the Project.~~

§ 7.8 Severability

The invalidity of any provision of the Contract Documents shall not invalidate the Contract or its remaining provisions. If it is determined that any provision of the Contract Documents violates any law, or is otherwise invalid or unenforceable, then that provision shall be revised to the extent necessary to make that provision legal and enforceable. In such case the Contract Documents shall be construed, to the fullest extent permitted by law, to give effect to the parties' intentions and purposes in executing the Contract.

Init.

/

§ 7.9 Notice

§ 7.9.1 Except as otherwise provided in Section 7.9.2, where the Contract Documents require one party to notify or give notice to the other party, such notice shall be provided in writing to ~~the designated an~~ appropriate representative of the party to whom the notice is addressed and shall be deemed to have been duly served if delivered in person, by mail, by courier, or by electronic transmission ~~in accordance with AIA Document E203™ 2013, Building Information Modeling and Digital Data Exhibit, if completed, or as otherwise set forth below:~~

~~(If other than in accordance with AIA Document E203–2013, insert requirements for delivering Notice in electronic format such as name, title and email address of the recipient and whether and how the system will be required to generate a read receipt for the transmission.)~~ if an acknowledgement of receipt is received from the recipient or proof of receipt is otherwise established. The parties acknowledge that an appropriate representative of the Owner shall have authority only to the extent provided by the Owner's Board of Education.

§ 7.9.2 Notice of Claims shall be provided in writing and shall be deemed to have been duly served only if delivered to ~~the designated an appropriate~~ representative of the party to whom the notice is addressed by certified or registered mail, or by courier providing proof of delivery. The parties acknowledge that the Owner's administrators, employees, representatives, and agents have authority only to the extent expressly provided by the Owner's Board of Education and that, by law, all parties dealing with the Owner must ascertain such authority before relying on the actions or representations purported or implied to be on behalf of the Owner.

§ 7.10 Relationship of the Parties

~~Where the Contract is based on the Cost of the Work plus the Contractor's Fee, with or without a Guaranteed Maximum Price, the Contractor accepts the relationship of trust and confidence established by this Agreement and covenants with the Owner to cooperate with the Architect and exercise the Contractor's skill and judgment in furthering the interests of the Owner; to furnish efficient business administration and supervision; to furnish at all times an adequate supply of workers and materials; and to perform the Work in an expeditious and economical manner consistent with the Owner's interests. The Owner agrees to furnish and approve, in a timely manner, information required by the Contractor and to make payments to the Contractor in accordance with the requirements of the Contract Documents.~~

ARTICLE 8 OWNER

§ 8.1 Information and Services Required of the Owner

§ 8.1.1 ~~Prior to commencement of the Work, at the written request by the Contractor, the Owner shall furnish to the Contractor reasonable evidence that the Owner has made financial arrangements to fulfill the Owner's obligations under the Contract. The Contractor shall have no obligation to commence the Work until the Owner provides such evidence. If commencement of the Work is delayed under this Section 8.1.1, the Contract Time shall be extended appropriately.~~

§ 8.1.2 The Owner shall furnish all necessary surveys and a legal description of the site.

§ 8.1.3 ~~The Contractor shall be entitled to rely on the accuracy of information furnished by the Owner but Owner, subject to its experience, expertise, and judgement, and shall exercise proper precautions relating to the safe performance of the Work. The Contractor acknowledges and agrees that the Architect is responsible for design, that the Owner has no duty to discover any design errors or omissions in the Drawings, Plans, Specifications and other Construction Documents or to notify Contractor of same, and that the Owner does not warrant the accuracy and adequacy of any Contract Documents.~~

§ 8.1.4 ~~Except for permits and fees that are the responsibility of the Contractor under the Contract Documents, including including, but not limited to, those required under Section 9.6.1, the Owner shall secure and pay for other necessary approvals, easements, assessments, and charges required for the construction, use, or occupancy of permanent structures or for permanent changes in existing facilities.~~

§ 8.2 Owner's Right to Stop the Work

~~If the Contractor fails to correct Work which is not in accordance with the requirements of the Contract Documents, or repeatedly fails to carry out the Work in accordance with the Contract Documents, the Owner may issue a written order to the Contractor to stop the Work, or any portion thereof, until the cause for such order is eliminated; however,~~

Init.

the right of the Owner to stop the Work shall not give rise to a duty on the part of the Owner to exercise this right for the benefit of the Contractor or any other person or entity. This right shall be in addition to and not in limitation of the Owner's rights under any provision of the Contract Documents.

§ 8.3 Owner's Right to Carry Out the Work

If the Contractor defaults or neglects to carry out the Work in accordance with the Contract Documents, and fails within a ten-day period after receipt of notice from the Owner to commence and continue correction of such default or neglect with diligence and promptness, the Owner may, without prejudice to any other remedies the Owner may have, ~~correct such default or neglect. Such action by the Owner and amounts charged to the Contractor are both subject to prior approval of the Architect and the~~ have (including any claim against the Contractor's performance bond), correct such default or neglect. The Architect may, pursuant to Section 15.4.3, withhold or nullify a Certificate for Payment in whole or in part, to the extent reasonably necessary to reimburse the Owner for the reasonable cost of correcting such deficiencies, including the Owner's expenses and compensation for the Architect's additional services made necessary by such default, neglect, or failure. If the Contractor disagrees with the actions of the Owner or the Architect, or the amounts claimed as costs to the Owner, the Contractor may file a Claim pursuant to Article 21.

ARTICLE 9 CONTRACTOR

§ 9.1 Review of Contract Documents and Field Conditions by Contractor

§ 9.1.1 Execution of the Contract by the Contractor is a representation that the Contractor has visited the site, become generally familiar with local conditions under which the Work is to be performed and ~~correlated personal observations performed, including but not limited to the location of utilities, and correlated personal observations and inspections~~ with requirements of the Contract Documents.

§ 9.1.2 Because the Contract Documents are complementary, the Contractor shall, before starting each portion of the Work, carefully study and compare the various Contract Documents relative to that portion of the Work, as well as the information furnished by the Owner pursuant to Section 8.1.2, shall take field measurements of any existing conditions related to that portion of the Work and shall observe any conditions at the site affecting it. These obligations are for the purpose of facilitating coordination and construction by the Contractor and are not for the purpose of discovering errors, omissions, or inconsistencies in the Contract Documents; however, the Contractor shall promptly report to the Architect any errors, inconsistencies, or omissions discovered by or made known to the Contractor as a request for information in such form as the Architect may require. It is recognized that the Contractor's review is made in the Contractor's capacity as a contractor and not as a licensed design professional unless otherwise specifically provided in the Contract Documents.

§ 9.1.3 The Contractor is not required to ascertain that the Contract Documents are in accordance with applicable laws, statutes, ordinances, codes, rules and regulations, or lawful orders of public authorities, but the Contractor shall promptly report to the Architect any nonconformity discovered by or made known to the Contractor as a request for information in such form as the Architect may ~~require~~ require, with a copy of same to be forwarded to the Owner.

§ 9.2 Supervision and Construction Procedures

§ 9.2.1 The Contractor shall supervise and direct the Work, using the Contractor's best skill and attention. The Contractor shall be solely responsible for and have control over construction means, methods, techniques, sequences, and procedures, and for coordinating all portions of the Work under the Contract, unless the Contract Documents give other specific instructions concerning these matters.

§ 9.2.2 The Contractor shall be responsible to the Owner for acts and omissions of the Contractor's employees, Subcontractors and their agents and employees, and other persons or entities performing portions of the Work for or on behalf of the Contractor or any of its Subcontractors.

§ 9.2.3 The Contractor shall immediately notify the Architect of delays of any other Contractors that could impact timely coordination and completion of the Work. The Contractor shall be deemed to have accepted prior work when it commences provision of subsequent Work and shall be responsible for the cost of repair, replacement, or reconstruction if the prior work is found to be improper.

§ 9.3 Labor and Materials

§ 9.3.1 Unless otherwise provided in the Contract Documents, the Contractor shall provide and pay for labor, materials, equipment, tools, construction equipment and machinery, water, heat, utilities, transportation, and other

facilities and services necessary for proper execution and completion of the Work whether temporary or permanent and whether or not incorporated or to be incorporated in the Work.

§ 9.3.2 The Contractor shall enforce strict discipline and good order among the Contractor's employees and other persons carrying out the Work. The Contractor shall not permit employment of unfit persons or persons not skilled in tasks assigned to them.

§ 9.3.3 The Contractor may make a substitution only with the consent of the Owner, after evaluation by the Architect and in accordance with a Modification.

§ 9.3.4 Asbestos-Free Product Installation

§ 9.3.4.1 It is hereby understood and agreed that no product and/or material containing asbestos, including chrysotile, amosite, crocidolite, tremolite asbestos, anthophyllite asbestos, actinolite asbestos and any combination of these materials that have been chemically treated and/or altered shall be installed or introduced into the Work by the Contractor or its employees, agents, Subcontractors, or other individuals or entities over whom the Contractor has control. The Contractor shall be required to provide a signed certification statement ensuring that all products or materials installed or introduced into the Work will be asbestos-free.

§ 9.3.4.2 The Contractor also shall be required to furnish certified statements from the manufacturers of supplied materials used during construction verifying their products to be asbestos-free in accordance with the requirements of Section 9.3.4.1.

§ 9.3.4.3 The Contractor shall complete and submit to the Owner a certification evidencing asbestos-free product installation prior to issuance of the final Certificate for Payment in a form acceptable to the Owner.

§ 9.3.5 The Contractor agrees that neither it nor its Subcontractors will discriminate against any employee or applicant for employment, to be employed in the performance of this Contract, with respect to hire, tenure conditions or privilege of employment, or any matter directly or indirectly related to employment, because of race, age, sex, color, religion, national origin, ancestry or physical disability. Breach of this covenant may be regarded as a material breach of this Contract.

§ 9.4 Warranty

The Contractor warrants to the Owner and Architect that materials and equipment furnished under the Contract will be of good quality and new unless the Contract Documents expressly require or permit otherwise. The Contractor further warrants that the Work will conform to the requirements of the Contract Documents and will be free from defects, except for those inherent in the quality of the Work the Contract Documents expressly require or permit. Work, materials, or equipment not conforming to these requirements may be considered defective. ~~The Contractor's warranty excludes remedy for damage or defect caused by abuse, alterations to the Work not executed by the Contractor, improper or insufficient maintenance, improper operation or normal wear and tear under normal usage.~~ Contractor warrants that the Owner will have good title to the Work and all materials and equipment incorporated into the Work. The Contractor warrants that all Work and materials and equipment incorporated into the Work shall be fit for the purposes for which they were intended. The Contractor warrants that all Work and materials and equipment incorporated into the Work shall be merchantable. All other warranties required by the Contract Documents shall be issued in the name of the Owner, or shall be transferable to the Owner, and shall commence in accordance with Section 15.6.3.

Upon notice of the breach of any of the foregoing warranties or guarantees or any other warranties or guarantees under the Contract Documents, the Contractor, in addition to any other requirements in the Contract Documents, will commence to correct such breach within 72 hours after written notice thereof and thereafter will use its best efforts to correct such breach to the satisfaction of the Owner; provided that if such notice is given after final payment hereunder, such 72 hour period shall be extended to seven (7) days. The foregoing warranties and obligations of the Contractor shall survive the final payment and/or termination of the Contract.

The Contractor shall, at the time of final completion of the Work and as a condition precedent to final payment to the Contractor, assign to the Owner all manufacturers' warranties related to the materials and labor used in the Work. The Contractor further agrees to perform the Work in such manner as to preserve any and all such manufacturers' warranties and deliver to the Architect the warranties, project manuals, operating procedures, and other materials

Init.

/

related to each of the building systems and materials included in the Contractor's Work and as required by the Specifications.

§ 9.5 Taxes

The Contractor shall pay sales, consumer, use, and other similar taxes that are legally enacted when bids are received or negotiations concluded, whether or not yet effective or merely scheduled to go into effect. The Contractor shall pay all local, state and federal taxes levied on its business, income or property and shall make all contributions for social security and other wage or payroll taxes. The Contractor shall be solely responsible for such payments and shall indemnify the Owner and hold it harmless from same.

§ 9.6 Permits, Fees, Notices, and Compliance with Laws

§ 9.6.1 Unless otherwise provided in the Contract Documents, the Contractor shall secure and pay for the building permit as well as other permits, fees, licenses, and inspections by government agencies necessary for proper execution and completion of the Work that are customarily secured after execution of the Contract and legally required at the time bids are received or negotiations concluded.

§ 9.6.2 The Contractor shall comply with and give notices required by applicable laws, statutes, ordinances, codes, rules and regulations, and lawful orders of public authorities applicable to performance of the Work. If the Contractor performs Work ~~knowing it to be~~ contrary to applicable laws, statutes, ordinances, codes, rules and regulations, or lawful orders of public authorities, the Contractor shall assume appropriate responsibility for such Work and shall bear the costs attributable to correction.

§ 9.7 Allowances

The Contractor shall include in the Contract Sum all allowances stated in the Contract Documents. The Owner shall select materials and equipment under allowances with reasonable promptness. Allowance amounts shall include the costs to the Contractor of materials and equipment delivered at the site and all required taxes, less applicable trade discounts. Contractor's costs for unloading and handling at the site, labor, installation, overhead, profit, and other expenses contemplated for stated allowance amounts shall be included in the Contract Sum but not in the allowance.

§ 9.8 Contractor's Construction Schedules

§ 9.8.1 The Contractor, promptly after being awarded the Contract, shall submit for the Owner's and Architect's information a Contractor's construction schedule for the Work. The schedule shall not exceed time limits current under the Contract Documents, shall be revised at appropriate intervals as required by the conditions of the Work and Project, shall be related to the entire Project to the extent required by the Contract Documents, and shall provide for expeditious and practicable execution of the Work.

§ 9.8.2 The Contractor shall perform the Work in general accordance with the most recent schedule submitted to the Owner and Architect. The Contractor acknowledges and understands that the work schedule will be modified from time-to-time with the Owner's approval to coordinate with the work of others and that such schedule changes do not give rise to a claim for damages or additional compensation by the Contractor for delay or otherwise. The Contractor shall be required to conform to the most recent Owner-approved schedule and acknowledges that fact was taken into account when it agreed to the Contract Sum and entered into this Contract. The Contractor shall cooperate with the Architect and Owner in scheduling and performing the Contractor's Work to avoid conflict with, and as to cause no delay in, the work or activities of other contractors or the construction or operations of the Owner's own forces.

§ 9.9 Submittals

§ 9.9.1 The Contractor shall review for compliance with the Contract Documents and submit to the Architect Shop Drawings, Product Data, Samples, and similar submittals required by the Contract Documents in coordination with the Contractor's construction schedule and in such sequence as to allow the Architect reasonable time for review. By submitting Shop Drawings, Product Data, Samples, and similar submittals, the Contractor represents to the Owner and Architect that the Contractor has (1) reviewed and approved them; (2) determined and verified materials, field measurements, and field construction criteria related thereto, or will do so; and (3) checked and coordinated the information contained within such submittals with the requirements of the Work and of the Contract Documents. The Work shall be in accordance with approved submittals.

§ 9.9.2 Shop Drawings, Product Data, Samples and similar submittals are not Contract Documents.

§ 9.9.3 The Contractor shall not be required to provide professional services that constitute the practice of architecture or engineering unless such services are specifically required by the Contract Documents or unless the Contractor needs to provide such services in order to carry out the Contractor's own responsibilities. If professional design services or certifications by a design professional are specifically required, the Owner and the Architect will specify the performance and design criteria that such services must satisfy. The Contractor shall cause such services or certifications to be provided by an appropriately licensed design professional. If no criteria are specified, the design shall comply with applicable codes and ordinances. Each Subject to its professional skill, experience, and expertise (if applicable), and except as otherwise set forth in the Contract Documents, each Party shall be entitled to rely upon the information provided by the other Party. The Architect will review and approve or take other appropriate action on submittals for the limited purpose of checking for conformance with information provided and the design concept expressed in the Contract Documents. The Architect's review of Shop Drawings, Product Data, Samples, and similar submittals shall be for the limited purpose of checking for conformance with information given and the design concept expressed in the Contract Documents. In performing such review, the Architect will approve, or take other appropriate action upon, the Contractor's Shop Drawings, Product Data, Samples, and similar submittals.

§ 9.10 Use of Site

The Contractor shall confine operations at the site to areas permitted by applicable laws, statutes, ordinances, codes, rules and regulations, lawful orders of public authorities, and the Contract Documents and shall not unreasonably encumber the site with materials or equipment. The Contractor will also consult with the Owner and Architect concerning necessary operations at the Project site to minimize construction impacts on the Owner, including but not limited to its educational operations.

§ 9.11 Cutting and Patching

The Contractor shall be responsible for cutting, fitting, or patching required to complete the Work or to make its parts fit together properly.

§ 9.12 Cleaning Up

The Contractor shall keep the premises and surrounding area free from accumulation of waste materials and rubbish caused by operations under the Contract. At completion of the Work, the Contractor shall remove waste materials, rubbish, the Contractor's tools, construction equipment, machinery, and surplus material from and about the Project.

§ 9.13 Access to Work

The Contractor shall provide the Owner and Architect with access to the Work in preparation and progress wherever located.

§ 9.14 Royalties, Patents and Copyrights

The Contractor shall pay all royalties and license fees. The Contractor shall defend suits or claims for infringement of copyrights and patent rights and shall indemnify and hold harmless the Owner and Architect harmless from from any and all cost, damage, or loss on account thereof, but shall not be responsible for defense or loss when a particular design, process, or product of a particular manufacturer or manufacturers is required by the Contract Documents or where the copyright violations are contained in Drawings, Specifications or other documents prepared by the Owner or Architect. However, if an infringement of a copyright or patent is discovered by, or made known to, the Contractor, the Contractor shall be responsible for the loss unless the information is promptly furnished to the Architect.

§ 9.15 Indemnification

§ 9.15.1 To the fullest extent permitted by law, the Contractor shall indemnify and hold harmless the Owner, Architect, Architect's consultants, and agents and employees of any of them from and against claims, damages, losses and expenses, including but not limited to attorneys' fees, fees and the costs of correcting defective work, arising out of or resulting from performance of the Work, provided that such claim, damage, loss, or expense is attributable to bodily injury, sickness, disease or death, or to injury to or destruction of tangible property (other than the Work itself), but only to the extent caused by the negligent acts or omissions of the Contractor, a Subcontractor, anyone directly or indirectly employed by them, or anyone for whose acts they may be liable, or the Contractor's breach of this Agreement, regardless of whether or not such claim, damage, loss, or expense is caused in part by a party indemnified hereunder. Such obligation shall not be construed to negate, abridge, or reduce other rights or obligations of indemnity which would otherwise exist as to a party or person described in this Section 9.15.1.

§ 9.15.2 In claims against any person or entity indemnified under this Section 9.15 by an employee of the Contractor, a Subcontractor, anyone directly or indirectly employed by them, or anyone for whose acts they may be liable, the indemnification obligation under Section 9.15.1 shall not be limited by a limitation on amount or type of damages, compensation or benefits payable by or for the Contractor or Subcontractor under workers' compensation acts, disability benefit acts or other employee benefit acts.

§ 9.15.3 In addition to and not in limitation of the Contractor's other indemnity obligations, the Contractor hereby accepts and assumes exclusive liability for and shall indemnify, protect, and hold harmless the Owner and Architect from and against the payment of the following:

- .1 all loss by fines, penalties or corrective measures resulting from acts of the Contractor or omissions by the Contractor, its Subcontractors, agents, employees or assigns, with respect to the violation of safety requirements of this Contract, including reasonable attorney fees
- .2 all contributions, taxes, or premiums (including interest and penalties thereof) which may be payable under the unemployment insurance law of any state, the federal Social Security Act, federal, state, county, and/or municipal tax withholding laws, or any other law, measured upon the payroll of or required to be withheld from employees by whomsoever employed, engaged in the Work to be performed and furnished under this Contract;
- .3 all sales, use, personal property and other taxes (including interest and penalties thereof) required by any federal, state, county, municipal, or other law to be paid or collected by the Contractor or any of its Subcontractors or vendors or any other person or persons acting for, through or under it or any of them, by reason of the performance of the Work or the acquisition, ownership, furnishing, or use of any materials, equipment, supplies, labor, services, or other items for or in connection with the Work; and
- .4 all pension, welfare, vacation, annuity, and other benefit contributions payable under or in connection with respect to all persons by whomsoever employed, engaged in the Work to be performed and furnished under this Contract.
- .5 any claim, damage, loss or expense, including, but not limited to, actual attorney fees, incurred by the Owner related to any hazardous material or waste, toxic substance, pollution, or contamination brought into the Project site or caused by the Contractor or used, handled, transported, stored, removed, remediated, disturbed, or dispersed of by Contractor.

§ 9.15.4 In the event that any claim is made or asserted, or lawsuit filed for damages or injury arising out of or resulting from the performance of the Work, whether or not the Owner or Architect is named as a party, the Contractor shall immediately advise the Owner and Architect, in writing, of such claim or lawsuit and shall provide a full and complete copy of any documents or pleadings thereto, as well as a full and accurate report of the facts involved.

ARTICLE 10 ARCHITECT

§ 10.1 The Architect will provide administration of the Contract as described in the Contract Documents and will be an Owner's representative during construction, until the date the Architect issues the final Certificate for ~~Payment~~. ~~Payment and with the Owner's written concurrence during the correction period.~~ The Architect will have authority to act on behalf of the Owner only to the extent provided in the Contract Documents, unless otherwise modified in writing in accordance with other provisions of the Contract.

§ 10.2 Duties, responsibilities, and limitations of authority of the Architect as set forth in the Contract Documents shall not be restricted, modified, or extended without written consent of the ~~Owner, Contractor, and Architect.~~ ~~Consent shall not be unreasonably withheld.~~ Owner and Architect.

§ 10.3 The Architect will visit the site at intervals appropriate to the stage of the construction ~~to become generally or more frequently as required by law, to become familiar with the progress and quality of the portion of the Work completed, and to determine in general, if the Work observed is being performed in a manner indicating that the Work, when fully completed, will be in accordance with the Contract Documents. However, the Architect will not be required to make exhaustive or continuous on-site inspections to check the quality or quantity of the Work. The Except as otherwise set forth in the Owner/Architect Agreement, the Architect will not have control over, charge of, or responsibility for the construction means, methods, techniques, sequences, or procedures, or for safety precautions and programs in connection with the Work, since these are solely the Contractor's rights and responsibilities under the Contract Documents. The Architect shall provide all services and duties that may be performed by an "Architect" or "Engineer" in 1937 PA 306 and 1980 PA 299, including but not limited to, construction supervision.~~

§ 10.4 On the basis of the site visits, the Architect will keep the Owner ~~reasonably~~ informed about the progress and quality of the portion of the Work completed, will guard the Owner against defects and deficiencies in the Work, and promptly report to the Owner (1) known deviations from the Contract Documents, (2) known deviations from the most recent construction schedule submitted by the Contractor, and (3) defects and deficiencies observed in the Work. ~~The~~ Except as required by the Owner/Architect Agreement, the Architect will not be responsible for the Contractor's failure to perform the Work in accordance with the requirements of the Contract Documents. The Architect will not have control over or charge of and and, except as provided in the Owner/Architect Agreement, will not be responsible for acts or omissions of the Contractor, Subcontractors, or their agents or employees, or any other persons or entities performing portions of the Work. The Architect shall provide all services and duties that may be performed by an "Architect" or "Engineer" in 1937 PA 306 and 1980 PA 299, including but not limited to, construction supervision.

§ 10.5 Based on the Architect's evaluations of the Work and of the Contractor's Applications for Payment, the Architect will review and certify the amounts due the Contractor and will issue Certificates for Payment in such amounts.

§ 10.6 The Architect has authority to reject Work that does not conform to the Contract Documents and to require inspection or testing of the Work.

§ 10.7 The Architect will review and approve or take other appropriate action upon, the Contractor's submittals such as Shop Drawings, Product Data, and Samples, but only for the limited purpose of checking for conformance with information given and the design concept expressed in the Contract Documents.

§ 10.8 The Architect will interpret ~~and decide~~ matters concerning performance under, and requirements of, the Contract Documents on written request of ~~either the Owner or Contractor, the Owner.~~ The Architect will make initial decisions-interpretations on all claims, disputes, and other matters in question between the Owner and Contractor but will not be liable for results of any interpretations or decisions-reasonable interpretations rendered in good faith.

§ 10.9 The Architect's ~~decisions on matters-interpretations~~ relating to aesthetic effect will be final if consistent with the intent expressed in the Contract Documents.

ARTICLE 11 SUBCONTRACTORS

§ 11.1 A Subcontractor is a person or entity who has a direct contract with the Contractor to perform a portion of the Work at the site.

§ 11.2 Unless otherwise stated in the Contract Documents, the Contractor, as soon as practicable after award of the Contract, shall notify the Owner and Architect in writing of the Subcontractors or suppliers proposed for each of the principal portions of the Work. The Contractor shall not contract with any Subcontractor or supplier to whom the Owner or Architect has made reasonable written objection within ten days after receipt of the Contractor's list of Subcontractors and suppliers. If the proposed but rejected Subcontractor was reasonably capable of performing the Work, taking into consideration the Owner's or Architect's reasonable objection in good faith, the Contract Sum and Contract Time shall be increased or decreased by the difference, if any, occasioned by such change, and an appropriate Change Order shall be issued before commencement of the substitute Subcontractor's Work. The Contractor shall not be required to contract with anyone to whom the Contractor has made reasonable objection.

§ 11.3 Contracts between the Contractor and Subcontractors shall (1) require each Subcontractor, to the extent of the Work to be performed by the Subcontractor, to be bound to the Contractor by the terms of the Contract Documents, and to assume toward the Contractor all the obligations and responsibilities, including the responsibility for safety of the Subcontractor's Work, which the Contractor, by the Contract Documents, assumes toward the Owner and Architect, and (2) allow the Subcontractor the benefit of all rights, remedies and redress against the Contractor that the Contractor, by these Contract Documents, has against the Owner. The Contractor shall ensure that the Owner is made an express third-party beneficiary of any agreement between the Contractor and Subcontractor (or between a Subcontractor and any sub-subcontractor) related to the Work.

ARTICLE 12 CONSTRUCTION BY OWNER OR BY SEPARATE CONTRACTORS

§ 12.1 The term "Separate Contractor(s)" shall mean other contractors retained by the Owner under separate agreements. The Owner reserves the right to perform construction or operations related to the Project with the Owner's own forces, and with Separate Contractors retained under Conditions of the Contract substantially similar to

Init.

those of this Contract, including those provisions of the Conditions of the Contract related to ~~insurance and waiver of subrogation~~ insurance.

§ 12.2 The Contractor shall afford the Owner and Separate Contractors reasonable opportunity for introduction and storage of their materials and equipment and performance of their activities, and shall connect and coordinate the Contractor's activities with theirs as required by the Contract Documents.

§ 12.3 The Owner shall be reimbursed by the Contractor for costs incurred by the Owner which are payable to a Separate Contractor because of delays, improperly timed activities, or defective construction of the Contractor. ~~The Owner shall be responsible to the Contractor for costs incurred by the Contractor because of delays, improperly timed activities, damage to the Work, or defective construction of a Separate Contractor.~~

ARTICLE 13 CHANGES IN THE WORK

§ 13.1 By appropriate Modification, changes in the Work may be accomplished after execution of the Contract. The Owner, without invalidating the Contract, may order changes in the Work within the general scope of the Contract consisting of additions, deletions, or other revisions, with the Contract Sum and Contract Time being adjusted accordingly. Such changes in the Work shall be authorized by written Contract amendment, written Change Order signed by the Owner, Contractor, and Architect, or by written Construction Change Directive signed by the Owner and Architect. Upon issuance of the Change Order or Construction Change Directive, the Contractor shall proceed promptly with such changes in the Work, unless otherwise provided in the Change Order or Construction Change Directive.

§ 13.2 Adjustments in the Contract Sum and Contract Time resulting from a change in the Work shall be determined by mutual agreement of the parties or, in the case of a Construction Change Directive signed only by the Owner and Architect, by the Contractor's cost of labor, material, equipment, and reasonable overhead and profit, unless the parties agree on another method for determining the cost or credit. Pending final determination of the total cost of a Construction Change Directive, the Contractor may request payment for Work completed pursuant to the Construction Change Directive. ~~The Architect~~ Architect, with the Owner's approval, will make an interim determination of the amount of payment due for purposes of certifying the Contractor's monthly Application for Payment. When the Owner and Contractor agree on adjustments to the Contract Sum and Contract Time arising from a Construction Change Directive, the Architect will prepare a Change Order. If the parties cannot agree on a final adjustment to the Contract Sum and/or Contract Time, the Contractor's sole remedy is to timely file a Claim in accordance with this Agreement.

§ 13.3 The Architect will have authority to order minor changes in the Work not involving adjustment in the Contract Sum or extension of the Contract Time and not inconsistent with the intent of the Contract Documents. Such changes shall be effected by written order and shall be binding on the Owner and Contractor. The Contractor shall carry out such written orders promptly. If the Contractor believes that the proposed minor change in the Work will affect the Contract Sum or Contract Time, the Contractor shall either: (i) timely file a Claim in accordance with this Agreement, or (ii) notify the Owner and the Architect in writing and shall not proceed to implement the change in the Work.

§ 13.4 If concealed or unknown physical conditions are encountered at the site that differ materially from those indicated in the Contract Documents or from those conditions ordinarily found to exist, ~~the Contract Sum and Contract Time shall be equitably~~ Contractor shall timely provide written notice to the Owner and Architect before conditions are disturbed, including such notice as required by 1998 PA 57, which is incorporated herein by reference. If appropriate, the Contract Sum and Contract Time may be adjusted as mutually agreed between the Owner and Contractor; provided that the Contractor provides notice to the Owner and Architect promptly and before conditions are disturbed. ~~Contractor.~~

ARTICLE 14 TIME

§ 14.1 Time limits stated in the Contract Documents are of the essence of the Contract. By executing this Agreement the Contractor confirms that the Contract Time is a reasonable period for performing the Work.

§ 14.2 ~~Unless otherwise provided,~~ Contract Time is the period of time, including authorized adjustments, allotted in the Contract Documents for Substantial Completion of the Work.

§ 14.3 The term "day" as used in the Contract Documents shall mean calendar day unless otherwise specifically defined.

§ 14.4 The date of Substantial Completion is the date certified by the Architect in accordance with Section 15.6.3.

§ 14.5 ~~If Provided the Contractor timely and properly submits a Claim as required by this Agreement, if the Contractor is delayed at any time in the commencement or progress of the Work by (1) changes ordered in the Work; (2) by labor disputes, fire, unusual delay in deliveries, fire, significant abnormal adverse weather conditions not reasonably anticipatable, unavoidable casualties, or any causes beyond the Contractor's control; or (3) by other causes that the Contractor asserts, and the Owner and Architect determines, justify delay, then the Contract Time shall be extended for such reasonable time as the Architect may determine, subject to the provisions of Article 21. In the event the Contractor is hindered in the commencement or progress of the Work by someone other than the Owner, and in the event the Contractor claims damages as a direct and proximate consequence thereof (including, but not limited to, extended general conditions, overhead, profit, overtime, interest, supervision or other costs or profits whatsoever), then the Contractor shall not assert such claims against the Owner, and as to the Owner, the Contractor's claims of delay damages are hereby waived. The Contractor's sole and exclusive remedy regarding such claims for such delay damages shall be to pursue such claims directly against the individual or entity which caused the delay.~~

For any delay claims raised against the Owner, the Contractor's sole and exclusive remedy is an extension of time to perform the Work not to exceed the time frame of any proven delay. Under no circumstances is the Contractor entitled to monetary delay damages from the Owner.

ARTICLE 15 PAYMENTS AND COMPLETION

§ 15.1 Schedule of Values

§ 15.1.1 ~~Where the Contract is based on a Stipulated Sum or the Cost of the Work with a Guaranteed Maximum Price pursuant to Section 3.2 or 3.4, the~~ The Contractor shall submit a schedule of values to the Architect before the first Application for Payment, allocating the entire Stipulated Sum or Guaranteed Maximum Price to the various portions of the Work. The schedule of values shall be prepared in the form, and supported by the data to substantiate its accuracy required by the Architect. This schedule of values shall be used as a basis for reviewing the Contractor's Applications for Payment.

§ 15.1.2 The allocation of the Stipulated Sum or Guaranteed Maximum Price under this Section 15.1 shall not constitute a separate stipulated sum or guaranteed maximum price for each individual line item in the schedule of values.

§ 15.2 Control Estimate

§ 15.2.1 ~~Where the Contract Sum is the Cost of the Work, plus the Contractor's Fee without a Guaranteed Maximum Price pursuant to Section 3.3, the Contractor shall prepare and submit to the Owner a Control Estimate within 14 days of executing this Agreement. The Control Estimate shall include the estimated Cost of the Work plus the Contractor's Fee.~~

§ 15.2.2 The Control Estimate shall include:

- ~~.1 the documents enumerated in Article 6, including all Modifications thereto;~~
- ~~.2 a list of the assumptions made by the Contractor in the preparation of the Control Estimate to supplement the information provided by the Owner and contained in the Contract Documents;~~
- ~~.3 a statement of the estimated Cost of the Work organized by trade categories or systems and the Contractor's Fee;~~
- ~~.4 a project schedule upon which the Control Estimate is based, indicating proposed Subcontractors, activity sequences and durations, milestone dates for receipt and approval of pertinent information, schedule of shop drawings and samples, procurement and delivery of materials or equipment the Owner's occupancy requirements, and the date of Substantial Completion; and~~
- ~~.5 a list of any contingency amounts included in the Control Estimate for further development of design and construction.~~

Init.

~~§ 15.2.3 When the Control Estimate is acceptable to the Owner and Architect, the Owner shall acknowledge it in writing. The Owner's acceptance of the Control Estimate does not imply that the Control Estimate constitutes a Guaranteed Maximum Price.~~

~~§ 15.2.4 The Contractor shall develop and implement a detailed system of cost control that will provide the Owner and Architect with timely information as to the anticipated total Cost of the Work. The cost control system shall compare the Control Estimate with the actual cost for activities in progress and estimates for uncompleted tasks and proposed changes. This information shall be reported to the Owner, in writing, no later than the Contractor's first Application for Payment and shall be revised and submitted with each Application for Payment.~~

~~§ 15.2.5 The Owner shall authorize preparation of revisions to the Contract Documents that incorporate the agreed-upon assumptions contained in the Control Estimate. The Owner shall promptly furnish such revised Contract Documents to the Contractor. The Contractor shall notify the Owner and Architect of any inconsistencies between the Control Estimate and the revised Contract Documents.~~

§ 15.3 Applications for Payment

~~§ 15.3.1 At least ten days before the date established for each progress payment, the Contractor shall submit to the Architect an itemized Application for Payment prepared in accordance with the schedule of values, if required under Section 15.1, values for completed portions of the Work. The application shall be notarized, if required; be supported by all data substantiating the Contractor's right to payment that the Owner or Architect require; shall reflect retainage if provided for in the Contract Documents; and include any revised cost control information required by Section 15.2.4. Documents. Applications for Payment shall not include requests for payment for portions of the Work for which the Contractor does not intend to pay a Subcontractor or supplier, unless such Work has been performed by others whom the Contractor intends to pay.~~

~~§ 15.3.2 With each Application for Payment where the Contract Sum is based upon the Cost of the Work, or the Cost of the Work with a Guaranteed Maximum Price, the Contractor shall submit payrolls, petty cash accounts, receipted invoices or invoices with check vouchers attached, and any other evidence required by the Owner to demonstrate that cash disbursements already made by the Contractor on account of the Cost of the Work equal or exceed progress payments already received by the Contractor plus payrolls for the period covered by the present Application for Payment, less that portion of the progress payments attributable to the Contractor's Fee.~~

~~§ 15.3.3 Payments shall be made on account of materials and equipment delivered and suitably stored at the site for subsequent incorporation in the Work. If approved in advance by the Owner, payment may similarly be made for materials and equipment stored, and protected from damage, off the site at a location agreed upon in writing. Off-site storage by the Contractor is discouraged.~~

~~§ 15.3.4 The Contractor warrants that title to all Work covered by an Application for Payment will pass to the Owner no later than the time of payment. The Contractor further warrants that upon submittal of an Application for Payment all Work for which Certificates for Payment have been previously issued and payments received from the Owner shall, to the best of the Contractor's knowledge, information and belief, be free and clear of liens, claims, security interests or other encumbrances adverse to the Owner's interests.~~

~~§ 15.3.4.1 Each Contractor Application for Payment shall be accompanied by (1) an Affidavit that payrolls, bills for materials and equipment, and other indebtedness connected with the Work for which previous Applications for Payment have been submitted and for which the Owner might in any way be responsible have been paid or otherwise satisfied, and (2) a release or waiver of liens from the Contractor and each of its Subcontractors, materialman, suppliers and laborers addressing all previous Applications for Payment submitted for the Project.~~

§ 15.4 Certificates for Payment

~~§ 15.4.1 The Architect will, within seven days after receipt of the Contractor's Application for Payment, either issue to the Owner a Certificate for Payment, with a copy to the Contractor, for such amount as the Architect determines is properly due, or notify the Contractor and Owner of the Architect's reasons for withholding certification in whole or in part as provided in Section 15.4.3.~~

~~§ 15.4.2 The issuance of a Certificate for Payment will constitute a representation by the Architect to the Owner, based on the Architect's evaluations of the Work and the data in the Application for Payment, that, to the best of the Architect's knowledge, information, and belief, the Work has progressed to the point indicated, the quality of the Work is in accordance with the Contract Documents, and the Contractor is entitled to payment in the amount certified.~~

Init.

The foregoing representations are subject to an evaluation of the Work for conformance with the Contract Documents upon Substantial Completion, to results of subsequent tests and inspections, to correction of minor deviations from the Contract Documents prior to completion and to specific qualifications expressed by the ~~Architect. However,~~ Architect, in writing, together with the certification to which it pertains. However, unless otherwise required by the Owner/Architect Agreement, the issuance of a Certificate for Payment will not be a representation that the Architect has (1) made exhaustive or continuous on-site inspections to check the quality or quantity of the Work; (2) reviewed construction means, methods, techniques, sequences, or procedures; (3) reviewed copies of requisitions received from Subcontractors and suppliers and other data requested by the Owner to substantiate the Contractor's right to payment; or (4) made examination to ascertain how or for what purpose the Contractor has used money previously paid on account of the Contract Sum.

§ 15.4.3 The Architect may withhold a Certificate for Payment in whole or in part, to the extent reasonably necessary to protect the Owner, if in the Architect's opinion the representations to the Owner required by Section 15.4.2 cannot be made. If the Architect is unable to certify payment in the amount of the Application, the Architect will notify the Contractor and Owner as provided in Section 15.4.1. If the Contractor and the Architect cannot agree on a revised amount, the Architect will promptly issue a Certificate for Payment for the amount for which the Architect is able to make such representations to the Owner. The Architect may also withhold a Certificate for Payment or, because of subsequently discovered evidence, may nullify the whole or a part of a Certificate for Payment previously issued, to such extent as may be necessary in the Architect's opinion to protect the Owner from loss for which the Contractor is responsible, including loss resulting from acts and omissions described in Section 9.2.2, because of

- ~~.1 defective Work not remedied;~~remedied, or the Contractor is in default on the Agreement;
- ~~.2~~ third-party claims filed or reasonable evidence indicating probable filing of such claims unless security acceptable to the Owner is provided by the Contractor;
- ~~.3~~ failure of the Contractor to make payments properly to Subcontractors or suppliers for labor, materials or equipment;
- ~~.4~~ reasonable evidence that the Work cannot be completed for the unpaid balance of the Contract Sum;
- ~~.5~~ damage to the Owner or a Separate Contractor;
- ~~.6~~ reasonable evidence that the Work will not be completed within the Contract Time and that the unpaid balance would not be adequate to cover actual or liquidated damages for the anticipated delay; or
- ~~.7 repeated-failure to carry out the Work in accordance with the Contract Documents.~~Documents
- ~~.8~~ the Work not having progressed to the extent set forth in the Application for Payment;
- ~~.9~~ representations of the Contractor are untrue;
- ~~.10~~ failing to conform to Project Schedule;
- ~~.11~~ default in the performance of any obligation to the Owner under another contract; or
- ~~.12~~ failure to provide sufficiently skilled workers.

§ 15.4.4 When ~~either party~~ the Contractor disputes the Architect's decision regarding a Certificate for Payment under Section 15.4.3, in whole or in part, ~~that party~~ the Contractor may submit a Claim in accordance with Article 21.

§ 15.4.5 If the Contractor disputes any determination by the Owner or Architect with regard to any Certificate for Payment, the Contractor shall nevertheless continue to expeditiously perform the Work and such dispute shall provide no basis for any manner of suspension of the Contractor's performance of the Work.

§ 15.4.6 Notwithstanding anything herein to the contrary, the Owner has no obligation to pay the Contractor absent receipt of a Certificate for Payment for the requested amount, and neither the Architect's failure to issue a Certificate for Payment nor the Architect's failure to notify the Contractor and/or Owner of a withheld Certificate for Payment creates an obligation on the Owner to pay the Contractor. The foregoing sentence shall not operate to limit the right of the Owner to dispute amounts requested by the Contractor or to withhold payments from the Contractor as provided in the Contract Documents.

§ 15.5 Progress Payments

§ 15.5.1 The Contractor shall pay each Subcontractor, no later than seven days after receipt of payment from the Owner, the amount to which the Subcontractor is entitled, reflecting percentages actually retained from payments to the Contractor on account of the Subcontractor's portion of the Work. The Contractor shall, by appropriate agreement with each Subcontractor, require each Subcontractor to make payments to sub-subcontractors in a similar manner.

§ 15.5.2 Neither the Owner nor Architect shall have an obligation to pay or see to the payment of money to a Subcontractor or supplier except as may otherwise be required by law.

§ 15.5.3 A Certificate for Payment, a progress payment, or partial or entire use or occupancy of the Project by the Owner shall not constitute acceptance of Work not in accordance with the Contract Documents.

§ 15.5.4 ~~Provided the Owner has fulfilled its payment obligations under the Contract Documents, the~~ The Contractor shall defend and indemnify the Owner from all loss, liability, damage or expense, including reasonable attorney's fees and litigation expenses, arising out of any lien claim or other claim for payment by any Subcontractor or supplier of any tier. Upon receipt of notice of a lien claim or other claim for payment, the Owner shall notify the Contractor. If approved by the applicable court, when required, the Contractor may substitute a surety bond for the property against which the lien or other claim for payment has been asserted.

§ 15.6 Substantial Completion

§ 15.6.1 Substantial Completion is the stage in the progress of the Work when the Work or designated portion thereof is sufficiently complete in accordance with the Contract Documents and when all required occupancy permits, if any, have been issued, so that the Owner can occupy or utilize the Work for its intended use.

§ 15.6.2 When the Contractor considers that the Work, or a portion thereof which the Owner agrees to accept separately, is substantially complete, the Contractor shall prepare and submit to the Architect a comprehensive list of items to be completed or corrected prior to final ~~payment~~ payment (a "punch list"). Failure to include an item on such list does not alter the responsibility of the Contractor to complete all Work in accordance with the Contract Documents.

§ 15.6.3 Upon receipt of the Contractor's list, the Architect will make an inspection to determine whether the Work or designated portion thereof is substantially complete. The Contractor shall respond immediately to correct Work deficiencies and/or punch list items. Should the Contractor fail to make corrections in a timely fashion, but not later than fifteen (15) calendar days from the date of Substantial Completion or notification of the required corrections, whichever is earlier, such Work may be corrected by the Owner at the Contractor's sole expense, and any remaining payments due the Contractor shall be withheld by the Owner. The Contractor shall promptly notify the Architect, in writing, when the Work deficiencies and/or punch list items are completed. Upon the review of the Work by the Architect after such notification by the Contractor, if Work deficiencies and/or punch list items shall continue to exist, the Contractor shall reimburse the Owner its cost plus ten percent (10%) overhead and profit on any cost incurred by the Owner, including the Architect's fees for re-inspection of the Work. Failure to pay such costs within ten (10) days of receipt of a demand regarding the same shall permit the Owner to pay such costs out of retainage held by the Owner on the Contractor's contract. When the Architect determines that the Work or designated portion thereof is substantially complete, the Architect will issue a Certificate of Substantial Completion which shall establish the date of Substantial Completion; establish responsibilities of the Owner and Contractor for security, maintenance, heat, utilities, damage to the Work and insurance; and fix the time within which the Contractor shall finish all items on the list accompanying the Certificate. Warranties required by the Contract Documents shall commence on the date of Substantial Completion of the Work or designated portion thereof unless otherwise provided in the Certificate of Substantial Completion.

§ 15.6.4 The Certificate of Substantial Completion shall be submitted to the Owner and Contractor for their written acceptance of responsibilities assigned to them in the Certificate. Upon such acceptance and consent of surety, if any, the Owner shall make payment of retainage applying to the Work or designated portion thereof. Such payment shall be adjusted for Work that is incomplete or not in accordance with the requirements of the Contract Documents.

§ 15.7 Final Completion and Final Payment

§ 15.7.1 Upon receipt of the Contractor's written notice that the Work is ready for final inspection and acceptance and upon receipt of a final Application for Payment, the Architect will promptly make such inspection and, when the Architect finds the Work acceptable under the Contract Documents and the Contract fully performed, the Architect will promptly issue a final Certificate for Payment stating that to the best of the Architect's knowledge, information and belief, and on the basis of the Architect's on-site visits and inspections, the Work has been completed in accordance with the Contract Documents and that the entire balance found to be due the Contractor and noted in the final Certificate is due and payable. The Architect's final Certificate for Payment will constitute a further representation that conditions stated in Section 15.7.2 as precedent to the Contractor's being entitled to final payment have been fulfilled.

§ 15.7.2 Final payment shall not become due until the Contractor has delivered to the Owner a ~~complete release of all liens arising out of this Contract or receipts in full covering all labor, materials and equipment for which a lien could be filed, or a bond satisfactory to the Owner to indemnify the Owner against such lien. If such lien remains unsatisfied after payments are made, the Contractor shall refund to the Owner all money that the Owner may be compelled to pay in discharging such lien, including costs and reasonable attorneys' fees.~~ (1) an affidavit that payrolls, bills for materials and equipment, and other indebtedness connected with the Work for which the Owner or the Owner's property might be responsible or encumbered (less amounts withheld by Owner) have been paid or otherwise satisfied, (1) consent of surety, if any, to final payment, (2) an affidavit that states the Work is fully completed and performed in accordance with the Contract Documents, (3) in the event of Contractor bankruptcy, at the Owner's option, an order entered by the court having jurisdiction of the Contractor's insolvency proceeding authorizing such payment, (4) a general release executed by the Contractor on a form provided by the Architect, (5) all close-out documents, (6) all warranties collected and provided in an acceptable manner, and (7) if required by the Owner, other data establishing payment or satisfaction of obligations, such as receipts and releases and waivers of liens, claims, security interests, or encumbrances arising out of the Contract, to the extent and in such form as may be designated by the Owner.

§ 15.7.3 The making of final payment shall not constitute a waiver of claims by the Owner ~~except those arising from~~ .1 — liens, claims, security interests or encumbrances arising out of the Contract and unsettled; .2 — failure of the Work to comply with the requirements of the Contract Documents; .3 — terms of special warranties required by the Contract Documents; or .4 — audits performed by the Owner, if permitted by the Contract Documents, after final payment. Owner.

§ 15.7.4 Acceptance of final payment by the Contractor, a Subcontractor or supplier shall constitute a waiver of claims by ~~that payee the Contractor~~ except those previously made in writing and identified by that payee the Contractor as unsettled at the time of the final Application for Payment. Payment and specifically referenced as being an exception to the waiver contained in this Section 15.7.4.

ARTICLE 16 PROTECTION OF PERSONS AND PROPERTY

§ 16.1 Safety Precautions and Programs

The Contractor shall be responsible for initiating, maintaining, and supervising all safety precautions and programs in connection with the performance of the Contract. The Contractor shall take ~~reasonable precautions every reasonable precaution~~ for safety of, and shall provide reasonable protection to prevent damage, injury, or loss to

- .1 employees on the Work and other persons who may be affected thereby;
- .2 the Work and materials and equipment to be incorporated therein, whether in storage on or off the site, under care, custody, or control of the Contractor, a Subcontractor, or a Sub-subcontractor; and
- .3 other property at the site or adjacent thereto, such as trees, shrubs, lawns, walks, pavements, roadways, structures and utilities not designated for removal, relocation, or replacement in the course of construction.

The Contractor shall take all reasonable safety precautions with respect to the Work, shall comply with all industry standard safety measures, shall comply with all applicable laws, including but not limited to compliance with, and give notices required by, applicable laws, statutes, ordinances, codes, rules and regulations, and lawful orders of public authorities bearing on safety of persons and property and their protection from damage, injury, or loss. The Contractor shall promptly remedy damage and loss to property caused in whole or in part by the Contractor, a Subcontractor, a sub-subcontractor, or anyone directly or indirectly employed by any of them, or by anyone for whose acts they may be liable and for which the Contractor is responsible ~~responsible, including but not limited to, under Sections 16.1.2 and 16.1.3. The Contractor may make a timely claim as permitted by this Agreement for the cost to remedy the damage or loss to the extent such damage or loss is attributable to acts or omissions of the Owner or Architect or by anyone for whose acts either of them may be liable, others,~~ and not attributable to the fault or negligence of the Contractor. The foregoing obligations of the Contractor are in addition to the Contractor's obligations under Section 9.15.

§ 16.2 If the Contractor or any Subcontractor chooses to use any systems, equipment, facilities, or services which have been incorporated in the Project as a permanent part thereof by any other, the Contractor shall assume full responsibility for damages caused to said systems, equipment, facilities or services, and have damages repaired as required, so that in no case will the performance of the used systems, equipment, facilities or services be diminished from the specified criteria as a result of such use.

Init.

§ 16.3 The Contractor acknowledges that the safety of the Owner's students, employees and guests is of the utmost importance. The Contractor will take no action which would jeopardize the safety of the Owner's students, employees and guests and, without the Owner's written approval, shall take no action which would interfere with the Owner's activities. Without limiting the foregoing sentence, the Contractor shall comply with all laws applicable to student and/or school safety.

§ 16.4 Notification of Utility Companies

§ 16.4.1 At least five (5) working days prior to the start of work in areas which may involve existing utility lines, the Contractor shall notify the MISS DIG notification system, as legally required and, if applicable, any Registered Utility Protection Service of the utility company possibly affected by the planned work by certified mail with return receipt requested.

§ 16.4.2 The utility company should, upon receipt of notice, stake, mark or otherwise designate the location (and depth) of their lines, or temporarily move the line(s).

§ 16.4.3 The Contractor shall immediately report to the respective utility company any break or leak in its lines, or any dent, gouge, groove or other damage to the utility line or to its coating or cathodic protection made or discovered in the course of the Work.

§ 16.4.4 The Contractor shall immediately alert the Owner, Architect and occupants of nearby premises of any and all emergencies caused or discovered in the utility line(s) in the course of the Work.

§ 16.5 Security

§ 16.5.1 All construction participants, including the Contractor, Architect, Subcontractors, etc., shall cooperate with the Owner's security personnel and shall comply with all of the Owner's security requirements. Such requirements shall include, without limitation, if requested by the Owner, delivering to the Owner's security personnel, prior to the commencement of the Work on each day, a list of all personnel who will be permitted access to the Work. The foregoing, however, shall not relieve the Contractor of any obligation to provide a safe and secure workplace for all parties entering the Project Site. The Contractor shall be responsible to implement commercially reasonable data security protection measures to protect the Owner's networks and data when performing technology-related Work.

§ 16.6 Fire Protection

§ 16.6.1 The Contractor shall maintain free access to the building areas for firefighting equipment and shall at no time block off main roadways or fire aisles without providing adequate auxiliary roadways and means of entrance for firefighting equipment, including heavy fire department trucks, where applicable.

§ 16.6.2 The Contractor shall at all times cooperate with the Owner and kept the municipal fire department informed of the means of entrance and changes to the roadways or fire aisles as needed to provide fire department access to or around the Project Site.

§ 16.6.3 The Contractor shall, during the entire construction period and until the completion of the Work, provide and maintain all material, equipment, and services necessary for an adequate fire protection system, which shall meet the approval of the Owner and/or the Architect. The system shall, at a minimum, meet the requirements set forth in the Contract Documents and of applicable laws. These requirements shall be augmented and/or the installations relocated, as may be necessary to meet, at all time, the demands of adequate protection in all areas and shall not be reduced prior to the completion of the Work with the written approval of the Owner and/or the Architect.

§ 16.2 Hazardous Materials and Substances

§ 16.2.1 The Contractor is responsible for compliance with the requirements of the Contract Documents regarding hazardous materials or substances. If the Contractor encounters a hazardous material or substance not addressed in the Contract Documents, and if reasonable precautions will be inadequate to prevent foreseeable bodily injury or death to persons resulting from a material or substance, including but not limited to asbestos or polychlorinated biphenyl (PCB), encountered on the site by the Contractor, the Contractor shall, upon recognizing the condition, immediately stop Work in the affected area and notify the Owner and Architect in writing of the condition. When the material or substance has been rendered harmless, Work in the affected area shall resume upon written agreement of the Owner

and Contractor. By Change Order, the Contract Time shall be extended appropriately and the Contract Sum shall be increased in the amount of the Contractor's reasonable additional costs of to address shutdown, delay, and start-up.

§ 16.2.2 To the fullest extent permitted by law, the Owner shall indemnify and hold harmless the Contractor, Subcontractors, Architect, Architect's consultants, and agents and employees of any of them from and against claims, damages, losses, and expenses, including but not limited to attorneys' fees, arising out of or resulting from performance of the Work in the affected area, if in fact, the material or substance presents the risk of bodily injury or death as described in Section 16.2.1 and has not been rendered harmless, provided that such claim, damage, loss, or expense is attributable to bodily injury, sickness, disease or death, or to injury to or destruction of tangible property (other than the Work itself), except to the extent that such damage, loss, or expense is due to the fault or negligence of the party seeking indemnity.

§ 16.2.3 If, without negligence on the part of the Contractor, the Contractor is held liable by a government agency for the cost of remediation of a hazardous material or substance solely by reason of performing Work as required by the Contract Documents, the Owner shall indemnify the Contractor for all cost and expense thereby incurred.

ARTICLE 17 INSURANCE AND BONDS

§ 17.1 Contractor's Insurance

§ 17.1.1 The Contractor shall purchase and maintain insurance of the types and limits of liability, containing the endorsements, and subject to the terms and conditions, as required by law and as otherwise described in this Section 17.1 or elsewhere in the Contract Documents. The Contractor shall purchase and maintain the insurance required by this Agreement from an insurance company or insurance companies lawfully authorized to issue insurance in the jurisdiction where the Project is located. The Contractor shall maintain the required insurance until the expiration of the period for correction of Work as set forth in Section 18.4, unless a different duration is stated below:

§ 17.1.2 Commercial General Liability insurance for the Project written on an occurrence form with policy limits of not less than one million dollars (\$ 1,000,000.00) each occurrence, two million dollars (\$ 2,000,000.00) general aggregate, and two million dollars (\$ 2,000,000.00) aggregate for products-completed operations hazard, providing coverage for claims including

- .1 damages because of bodily injury, sickness or disease, including occupational sickness or disease, and death of any person;
- .2 personal and advertising injury;
- .3 damages because of physical damage to or destruction of tangible property, including the loss of use of such property;
- .4 bodily injury or property damage arising out of completed operations; and
- .5 the Contractor's indemnity obligations under Section 9.15.

§ 17.1.3 Automobile Liability covering vehicles owned by the Contractor and non-owned vehicles used by the Contractor, with policy limits of not less than one million dollars (\$ 1,000,000.00) per accident, for bodily injury, death of any person, and property damage arising out of the ownership, maintenance, and use of those motor vehicles along with any other statutorily required automobile coverage.

§ 17.1.4 The Contractor may achieve the required limits and coverage for Commercial General Liability and Automobile Liability through a combination of primary and excess or umbrella liability insurance, provided such primary and excess or umbrella insurance policies result in the same or greater coverage as those required under Section 17.1.2 and 17.1.3, and in no event shall any excess or umbrella liability insurance provide narrower coverage than the primary policy. The excess policy shall not require the exhaustion of the underlying limits only through the actual payment by the underlying insurers.

§ 17.1.5 Workers' Compensation at statutory limits.

§ 17.1.6 Employers' Liability with policy limits not less than one million dollars (\$ 1,000,000.00) each accident, one million dollars (\$ 1,000,000.00) each employee, and one million dollars (\$ 1,000,000.00) policy limit.

~~§ 17.1.7 If the Contractor is required to furnish professional services as part of the Work, the Contractor shall procure Professional Liability insurance covering performance of the professional services, with policy limits of not less than (\$) per claim and (\$) in the aggregate.~~

~~§ 17.1.8 If the Work involves the transport, dissemination, use, or release of pollutants, the Contractor shall procure Pollution Liability insurance, with policy limits of not less than (\$) per claim and (\$) in the aggregate.~~

~~§ 17.1.9 Coverage under Sections 17.1.7 and 17.1.8 may be procured through a Combined Professional Liability and Pollution Liability insurance policy, with combined policy limits of not less than (\$) per claim and (\$) in the aggregate.~~

~~§ 17.1.10 The Contractor shall provide certificates of insurance acceptable to the Owner evidencing compliance with the requirements in this Section 17.1 at the following times: (1) prior to commencement of the Work; (2) upon renewal or replacement of each required policy of insurance; and (3) upon the Owner's written request. An additional certificate evidencing continuation of liability coverage, including coverage for completed operations, shall be submitted with the final Application for Payment and thereafter upon renewal or replacement of such coverage until the expiration of the period required by Section 17.1.1. The certificates will show the Owner as an additional insured on the Contractor's Commercial General Liability and excess or umbrella liability ~~policy~~ policy and that the Contractor's insurance shall be primary.~~

~~§ 17.1.11 The Contractor shall disclose to the Owner any deductible or self- insured retentions applicable to any insurance required to be provided by the Contractor.~~

~~§ 17.1.12 To the fullest extent permitted by law, the Contractor shall cause the commercial liability coverage required by this Section 17.1 to include (1) the Owner, the Architect, and the Architect's Consultants as additional insureds for claims caused in whole or in part by the Contractor's negligent acts or omissions during the Contractor's operations; and (2) the Owner as an additional insured for claims caused in whole or in part by the Contractor's negligent acts or omissions for which loss occurs during completed operations. The additional insured coverage shall be primary and non-contributory to any of the Owner's general liability insurance policies and shall apply to both ongoing and completed operations. ~~To the extent commercially available, the~~ The additional insured coverage shall be no less than that provided by Insurance Services Office, Inc. (ISO) forms CG 20 10 07 04, CG 20 37 07 04, and, with respect to the Architect and the Architect's Consultants, CG 20 32 07 04. The Contractor shall require such insurance company to add to the policy the following clause: "The insurance afforded to the Additional Insured is primary insurance. If the Additional Insureds have other insurance which is applicable to the loss on an excess or contingent basis, the amount of the insurance company's liability under this policy shall not be reduced by the existence of such other insurance."~~

~~§ 17.1.13 Within three (3) business days of the date~~ Immediately after the Contractor becomes aware of an impending or actual cancellation or expiration of any insurance required by this Section 17.1, but in no event less than three days after becoming aware or the coverage actually lapsing, the Contractor shall provide notice to the Owner of such impending or actual cancellation or expiration. Upon expiration, including the Contractor's plan to immediately procure replacement insurance as required by the Contract Documents to avoid any lapse in coverage. Contractor's failure to do so is a material breach of this Agreement, shall entitle the Owner to purchase replacement insurance at Contractor's sole cost, and shall subject the Contractor to any and all damages related to its failure to comply with its required insurance obligations. Further, upon receipt of notice from the Contractor, the Owner shall, unless the lapse in coverage arises from an act or omission of the Owner, have the right (but not the obligation) to stop the Work until the lapse in coverage has been cured by the procurement of replacement coverage by the Contractor. The furnishing of notice by the Contractor shall not relieve the Contractor of any contractual obligation to provide any required coverage.

§ 17.1.14 Other Insurance Provided by the Contractor

(List below any other insurance coverage to be provided by the Contractor and any applicable limits.)

Coverage

Limits

Init.

§ 17.2 Owner's Insurance

§ 17.2.1 Owner's Liability Insurance

The Owner shall be responsible for purchasing and maintaining the Owner's usual liability insurance.

§ 17.2.2 Property Insurance

§ 17.2.2.1 The Owner shall purchase and maintain, from an insurance company or insurance companies lawfully authorized to issue insurance in the jurisdiction where the Project is located, property insurance written on a builder's risk "all-risks" completed value or equivalent policy form and sufficient to cover the total value of the entire Project on a replacement cost basis. The Owner's property insurance coverage shall be no less than the amount of the initial Contract Sum, plus the value of subsequent Modifications and labor performed or materials or equipment supplied by others. The property insurance shall be maintained until Substantial Completion and thereafter as provided in Section 17.2.2.2, Completion, unless otherwise provided in the Contract Documents or otherwise agreed in writing by the parties to this Agreement. This insurance shall include the interests of the Owner, Contractor, Subcontractors, and Sub-subcontractors in the Project as insureds. This insurance shall include the interests of mortgagees as loss payees. policy will exclude any tools, equipment, scaffolding, glass breakage, etc., owned or rented by the Contractor or Subcontractors and materials stored on the site, but not incorporated into the Project. The Contractor shall be responsible for protecting all product until the Date of Final Completion is established by the Architect. The Contractor shall replace any Work if damaged before Final Completion. The Contractor may assume the risk itself or obtain insurance in amounts it deems sufficient.

§ 17.2.2.2 Unless the parties agree otherwise, upon Substantial Completion, the Owner shall continue the insurance required by Section 17.2.2.1 or, if necessary, replace the insurance policy required under Section 17.2.2.1 with property insurance written for the total value of the Project that shall remain in effect until expiration of the period for correction of the Work set forth in Section 18.4.

§ 17.2.2.3 If the insurance required by this Section 17.2.2 is subject to deductibles or self-insured retentions, the Owner party causing the insurable event shall be responsible for all loss not covered because of such deductibles or retentions.

§ 17.2.2.4 If the Work involves remodeling an existing structure or constructing an addition to an existing structure, the Owner shall purchase and maintain, until the expiration of the period for correction of Work as set forth in Section 18.4, "all-risks" property insurance, on a replacement cost basis, protecting the existing structure against direct physical loss or damage, notwithstanding the undertaking of the Work. ~~The Owner shall be responsible for all co-insurance penalties.~~

§ 17.2.2.5 Prior to commencement of the Work, the Owner shall secure the insurance, and provide evidence of the coverage, required under this Section 17.2.2 and, upon the Contractor's request, provide a copy of the property insurance policy or policies required by this Section 17.2.2. The copy of the policy or policies provided shall contain all applicable conditions, definitions, exclusions, and endorsements.

§ 17.2.2.6 Within three (3) business days of the date the Owner becomes aware of an impending or actual cancellation or expiration of any insurance required by this Section 17.2.2, the Owner shall provide notice to the Contractor of such impending or actual cancellation or expiration. Unless the lapse in coverage arises from an act or omission of the Contractor: (1) the Contractor, upon receipt of notice from the Owner, shall have the right to stop the Work until the lapse in coverage has been cured by the procurement of replacement coverage by either the Owner or the Contractor; and (2) the Contract Time and Contract Sum shall be equitably adjusted; and (3) ~~the Owner waives all rights against the Contractor, Subcontractors, and Sub-subcontractors to the extent any loss to the Owner would have been covered by the insurance had it not expired or been cancelled. negotiated~~. If the Contractor purchases replacement coverage, the cost of the insurance shall be charged to the Owner by an appropriate Change Order. The furnishing of notice by the Owner shall not relieve the Owner of any contractual obligation to provide required insurance.

§ 17.2.2.7 Waiver of Subrogation

§ 17.2.2.7.1 The Owner and Contractor waive all rights against (1) each other and any of their subcontractors, sub-subcontractors, agents, and employees, each of the other; (2) the Architect and Architect's consultants; and (3) Separate Contractors, if any, and any of their subcontractors, sub-subcontractors, agents, and employees, for damages caused by fire, or other causes of loss, to the extent those losses are covered by property insurance required by this Agreement or other property insurance applicable to the Project, except such rights as they have to proceeds of such

Init.

insurance. The Owner or Contractor, as appropriate, shall require similar written waivers in favor of the individuals and entities identified above from the Architect, Architect's consultants, Separate Contractors, subcontractors, and sub-subcontractors. The policies of insurance purchased and maintained by each person or entity agreeing to waive claims pursuant to this Section 17.2.2.7 shall not prohibit this waiver of subrogation. This waiver of subrogation shall be effective as to a person or entity (1) even though that person or entity would otherwise have a duty of indemnification, contractual or otherwise, (2) even though that person or entity did not pay the insurance premium directly or indirectly, or (3) whether or not the person or entity had an insurable interest in the damaged property. Superior to any other provision herein or elsewhere in the Contract Documents, any references to "waiver of subrogation" or such similar provisions are hereby deleted and shall be declared to have no effect.

§ 17.2.2.7.2 If during the Project construction period the Owner insures properties, real or personal or both, at or adjacent to the site by property insurance under policies separate from those insuring the Project, or if after final payment property insurance is to be provided on the completed Project through a policy or policies other than those insuring the Project during the construction period, to the extent permissible by such policies, the Owner waives all rights in accordance with the terms of Section 17.2.2.7.1 for damages caused by fire or other causes of loss covered by this separate property insurance.

§ 17.2.2.8 A loss insured under the Owner's property insurance shall be adjusted by the Owner as fiduciary and made payable to the Owner as fiduciary for the insureds, as their interests may appear, subject to requirements of any applicable mortgagee clause. The Owner shall pay the Architect and Contractor their just shares of insurance proceeds received by the Owner, and by appropriate agreements, written where legally required for validity, the Architect and Contractor shall make payments to their consultants and Subcontractors in similar manner.

§ 17.2.3 Other Insurance Provided by the Owner

(List below any other insurance coverage to be provided by the Owner and any applicable limits.)

Coverage	Limits
<u>Not Applicable</u>	

§ 17.3 Performance Bond and Payment Bond

§ 17.3.1 The Owner shall have the right to require the Contractor Contractor shall be required to furnish bonds covering faithful performance of the Contract and payment of obligations arising thereunder as stipulated in the Contract Documents on the date of execution of the Contract. The bonds shall each be in the amount of 100% of the Contract Sum and otherwise comply with the terms of MCL 129.201, et seq.

§ 17.3.2 Upon the request of any person or entity appearing to be a potential beneficiary of bonds covering payment of obligations arising under the Contract, the Contractor shall promptly furnish a copy of the bonds or shall authorize a copy to be furnished.

ARTICLE 18 CORRECTION OF WORK

§ 18.1 The Contractor shall promptly correct Work rejected by the Architect or failing to conform to the requirements of the Contract Documents, whether discovered before or after Substantial Completion and whether or not fabricated, installed, or completed. Costs of correcting such rejected Work, including work of other Contractors or Subcontractors, compensation of consultants, any delay or related damages, attorneys' fees incurred by the Owner, additional testing and inspections, the cost of uncovering and replacement, and compensation for the Architect's services and expenses made necessary thereby, shall be at the Contractor's expense, unless compensable under Section A.1.7.3 in Exhibit A, Determination of the Cost of the Work expense. The Owner shall have the right to charge the Contractor for any such costs and expenses and to deduct such amounts from any future payments due the Contractor.

§ 18.2 In addition to the Contractor's obligations under Section 9.4, if, within one year after the date of Substantial Completion of the Work or designated portion thereof or after the date for commencement of warranties established under Section 15.6.3, or by terms of an applicable special warranty required by the Contract Documents, any of the Work is found to be not in accordance with the requirements of the Contract Documents, the Contractor shall correct it promptly after receipt of notice from the Owner to do so unless the Owner has previously given the Contractor a written acceptance of such condition. The Owner shall give such notice promptly after discovery of the condition. During the one-year period for correction of Work, if the Owner fails to notify the Contractor and give the Contractor

an opportunity to make the correction, the Owner waives the rights to require correction by the Contractor and to make a claim for breach of warranty.

§ 18.3 If the Contractor fails to correct nonconforming Work within a reasonable time, the Owner may correct it in accordance with Section 8.3.

§ 18.4 The one-year period for correction of Work shall be extended with respect to portions of Work first performed after Substantial Completion by the period of time between Substantial Completion and the actual completion of that portion of the Work.

§ 18.5 The one-year period for correction of Work shall not be extended by corrective Work performed by the Contractor pursuant to this Article ~~18.18~~ for a period of one-year beyond completion of the corrective Work.

ARTICLE 19 MISCELLANEOUS PROVISIONS

§ 19.1 Assignment of Contract

Neither party to the Contract shall assign the Contract without written consent of the other, except that the Owner may, without consent of the Contractor, assign the Contract to a lender providing construction financing for the Project if the lender assumes the Owner's rights and obligations under the Contract Documents. The Contractor shall execute all consents reasonably required to facilitate such assignment.

§ 19.2 Governing Law

The Contract shall be governed by the law of the ~~place where the Project is located, excluding that jurisdiction's choice of law rules. If the parties have selected arbitration as the method of binding dispute resolution, the Federal Arbitration Act shall govern Section 21.6.~~ State of Michigan in all respects, except that Claims and causes of action brought by the Owner shall not be deemed untimely if filed within six (6) years of Substantial Completion of the entire Project.

§ 19.3 Tests and Inspections

Tests, inspections, and approvals of portions of the Work required by the Contract Documents or by applicable laws, statutes, ordinances, codes, rules and regulations, or lawful orders of public authorities shall be made at an appropriate time. Unless otherwise provided, the Contractor shall make arrangements for such tests, inspections, and approvals with an independent testing laboratory or entity acceptable to the Owner, or with the appropriate public authority, and shall bear all related costs of tests, inspections, and approvals. The Contractor shall give the Architect timely notice of when and where tests and inspections are to be made so that the Architect may be present for such procedures. The Owner shall bear costs of tests, inspections, or approvals that do not become requirements until after bids are received or negotiations concluded. The Owner shall directly arrange and pay for tests, inspections, or approvals where building codes or applicable laws or regulations so require.

§ 19.4 The Owner's representative:

(Name, address, email address and other information)

To be determined

§ 19.5 The Contractor's representative:

(Name, address, email address and other information)

To be determined

§ 19.6 Neither the Owner's nor the Contractor's representative shall be changed without ten days' prior notice to the other party.

§ 19.7 The Owner, being a governmental unit, is protected by the Michigan Void Construction Contracts Act, MCL 691.991.

§ 19.8 Notwithstanding any provisions within the Contract Documents, nothing shall be deemed a waiver of any immunity granted to Owner by law or statute, including but not necessarily limited to, governmental immunity under MCL 691.1407.

§ 19.9 All Contractor employees assigned to work under this Agreement may, at Owner's discretion, be subject to a background check and clearance by the Owner. Failure to obtain such clearance from the Owner may result in mandatory dismissal from the Owner's property and/or termination of the Agreement.

ARTICLE 20 TERMINATION OF THE CONTRACT

§ 20.1 Termination by the Contractor

If the Architect fails to certify payment as provided in Section 15.4.1 for a period of 30 days through no fault of the Contractor, or if the Owner fails to make an undisputed payment as provided in Section 4.1.3 for a period of 30 days, days beyond the due date, the Contractor may, upon seven additional days' notice to the Owner and the Architect, terminate the Contract and recover from the Owner payment for Work executed, including reasonable overhead and profit, costs incurred by reason of such termination, and damages timely and properly executed

§ 20.2 Termination by the Owner for Cause

§ 20.2.1 The Owner may terminate the Contract if the Contractor

- .1 ~~repeatedly~~ refuses or fails to supply enough properly skilled workers or proper materials;
- .2 fails to make payment to Subcontractors for materials or labor in accordance with the respective agreements between the Contractor and the Subcontractors;
- .3 ~~repeatedly~~ disregards applicable laws, statutes, ordinances, codes, rules and regulations, or lawful orders of a public authority; or
- .4 otherwise is guilty of substantial breach of a provision of the Contract Documents; Documents; or
- .5 the Contractor fails to prosecute the Work or any part thereof with promptness and diligence or fails to perform any provisions of the Contract, or goes into bankruptcy, liquidation, makes an assignment for the benefit of creditors, enters into a composition with its creditors, or becomes insolvent..

§ 20.2.2 When any of the reasons described in Section 20.2.1 exists, the Owner, upon certification by the Architect that sufficient cause exists to justify such action, may, without prejudice to any other remedy the Owner may have and after giving the Contractor ~~seven days'~~ three (3) days' notice, terminate the Contract and take possession of the site and of all materials, equipment, tools, and construction equipment and machinery thereon owned by the Contractor and may finish the Work by whatever reasonable method the Owner may deem expedient. Upon request of the Contractor, the Owner shall furnish to the Contractor a detailed accounting of the costs incurred by the Owner in finishing the Work.

§ 20.2.2.1 In the event the Contractor's surety bond requires notice of intent to declare a default of the Contractor and if such bond notice is provided by the Owner, such notice shall be adequate to satisfy the three (3) day written notice described above in this Section.

§ 20.2.2.2 The three (3) day notice period identified in this Section does not give rise to an opportunity for the Contractor to cure the cause for termination. Further, the Owner's failure to properly follow the termination procedure shall not be a substantial or material breach of the Contract or the Owner's obligations.

§ 20.2.3 When the Owner terminates the Contract for one of the reasons stated in Section 20.2.1, the Contractor shall not be entitled to receive further payment until the Work is finished.

§ 20.2.4 If the unpaid balance of the Contract Sum exceeds costs of finishing the Work, including compensation for the Architect's services and expenses made necessary thereby, and other damages incurred by the Owner and not expressly waived, such excess shall be paid to the Contractor. If such costs and damages exceed the unpaid balance, the Contractor shall pay the difference to the Owner. The amount to be paid to the Contractor or Owner, as the case

may be, shall be certified by the Architect, upon application, and this obligation for payment shall survive termination of the Contract.

§ 20.3 Termination by the Owner for Convenience

The Owner may, at any time, terminate the Contract for the Owner's convenience and without cause. The Owner shall pay the Contractor for Work ~~executed~~; timely and properly executed and costs incurred by reason of such ~~termination, including costs attributable to termination of Subcontracts; and a termination fee, if any, as follows: termination. *(Insert the amount of or method for determining the fee payable to the Contractor by the Owner following a termination for the Owner's convenience, if any.)*~~

ARTICLE 21 CLAIMS AND DISPUTES

§ 21.1 Claims, disputes, and other matters in question arising out of or relating to this Contract, including those alleging an error or omission by the ~~Architect but excluding those arising under Section 16.2,~~ Architect, shall be referred initially to the Architect for ~~decision~~; an interpretation. Such matters, except those waived as provided for in Section 21.11 and Sections 15.7.3 and 15.7.4, shall, after initial ~~decision~~; interpretation by the Architect or 30 days after submission of the matter to the Architect, be subject to mediation as a condition precedent to binding dispute resolution.

§ 21.2 Notice of Claims

§ 21.2.1 Claims by ~~either the Owner or Contractor, where the condition giving rise to the Claim is first discovered prior to expiration of the period for correction of the Work set forth in Section 18.2,~~ the Contractor shall be initiated by notice to the Owner and Architect within 21 days after occurrence of the event giving rise to such Claim or within 21 days after the ~~claimant~~ Contractor first recognizes the condition giving rise to the Claim, whichever is later. The Contractor's failure to timely and properly initiate a Claim shall be an absolute and irrevocable waiver of such Claim and any cause of action. Claims and causes of action by the Owner shall be governed by the applicable statute of limitations period, except when a provision of the Contract Documents provides a longer period. The parties acknowledge, understand, and agree that the Contractor's required prompt filing of a Claim is critical to the Project, as Contractor Claims often affect the Project schedule and/or Project budget, and that the deadline and waiver applicable to Contractor Claims is a material inducement to the Owner entering into an agreement with the Contractor. The Contractor's timely submission of a Claim shall be a condition precedent to pursuing a Cause of Action, in accordance with Section 21.3.

§ 21.2.2 Claims by ~~either the Owner or Contractor, where the condition giving rise to the Claim is first discovered after expiration of the period for correction of the Work set forth in Section 18.2,~~ shall be initiated by notice to the other party.

§ 21.3 Time Limits on Claims and Causes of Action

The Owner ~~and Contractor~~ shall commence all claims and causes of action against ~~the other and the Contractor~~ in accordance with the statutes of limitation applicable under Michigan law, except that no claim or cause of action shall be untimely if filed within six (6) years of substantial completion of the entire Project. The Contractor shall commence all causes of action arising out of or related to the Contract in accordance with the requirements of the final dispute resolution method selected in this Agreement whether in contract, tort, breach of warranty, or otherwise, within the period specified by applicable law, but in any case not more than 10 years after the date of Substantial Completion of the Work. The Owner and Contractor ~~waive by first complying with the Claims procedure set forth above in Section 21.2 and, if a Claim is timely and properly filed and resolved, by filing in accordance with the statute of limitations applicable under Michigan law.~~ The Contractor waives all claims and causes of action not commenced in accordance with this Section 21.3.

§ 21.4 ~~If a claim, dispute or other matter in question relates to or is the subject of a mechanic's lien, the party asserting such matter may proceed in accordance with applicable law to comply with the lien notice or filing deadlines.~~

§ 21.5 The parties shall endeavor to resolve their disputes by mediation which, unless the parties mutually agree otherwise, shall be administered by the American Arbitration Association in accordance with their Construction Industry Mediation Procedures in effect on the date of this Agreement. A request for mediation shall be made in writing, delivered to the other party to this Agreement, and filed with the person or entity administering the mediation.

Init.

The request may be made concurrently with the binding dispute resolution but, in such event, mediation shall proceed in advance of binding dispute resolution proceedings, which shall be stayed pending mediation for a period of 60 days from the date of filing, unless stayed for a longer period by agreement of the parties or court order. ~~If an arbitration is stayed pursuant to this Section, the parties may nonetheless proceed to the selection of the arbitrator(s) and agree upon a schedule for later proceedings.~~

~~§ 21.6 If the parties have selected arbitration as the method for binding dispute resolution in this Agreement, any claim, subject to, but not resolved by, mediation shall be subject to arbitration which, unless the parties mutually agree otherwise, shall be administered by the American Arbitration Association, in accordance with the Construction Industry Arbitration Rules in effect on the date of this Agreement. Demand for arbitration shall be made in writing, delivered to the other party to the Contract, and filed with the person or entity administering the arbitration. The award rendered by the arbitrator or arbitrators shall be final, and judgment may be entered upon it in accordance with applicable law in any court having jurisdiction thereof.~~

~~§ 21.7 Subject to the rules of the American Arbitration Association or other applicable arbitration rules, either party, at its sole discretion, may consolidate an arbitration conducted under this Agreement with any other arbitration to which it is a party provided that (1) the arbitration agreement governing the other arbitration permits consolidation; (2) the arbitrations to be consolidated substantially involve common questions of law or fact; and (3) the arbitrations employ materially similar procedural rules and methods for selecting arbitrator(s).~~

~~§ 21.8 Subject to the rules of the American Arbitration Association or other applicable arbitration rules, any party to an arbitration may include by joinder persons or entities substantially involved in a common question of law or fact whose presence is required if complete relief is to be accorded in arbitration provided that the party sought to be joined consents in writing to such joinder. Consent to arbitration involving an additional person or entity shall not constitute consent to arbitration of a Claim not described in the written Consent.~~

~~§ 21.9 The foregoing agreement to arbitrate and other agreements to arbitrate with an additional person or entity duly consented to by parties to this Agreement, shall be specifically enforceable under applicable law in any court having jurisdiction thereof.~~

§ 21.10 Continuing Contract Performance

Pending final resolution of a ~~Claim, Claim or cause of action~~, except as otherwise agreed in writing, the Contractor shall proceed diligently with performance of the Contract and the Owner shall continue to make payments in accordance with the Contract Documents.

§ 21.11 Waiver of Claims for Consequential Damages

~~The Contractor and Owner waive claims against each other~~ waives claims against the Owner for consequential damages arising out of or relating to this Contract. This mutual waiver includes

- ~~.1~~ — damages incurred by the Owner for rental expenses, for losses of use, income, profit, financing, business and reputation, and for loss of management or employee productivity or of the services of such persons; and
- ~~.2~~ — damages incurred by the Contractor for principal office expenses including the compensation of personnel stationed there, for losses of financing, business and reputation, and for loss of profit except anticipated profit arising directly from the Work.

This ~~mutual~~ waiver is applicable, without limitation, to all consequential damages due to ~~either party's~~ termination in accordance with Article 20. Nothing contained in this Section 21.11 shall be deemed to preclude an award of liquidated damages, when applicable, in accordance with the requirements of the Contract Documents.

This Agreement entered into as of the day and year first written above.

**WEST BRANCH ROSE CITY AREA
SCHOOLS**

OWNER *(Signature)*

Gail Hughey, Superintendent
(Printed name and title)

CONTRACTOR *(Signature)*

(Printed name and title)



Init.

/

SECTION 01 10 00

SUMMARY

PART 1 GENERAL

1.1 SECTION INCLUDES

- A. Contract description.
- B. Work by Owner.
- C. Contractor's use of site and premises.
- D. Owner occupancy.
- E. Specification Conventions.

1.2 CONTRACT DESCRIPTION

- A. Work of the Project comprises replacement of designated doors and windows at Ogemaw Heights High Schools and Surline Elementary/Middle School and includes, but is not limited to, the following:
 - 1. Removal and disposal of designated doors, frames, and hardware;
 - 2. Removal and disposal of designated windows;
 - 3. Installation of new doors, frames, and hardware;
 - 4. Installation of new windows;
 - 5. Incidental patching, and other work as depicted;
 - 6. Coordination with Owner's abatement contractor for scheduling of abatement required in connection with the Work.
- B. Perform Work of the Contract under stipulated sum contract with Owner in accordance with Conditions of Contract.

1.3 WORK BY OWNER

- A. Items noted NIC (Not in Contract), movable cabinets, and furnishings will be furnished and installed by Owner after Substantial Completion.
- B. Abatement of existing asbestos containing building materials will be completed in connection with this work by the Owner's independent abatement contractor.

1.4 CONTRACTOR'S USE OF SITE AND PREMISES

- A. Limit use of site and premises to allow:
 - 1. Owner occupancy.
 - 2. Work by Others and Work by Owner.
 - 3. Use of site and premises by the public.
- B. Vehicular access to the site is limited to existing paved or gravel drives and parking areas. Vehicular access with not be permitted across lawns or concrete sidewalks or other site

improvements except where required to access the work area upon approval of the Construction Manager.

- C. Coordinate site and building access routes with Owner.
- D. Coordinate disruption of any utility service or system which may affect the Owners use of the premises for normal operations.

1.5 OWNER OCCUPANCY

- A. The Owner will occupy areas of the site and premises during the entire period of construction for the conduct of normal summer operations and other ongoing building construction. Coordinate with the Owner to allow access by Owner personnel for cleaning, general maintenance, and other work by Owner.
- B. Schedule the work with the Owner to accommodate Owner occupancy and to allow the Owner to use spaces prior to, and after completion of work in individual spaces.
- C. Cooperate with Owner to minimize conflict, and to facilitate Owner's operations.

1.6 SPECIFICATION CONVENTIONS

- A. These specifications are written in imperative mood and streamlined form. This imperative language is directed to the Contractor, unless specifically noted otherwise. The words "shall be" are included by inference where a colon (:) is used within sentences or phrases.
- B. Contractor is responsible for the entire Work identified in the Contract Documents without regard to the specific location of the information within the Contract Documents.

PART 2 PRODUCTS - Not Used

PART 3 EXECUTION - Not Used

END OF SECTION

SECTION 01 20 00

PRICE AND PAYMENT PROCEDURES

PART 1 GENERAL

1.1 SECTION INCLUDES

- A. Contingency allowances.
- B. Schedule of values.
- C. Applications for payment.
- D. Change procedures.
- E. Defect assessment.
- F. Alternates

1.2 CONTINGENCY ALLOWANCES

- A. A Contingency Allowance has been established by the Owner.

1.3 SCHEDULE OF VALUES

- A. Submit printed schedule on AIA Form G703 - Continuation Sheet for G702. Contractor's standard form or electronic media printout following format of specified AIA form will be considered.
- B. Submit Schedule of Values in duplicate within 15 days after date of Owner-Contractor Agreement.
- C. Format: Utilize Table of Contents of this Project Manual. Identify each line item with number and title of major specification Section. Identify site mobilization, bonds and insurance, and General Requirements as separate line items.
- D. Include within each line item, direct proportional amount of Contractor's overhead and profit.
- E. Revise schedule to list approved Change Orders, with each Application for Payment.

1.4 APPLICATIONS FOR PAYMENT

- A. Submit one copy of each application on AIA Form G702 - Application and Certificate for Payment and AIA G703 - Continuation Sheet for G702 or approved Contractor's electronic media driven form.
- B. Content and Format: Utilize Schedule of Values for listing items in Application for Payment.
- C. Payment Period: Submit at intervals stipulated in the Agreement.

- D. Substantiating Data: When Architect/Engineer requires substantiating information, submit data justifying dollar amounts in question.

1.5 CHANGE PROCEDURES

- A. The Architect/Engineer will advise of minor changes in the Work not involving adjustment to Contract Sum/Price or Contract Time by issuing supplemental instructions in writing to the Contractor.
- B. The Architect/Engineer may issue a Proposal Request or Bulletin including a detailed description of proposed change with supplementary or revised Drawings and specifications. Contractor will prepare and submit estimate of cost and any required change in Contract Time within 14 days.
- C. Contractor may propose changes by submitting a request for change to Architect/Engineer, describing proposed change and its full effect on the Work. Include a statement describing reason for the change, and effect on Contract Sum/Price and Contract Time with full documentation and a statement describing effect on Work by separate or other Contractors.
- D. Stipulated Sum/Price Change Order: Based on Proposal Request (Bulletins) and Contractor's fixed price quotation or Contractor's request for Change Order as approved by Architect/Engineer.
- E. Unit Price Change Order: For contract unit prices and quantities, the Change Order will be executed on fixed unit price basis. For unit costs or quantities of units of work which are not pre-determined, execute Work under Construction Change Directive. Changes in Contract Sum/Price or Contract Time will be computed as specified for Time and Material Change Order.
- F. Construction Change Directive: Architect/Engineer may issue directive, on AIA Form G713 Construction Change Directive signed by Owner, instructing Contractor to proceed with change in the Work, for subsequent inclusion in a Change Order. Document will describe changes in the Work, and designate method of determining any change in Contract Sum/Price or Contract Time. Promptly execute change.
- G. Time and Material Change Order: Submit itemized account and supporting data after completion of change, within time limits indicated in Conditions of the Contract. Architect/Engineer will determine change allowable in Contract Sum/Price and Contract Time as provided in Contract Documents.
- H. Maintain detailed records of work done on Time and Material basis. Provide full information required for evaluation of proposed changes, and to substantiate costs for changes in the Work.
- I. Document each quotation for change in cost or time with sufficient data to allow evaluation of quotation.
- J. Change Order Forms: AIA G701 Change Order.
- K. Execution of Change Orders: Architect/Engineer will issue Change Orders for signatures of parties as provided in Conditions of the Contract.
- L. Correlation of Contractor Submittals:
 - 1. Promptly revise Schedule of Values and Application for Payment forms to record each authorized Change Order as separate line item and adjust Contract Sum/Price.

2. Promptly revise progress schedules to reflect change in Contract Time, revise sub-schedules to adjust times for other items of work affected by the change, and resubmit.
3. Promptly enter changes in Project Record Documents.

1.6 DEFECT ASSESSMENT

- A. Replace the Work, or portions of the Work, not conforming to specified requirements.
- B. If, in the opinion of the Architect/Engineer, it is not practical to remove and replace the Work, the Architect/Engineer will direct appropriate remedy or adjust payment.
 1. The defective Work may remain, but unit sum/price will be adjusted to new sum/price at discretion of Owner.
 2. Defective Work will be partially repaired to instructions of Architect/Engineer, and unit sum/price will be adjusted to new sum/price at discretion of Owner.
- C. Individual specification sections may modify these options or may identify specific formula or percentage sum/price reduction.
- D. Authority of Architect/Engineer to assess defects is final.
- E. Non-Payment for Rejected Products: Payment will not be made for rejected products for any of the following:
 1. Products wasted or disposed of in a manner that is not acceptable.
 2. Products determined as unacceptable before or after placement.
 3. Products not completely unloaded from transporting vehicle.
 4. Products placed beyond lines and levels of required Work.
 5. Products remaining on hand after completion of the Work.
 6. Loading, hauling, and disposing of rejected products.

1.7 ALTERNATES – Not Used

PART 2 PRODUCTS - Not Used

PART 3 EXECUTION - Not Used

END OF SECTION

SECTION 01 30 00

ADMINISTRATIVE REQUIREMENTS

PART 1 GENERAL

1.1 SECTION INCLUDES

- A. Coordination and project conditions.
- B. Preconstruction meeting.
- C. Progress meetings.
- D. Periodic construction visits.
- E. Pre-installation meetings.
- F. Project Record Documents.
- G. Acceptance of Preceding Work.
- H. Cutting and patching.
- I. Special procedures.

1.2 COORDINATION AND PROJECT CONDITIONS

- A. Coordinate scheduling, submittals, and Work of various sections of Project Manual to ensure efficient and orderly sequence of installation of interdependent construction elements, with provisions for accommodating items installed later.
- B. Coordinate completion and clean-up of Work of separate sections in preparation for Substantial Completion.
- C. After Owner occupancy of premises, coordinate access to site for correction of defective Work and Work not in accordance with Contract Documents, to minimize disruption of Owner's activities.

1.3 PRECONSTRUCTION MEETING

- A. Architect/Engineer will schedule meeting after Notice of Award.
- B. Attendance Required: Owner, Architect/Engineer, and Contractor.
- C. Agenda:
 - 1. Execution of Owner-Contractor Agreement.
 - 2. Submission of executed bonds and insurance certificates.
 - 3. Distribution of Contract Documents.

4. Submission of list of Subcontractors, list of products, schedule of values, and progress schedule.
5. Designation of personnel representing parties in Contract, and Architect/Engineer.
6. Procedures and processing of field decisions, submittals, substitutions, applications for payments, proposal request, Change Orders, and Contract closeout procedures.
7. Scheduling.
8. Scheduling activities of testing agency.

- D. Record minutes and distribute copies within two days after meeting to participants, with copies to Architect/Engineer, Owner, and those affected by decisions made.

1.4 PROGRESS MEETINGS

- A. Schedule and administer meetings throughout progress of the Work at maximum bi-monthly intervals.
- B. Make arrangements for meetings, prepare agenda with copies for participants, preside at meetings.
- C. Attendance Required: Job superintendent, major subcontractors and suppliers, Owner, Architect/Engineer, as appropriate to agenda topics for each meeting.

- D. Agenda:

1. Review minutes of previous meetings.
2. Review of Work progress.
3. Field observations, problems, and decisions.
4. Identification of problems impeding planned progress.
5. Review of submittals schedule and status of submittals.
6. Review of off-site fabrication and delivery schedules.
7. Maintenance of progress schedule.
8. Corrective measures to regain projected schedules.
9. Planned progress during succeeding work period.
10. Coordination of projected progress.
11. Maintenance of quality and work standards.
12. Effect of proposed changes on progress schedule and coordination.
13. Other business relating to Work.
14. Coordination of work by Owner's Contractor with work of the General Contract.
15. Project Record Documents.

- E. Record minutes and distribute copies within two days after meeting to participants, with copies to Architect/Engineer, Owner, and those affected by decisions made.

1.5 PERIODIC CONSTRUCTION VISITS

- A. The Architect and Owner will visit the project site periodically. The purpose of the visits will be to monitor the progress and quality of the work.
- B. The Contractor's Site Superintendent shall be available for meetings with the Architect and Owner.
- C. Agenda:

1. Review of Work in progress.
2. Field observations, problems, and decisions.
3. Identification of problems which impede planned progress.
4. Maintenance of progress schedule.
5. Corrective measures to regain projected schedules.
6. Planned progress during succeeding work period.
7. Maintenance of quality and work standards.
8. Other business relating to Work.

1.6 PRE-INSTALLATION MEETINGS

- A. When required in individual specification sections, convene pre-installation meetings at Project site prior to commencing work of specific section.
- B. Require attendance of parties directly affecting, or affected by, Work of specific section.
- C. Notify Architect/Engineer four days in advance of meeting date.
- D. Prepare agenda and preside at meeting:
 1. Review conditions of installation, preparation and installation procedures.
 2. Review coordination with related work.
- E. Record minutes and distribute copies within two days after meeting to participants, with copies to Architect/Engineer, Owner, and those affected by decisions made.

1.7 PROJECT RECORD DOCUMENTS

- A. Contractor shall maintain and update Project Record Drawings (As-Built Drawings) on site during construction. Contractor and each Subcontractor shall be responsible to update the as built drawings on a weekly basis.
- B. Project Record Documents shall be available for review by the Architect.

PART 2 PRODUCTS - Not Used

PART 3 EXECUTION

3.1 ACCEPTANCE OF PRECEDING WORK

- A. Before starting any operation, each Contractor(s) shall examine work performed by others to which their work adjoins or is applied and shall report to the Architect any conditions that will prevent satisfactory accomplishment of their work.
- B. Failure to notify the Architect of deficiencies or faults in preceding work will constitute acceptance thereof and waive of any claims to its usability.

3.2 CUTTING AND PATCHING

- A. Employ skilled and experienced installer to perform cutting and patching.

- B. Submit written request in advance of cutting or altering elements affecting:
 - 1. Structural integrity of element.
 - 2. Integrity of weather-exposed or moisture-resistant elements.
 - 3. Efficiency, maintenance, or safety of element.
 - 4. Visual qualities of sight exposed elements.
 - 5. Work of Owner or separate contractor.

- C. Execute cutting, fitting, and patching including excavation and fill, to complete Work, and to:
 - 1. Fit the several parts together, to integrate with other Work.
 - 2. Uncover Work to install or correct ill-timed Work.
 - 3. Remove and replace defective and non-conforming Work.
 - 4. Remove samples of installed Work for testing.
 - 5. Provide openings in elements of Work for penetrations of mechanical and electrical Work.

- D. Execute work by methods to avoid damage to other Work, and to provide proper surfaces to receive patching and finishing.

- E. Cut masonry and concrete materials using masonry saw or core drill.

- F. Restore Work with new products in accordance with requirements of Contract Documents.

- G. Fit Work tight to pipes, sleeves, ducts, conduit, and other penetrations through surfaces.

- H. Maintain integrity of wall, ceiling, or floor construction; completely seal voids.

- I. Refinish surfaces to match adjacent finishes. For continuous surfaces, refinish to nearest intersection; for assembly, refinish entire unit.

3.3 SPECIAL PROCEDURES

- A. Materials: As specified in product sections; match existing with new products for patching and extending work. Use salvaged products only where indicated in Drawings.

- B. Employ skilled and experienced installer to perform alteration work.

- C. Cut, move, or remove items as necessary for access to alterations and renovation Work. Replace and restore at completion.

- D. Remove unsuitable material not marked for salvage, including rotted wood, corroded metals, and deteriorated masonry and concrete. Replace materials as specified for finished Work.

- E. Remove debris and abandoned items from area and from concealed spaces.

- F. Prepare surface and remove surface finishes to permit installation of new work and finishes.

- G. Close openings in exterior surfaces to protect existing work from weather and extremes of temperature and humidity.

- H. Remove, cut, and patch Work in manner to minimize damage and to permit restoring products and finishes to original or specified condition.

WEST BRANCH – ROSE CITY AREA SCHOOLS
2024 DOOR AND WINDOW REPLACEMENT PROJECT
Ogemaw Heights High Schools and
Surline Elementary/Middle School
January 19, 2024

- I. Refinish existing visible surfaces to remain in renovated rooms and spaces, to specified condition for each material, with neat transition to adjacent finishes.
- J. Where new Work abuts or aligns with existing, provide smooth and even transition. Patch Work to match existing adjacent Work in texture and appearance.
- K. When finished surfaces are cut so that smooth transition with new Work is not possible, terminate existing surface along straight line at natural line of division and submit recommendation to Architect/Engineer for review.
- L. Where change of plane of 1/4 inch or more occurs, request instructions from Architect/Engineer.
- M. Patch or replace portions of existing surfaces which are damaged, lifted, discolored, or showing other imperfections.
- N. Finish surfaces as specified in individual product sections.

END OF SECTION

SECTION 01 33 00

SUBMITTAL PROCEDURES

PART 1 GENERAL

1.1 SECTION INCLUDES

- A. Submittal procedures.
- B. Construction progress schedules.
- C. Proposed products list.
- D. Product data.
- E. Shop drawings.
- F. Samples.
- G. Design data.
- H. Test reports.
- I. Certificates.
- J. Manufacturer's instructions.
- K. Manufacturer's field reports.

1.2 SUBMITTAL PROCEDURES

- A. Electronic Submittals: Prepare and transmit submittals of Product Data, Shop Drawings, Design Data, Test Reports, Certificates, Manufacturers Instructions, and Erection Drawings to Architect in electronic (.pdf) format.
- B. Samples: Where specifications require the submittal of samples for verification or selection, submit physical samples and/or physical color charts to the Architect. Electronic reproductions of color charts will not be accepted. Include Contractor's transmittal form identifying Project, Contractor, subcontractor and supplier; product designated by name indicated in specifications.
- C. Transmit electronic submittals with Contractor's transmittal form:
 - 1. Sequentially number submittals. Include the specification section in the submittal numbering system. Mark revised submittals with original number and sequential alphabetic suffix.
 - 2. Identify Project, Contractor, subcontractor and supplier; product designated by name indicated in specifications.
- D. Include Contractor's certification (stamp), signed or initialed certifying that review, approval, verification of products required, field dimensions, adjacent construction Work, and coordination of information is in accordance with requirements of the Work and Contract Documents.

- E. Schedule submittals to expedite Project. Coordinate submission of related items.
- F. For each submittal for review, allow 15 days excluding delivery time to and from Contractor. Submittals for long lead time items shall be expedited by the Contractor in order to allow for the Owner's completion schedule. Notify Architect/Engineer of long lead time items requiring expedited review.
- G. Identify variations from Contract Documents and product or system limitations which may be detrimental to successful performance of completed Work.
- H. Architect will return files electronically following review. Contractor shall distribute copies of reviewed submittals to appropriate parties.
- I. Contractor shall produce and provide a paper copy of approved submittals to the Architect, and to governing authorities upon request.
- J. Where specified in specific Submittals Articles, Contractor shall provide a paper copy of approved submittals to the Owner at closeout.
- K. When revised for resubmission, identify changes made since previous submission.
- L. Submittals not requested will not be recognized or processed.

1.3 CONSTRUCTION PROGRESS SCHEDULES

- A. Submit initial schedules within 7 days after Notice to Proceed. After review, resubmit required revised data within ten days.
- B. Submit revised Progress Schedules with each Application for Payment.
- C. Distribute copies of reviewed schedules to Project site file, subcontractors, suppliers, and other concerned parties.
- D. Instruct recipients to promptly report, in writing, problems anticipated by projections indicated in schedules.
- E. Utilize Contractor's standard computer generated schedule format.
- F. Show complete sequence of construction by activity, identifying Work of separate stages and other logically grouped activities. Indicate early and late start, early and late finish, float dates, and duration.
- G. Indicate estimated percentage of completion for each item of Work at each submission.
- H. Revisions To Schedules:
 - 1. Indicate progress of each activity to date of submittal, and projected completion date of each activity.
 - 2. Identify activities modified since previous submittal, major changes in scope, and other identifiable changes.

3. Prepare narrative report to define problem areas, anticipated delays, and impact on Schedule. Report corrective action taken, or proposed, and its effect [including effect of changes on schedules of separate contractors].

1.4 PROPOSED PRODUCTS LIST

- A. Within 7 days after Notice to Proceed, submit list of major products proposed for use, with name of manufacturer, trade name, and model number of each product.
- B. For products specified only by reference standards, give manufacturer, trade name, model or catalog designation, and reference standards.

1.5 PRODUCT DATA

- A. Product Data: Submit to Architect/Engineer for review for limited purpose of checking for conformance with information given and design concept expressed in Contract Documents.
- B. Mark submittal to identify applicable products, models, options, and other data. Supplement manufacturers' standard data to provide information specific to this Project.
- C. Indicate product utility and electrical characteristics, utility connection requirements, and location of utility outlets for service for functional equipment and appliances.
- D. After review, produce copies and distribute in accordance with SUBMITTAL PROCEDURES article and for record documents described in Section 01 70 00 - Execution and Closeout Requirements.

1.6 SHOP DRAWINGS

- A. Shop Drawings: Submit to Architect/Engineer for review for limited purpose of checking for conformance with information given and design concept expressed in Contract Documents.
- B. Indicate special utility and electrical characteristics, utility connection requirements, and location of utility outlets for service for functional equipment and appliances.
- C. When required by individual specification sections, provide shop drawings signed and sealed by professional engineer responsible for designing components shown on shop drawings.
 1. Include signed and sealed calculations to support design.
 2. Submit drawings and calculations in form suitable for submission to and approval by authorities having jurisdiction.
 3. Make revisions and provide additional information when required by authorities having jurisdiction.
- D. After review, produce copies and distribute in accordance with SUBMITTAL PROCEDURES article and for record documents described in Section 01 70 00 - Execution and Closeout Requirements.

1.7 SAMPLES

- A. Samples: Submit to Architect/Engineer for review for limited purpose of checking for conformance with information given and design concept expressed in Contract Documents.

- B. Samples For Selection as Specified in Product Sections:
 - 1. Submit to Architect/Engineer for aesthetic, color, or finish selection.
 - 2. Submit samples of finishes from full range of manufacturers' standard colors, including premium and/or custom colors where specified, textures, and patterns for Architect/Engineer selection.
- C. Submit samples to illustrate functional and aesthetic characteristics of Products, with integral parts and attachment devices. Coordinate sample submittals for interfacing work.
- D. Include identification on each sample, with full Project information.
- E. Submit number of samples specified in individual specification sections; Architect/Engineer will retain samples.
- F. Samples will not be used for testing purposes unless specifically stated in specification section.
- G. Architect will issue a schedule indicating colors selected.

1.8 DESIGN DATA

- A. Submit for Architect/Engineer's knowledge as contract administrator or for Owner.
- B. Submit for information for limited purpose of assessing conformance with information given and design concept expressed in Contract Documents.

1.9 TEST REPORTS

- A. Submit for Architect/Engineer's knowledge as contract administrator or for Owner.
- B. Submit test reports for information for limited purpose of assessing conformance with information given and design concept expressed in Contract Documents.

1.10 CERTIFICATES

- A. When specified in individual specification sections, submit certification by manufacturer, installation/application subcontractor, or Contractor to Architect/Engineer, in quantities specified for Product Data.
- B. Indicate material or product conforms to or exceeds specified requirements. Submit supporting reference data, affidavits, and certifications as appropriate.
- C. Certificates may be recent or previous test results on material or Product, but must be acceptable to Architect/Engineer.

1.11 MANUFACTURER'S INSTRUCTIONS

- A. When specified in individual specification sections, submit printed instructions for delivery, storage, assembly, installation, [start-up,] adjusting, and finishing, to Architect/Engineer for delivery to Owner in quantities specified for Product Data.

- B. Indicate special procedures, perimeter conditions requiring special attention, and special environmental criteria required for application or installation.

1.12 MANUFACTURER'S FIELD REPORTS

- A. Submit reports for Architect/Engineer's benefit as contract administrator or for Owner.
- B. Submit report [in duplicate] within 5 days of observation to Architect/Engineer for information.
- C. Submit for information for limited purpose of assessing conformance with information given and design concept expressed in Contract Documents.

PART 2 PRODUCTS - Not Used

PART 3 EXECUTION - Not Used

END OF SECTION

SECTION 01 40 00

QUALITY REQUIREMENTS

PART 1 GENERAL

1.1 SECTION INCLUDES

- A. Quality control and control of installation.
- B. Tolerances.
- C. References.
- D. Labeling.
- E. Manufacturers' field services.
- F. Examination.
- G. Preparation.

1.2 QUALITY CONTROL AND CONTROL OF INSTALLATION

- A. Monitor quality control over suppliers, manufacturers, products, services, site conditions, and workmanship, to produce Work of specified quality.
- B. Comply with manufacturers' instructions, including each step in sequence.
- C. When manufacturers' instructions conflict with Contract Documents, request clarification from Architect/Engineer before proceeding.
- D. Comply with specified standards as minimum quality for the Work except where more stringent tolerances, codes, or specified requirements indicate higher standards or more precise workmanship.
- E. Perform Work by persons qualified to produce required and specified quality.
- F. Verify field measurements are as indicated on Shop Drawings or as instructed by manufacturer.
- G. Secure products in place with positive anchorage devices designed and sized to withstand stresses, vibration, physical distortion, or disfigurement.

1.3 TOLERANCES

- A. Monitor fabrication and installation tolerance control of products to produce acceptable Work. Do not permit tolerances to accumulate.
- B. Comply with manufacturers' tolerances. When manufacturers' tolerances conflict with Contract Documents, request clarification from Architect/Engineer before proceeding.

- C. Adjust products to appropriate dimensions; position before securing products in place.

1.4 REFERENCES

- A. For products or workmanship specified by association, trade, or other consensus standards, comply with requirements of standard, except when more rigid requirements are specified or are required by applicable codes.
- B. Conform to reference standard by date of issue current on date of Contract Documents, except where specific date is established by code.
- C. Obtain copies of standards where required by product specification sections.
- D. When specified reference standards conflict with Contract Documents, request clarification from Architect/Engineer before proceeding.
- E. Neither contractual relationships, duties, nor responsibilities of parties in Contract nor those of Architect/Engineer shall be altered from Contract Documents by mention or inference otherwise in reference documents.

1.5 LABELING

- A. Attach label from agency approved by authority having jurisdiction for products, assemblies, and systems required to be labeled by applicable code.
- B. Label Information: Include manufacturer's or fabricator's identification, approved agency identification, and the following information, as applicable, on each label.
 - 1. Model number.
 - 2. Serial number.
 - 3. Performance characteristics.

1.6 MANUFACTURERS' FIELD SERVICES

- A. When specified in individual specification sections, require material or product suppliers or manufacturers to provide qualified staff personnel to observe site conditions, conditions of surfaces and installation, quality of workmanship, start-up of equipment, test, adjust and balance of equipment as applicable, and to initiate instructions when necessary.
- B. Submit qualifications of observer to Architect/Engineer 30 days in advance of required observations.
- C. Report observations and site decisions or instructions given to applicators or installers that are supplemental or contrary to manufacturers' written instructions.
- D. Refer to Section 01 33 00 - Submittal Procedures, MANUFACTURERS' FIELD REPORTS article.

PART 2 PRODUCTS - Not Used

PART 3 EXECUTION

3.1 EXAMINATION

- A. Verify existing site conditions and substrate surfaces are acceptable for subsequent Work. Beginning new Work means acceptance of existing conditions.
- B. Verify existing substrate is capable of structural support or attachment of new Work being applied or attached.
- C. Examine and verify specific conditions described in individual specification sections.
- D. Verify utility services are available, of correct characteristics, and in correct locations.

3.2 PREPARATION

- A. Clean substrate surfaces prior to applying next material or substance.
- B. Seal cracks or openings of substrate prior to applying next material or substance.
- C. Apply manufacturer required or recommended substrate primer, sealer, or conditioner prior to applying new material or substance in contact or bond.

END OF SECTION

SECTION 01 50 00

TEMPORARY FACILITIES AND CONTROLS

PART 1 GENERAL

1.1 SECTION INCLUDES

- A. Temporary Utilities:
 - 1. Temporary electricity.
 - 2. Temporary ventilation.
 - 3. Telephone service.
 - 4. Email service
 - 5. Temporary sanitary facilities.
- B. Construction Facilities:
 - 1. Field offices and sheds.
 - 2. Parking.
 - 3. Progress cleaning and waste removal.
 - 4. Fire prevention facilities.
- C. Temporary Controls:
 - 1. Barriers.
- D. Removal of utilities, facilities, and controls.

1.2 TEMPORARY ELECTRICITY

- A. Owner will pay cost of energy used. Exercise measures to conserve energy. Utilize Owner's existing power service.
- B. Permanent convenience receptacles may be utilized during construction.

1.3 TELEPHONE SERVICE

- A. Provide, maintain, and pay for telephone service to field office at time of project mobilization.

1.4 EMAIL SERVICE

- A. Provide, maintain and pay for email service to site Superintendent and Project Manager at time of project mobilization

1.5 TEMPORARY SANITARY FACILITIES

- A. Existing designated facilities may be used during construction operations. Maintain daily in clean and sanitary condition.

1.6 FIELD OFFICES AND SHEDS

- A. Small storage trailers may be placed on-site in paved parking areas where designated by Owner.

1.7 PARKING

- A. Use of existing on-site streets and driveways used for construction traffic is permitted. Tracked vehicles not allowed on paved areas.
- B. Do not allow heavy vehicles or construction equipment in parking areas without measures to prevent damage to pavement.

1.8 PROGRESS CLEANING AND WASTE REMOVAL

- A. Maintain areas free of waste materials, debris, and rubbish. Maintain site in clean and orderly condition.
- B. Remove debris and rubbish from pipe chases, plenums, attics, crawl spaces, and other closed or remote spaces, prior to enclosing spaces.
- C. Collect and remove waste materials, debris, and rubbish from site weekly and dispose off-site.

1.9 FIRE PREVENTION FACILITIES

- A. Smoking on school property is prohibited by law.
- B. Establish fire watch for cutting and welding and other hazardous operations capable of starting fires. Maintain fire watch before, during, and after hazardous operations until threat of fire does not exist.
- C. Portable Fire Extinguishers: NFPA 10; 10 pound capacity, 4A-60B: C UL rating.
 - 1. Provide one fire extinguisher on each floor of buildings under construction and demolition.
 - 2. Provide minimum one fire extinguisher in every construction trailer and storage shed.
 - 3. Provide minimum one fire extinguisher on roof during roofing operations using heat producing equipment.

1.10 BARRIERS

- A. Provide barriers to prevent unauthorized entry to construction areas and to protect existing facilities and adjacent properties from damage from construction operations.
- B. Provide barriers to separate construction areas from adjacent occupied areas.
- C. Protect non-owned vehicular traffic, stored materials, site, and structures from damage.

1.11 ENCLOSURES AND PROTECTION

- A. Exterior Enclosures:
 - 1. Provide temporary weather tight closure of exterior openings to accommodate acceptable working conditions and protection for products, to allow for temporary heating and maintenance of required ambient temperatures identified in individual specification sections, and to prevent entry of unauthorized persons.
- B. Interior Enclosures:

1. Provide temporary enclosures as required to prevent penetration of dust and moisture into adjacent building areas, and to prevent damage to existing materials and equipment.
2. Partition Construction: Framing and suitable plastic sheeting supported to prevent displacement during construction operations.

1.12 REMOVAL OF UTILITIES, FACILITIES, AND CONTROLS

- A. Remove temporary utilities, equipment, facilities, materials, prior to Substantial Completion inspection.
- B. Remove underground installations to minimum depth of 2 feet. Grade site as indicated on Drawings.
- C. Clean and repair damage caused by installation or use of temporary work.
- D. Restore existing facilities used during construction to original condition. Restore permanent facilities used during construction to specified condition.

PART 2 PRODUCTS - Not Used

PART 3 EXECUTION - Not Used

END OF SECTION

SECTION 01 60 00

PRODUCT REQUIREMENTS

PART 1 GENERAL

1.1 SECTION INCLUDES

- A. Products.
- B. Product delivery requirements.
- C. Product storage and handling requirements.
- D. Product options.
- E. Product substitution procedures.
- F. Equipment electrical characteristics and components.

1.2 PRODUCTS

- A. Furnish products of qualified manufacturers suitable for intended use. Furnish products of each type by single manufacturer unless specified otherwise.
- B. Do not use materials and equipment removed from existing premises, except as specifically permitted by Contract Documents.
- C. Furnish interchangeable components from same manufacturer for components being replaced.

1.3 PRODUCT DELIVERY REQUIREMENTS

- A. Transport and handle products in accordance with manufacturer's instructions.
- B. Promptly inspect shipments to ensure products comply with requirements, quantities are correct, and products are undamaged.
- C. Provide equipment and personnel to handle products by methods to prevent soiling, disfigurement, or damage.

1.4 PRODUCT STORAGE AND HANDLING REQUIREMENTS

- A. Store and protect products in accordance with manufacturers' instructions.
- B. Store with seals and labels intact and legible.
- C. Store sensitive products in weather tight, climate controlled, enclosures in an environment favorable to product.
- D. For exterior storage of fabricated products, place on sloped supports above ground.

- E. Provide bonded off-site storage and protection when site does not permit on-site storage or protection.
- F. Cover products subject to deterioration with impervious sheet covering. Provide ventilation to prevent condensation and degradation of products.
- G. Store loose granular materials on solid flat surfaces in well-drained area. Prevent mixing with foreign matter.
- H. Provide equipment and personnel to store products by methods to prevent soiling, disfigurement, or damage.
- I. Arrange storage of products to permit access for inspection. Periodically inspect to verify products are undamaged and are maintained in acceptable condition.

1.5 PRODUCT OPTIONS

- A. Products Specified by Reference Standards or by Description Only: Any product meeting those standards or description.
- B. Products Specified by Naming One or More Manufacturers: Products of one of manufacturers named and meeting specifications, no options or substitutions allowed.
- C. Products Specified by Naming One or More Manufacturers with an “Or Equal” provision: Any Product meeting the quality standards or description. Pre-bid requests for approval of Products specified with an “or equal” provision will not be acknowledged. Acceptability of “or equal” Products will be determined by the Architect during the submittal process based upon the quality or suitability of the Product proposed.
- D. Products Specified by Naming One or More Manufacturers with Provision for Substitutions: Submit request for substitution for any manufacturer not named in accordance with the following article.

1.6 PRODUCT SUBSTITUTION PROCEDURES

- A. Instructions to Bidders specify time restrictions for submitting requests for Substitutions during bidding period to requirements specified in this section.
- B. Post-Bid Substitutions will only be considered when a product becomes unavailable through no fault of Contractor.
- C. Document each request with complete data substantiating compliance of proposed Substitution with Contract Documents.
- D. A request constitutes a representation that Bidder:
 - 1. Has investigated proposed product and determined that it meets or exceeds quality level of specified product.
 - 2. Will provide same warranty for Substitution as for specified product.
 - 3. Will coordinate installation and make changes to other Work which may be required for the Work to be complete with no additional cost to Owner.

WEST BRANCH – ROSE CITY AREA SCHOOLS
2024 DOOR AND WINDOW REPLACEMENT PROJECT
Ogemaw Heights High Schools and
Surline Elementary/Middle School
January 19, 2024

4. Waives claims for additional costs or time extension which may subsequently become apparent.
 5. Will reimburse Owner and/or Architect/Engineer for review or redesign services associated with re-approval by authorities having jurisdiction.
- E. Substitutions will not be considered when they are indicated or implied on Shop Drawing or Product Data submittals, without separate written request, or when acceptance will require revision to Contract Documents.

PART 2 PRODUCTS – Not Used

PART 3 EXECUTION - Not Used

END OF SECTION

SECTION 01 70 00

EXECUTION AND CLOSEOUT REQUIREMENTS

PART 1 GENERAL

1.1 SECTION INCLUDES

- A. Closeout procedures.
- B. Final cleaning.
- C. Starting of systems.
- D. Demonstration and instructions.
- E. Testing, adjusting and balancing.
- F. Project record documents.
- G. Operation and maintenance data.
- H. Manual for materials and finishes.
- I. Manual for equipment and systems.
- J. Product warranties and product bonds.

1.2 CLOSEOUT PROCEDURES

- A. Submit certification that the work is Substantially Complete and approved for occupancy by the Authority Having Jurisdiction, and Contractor's list of items to be completed to the Architect.
- B. Architect will inspect the work and will prepare a Punch List of items to be corrected or completed for final acceptance of the work.
- C. Upon completion of all work and correction of items included on the Punch List prepared by the Architect, submit written certification that Contract Documents have been reviewed, and that Work is complete in accordance with Contract Documents and ready for Architect/Engineer's final review. Architect will visit the site and will verify that all items have been properly completed and/or corrected.
- D. Contractor shall reimburse the Owner for all re-inspection costs incurred as a result of Contractor's failure to complete and/or correct all items identified by the Architect. Charges to the Contractor shall be made at such times and in such amounts as the Architect invoices the Owner under the rate schedule in effect at the time of service. Such charges to the Contractor will be deducted from the Contractor's progress payment or final payment as applicable.
- E. Provide submittals to Architect/Engineer required by authorities having jurisdiction.

- F. Submit final Application for Payment identifying total adjusted Contract Sum, previous payments, and sum remaining due.

1.3 FINAL CLEANING

- A. Execute final cleaning prior to final project assessment.
- B. Clean equipment and fixtures to sanitary condition with cleaning materials appropriate to surface and material being cleaned.
- C. Replace filters of operating equipment.
- D. Remove waste and surplus materials, rubbish, and construction facilities from site.

1.4 STARTING OF SYSTEMS – Not Used

1.5 DEMONSTRATION AND INSTRUCTIONS – Not Used

1.6 TESTING, ADJUSTING AND BALANCING – Not Used

1.7 PROJECT RECORD DOCUMENTS

- A. Maintain on site one set of the following record documents; record actual revisions to the Work:
 - 1. Drawings.
 - 2. Specifications.
 - 3. Addenda.
 - 4. Change Orders and other modifications to the Contract.
 - 5. Reviewed Shop Drawings, Product Data, and Samples.
 - 6. Manufacturer's instruction for assembly, installation, and adjusting.
- B. Ensure entries are complete and accurate, enabling future reference by Owner.
- C. Store record documents separate from documents used for construction.
- D. Record information concurrent with construction progress, not less than weekly.
- E. Specifications: Legibly mark and record at each product section description of actual products installed, including the following:
 - 1. Manufacturer's name and product model and number.
 - 2. Product substitutions or alternates utilized.
 - 3. Changes made by Addenda and modifications.
- F. Record Drawings and Shop Drawings: Legibly mark each item to record actual construction including:
 - 1. Measured depths of foundations in relation to finish first floor datum.
 - 2. Measured horizontal and vertical locations of underground utilities and appurtenances, referenced to permanent surface improvements.
 - 3. Measured locations of internal utilities and appurtenances concealed in construction, referenced to visible and accessible features of the Work.
 - 4. Field changes of dimension and detail.
 - 5. Details not on original Contract drawings.

- G. Submit documents to Architect/Engineer with claim for final Application for Payment.

1.8 OPERATION AND MAINTENANCE DATA

- A. Submit data bound in 8-1/2 x 11 inch (A4) text pages, three D side ring binders with durable plastic covers.
- B. Prepare binder cover with printed title "OPERATION AND MAINTENANCE INSTRUCTIONS", title of project, and subject matter of binder when multiple binders are required.
- C. Internally subdivide binder contents with permanent page dividers, logically organized as described below; with tab titling clearly printed under reinforced laminated plastic tabs.
- D. Drawings: Provide with reinforced punched binder tab. Bind in with text; fold larger drawings to size of text pages.
- E. Contents: Prepare Table of Contents for each volume, with each product or system description identified, typed on white paper, in three parts as follows:
 - 1. Part 1: Directory, listing names, addresses, and telephone numbers of Architect/Engineer, Contractor, Subcontractors, and major equipment suppliers.
 - 2. Part 2: Operation and maintenance instructions, arranged by system and subdivided by specification section. For each category, identify names, addresses, and telephone numbers of Subcontractors and suppliers. Identify the following:
 - a. Significant design criteria.
 - b. List of equipment.
 - c. Parts list for each component.
 - d. Operating instructions.
 - e. Maintenance instructions for equipment and systems.
 - f. Maintenance instructions for [special] finishes, including recommended cleaning methods and materials, and special precautions identifying detrimental agents.
 - 3. Part 3: Project documents and certificates, including the following:
 - a. Shop drawings and product data.
 - b. Air and water balance reports.
 - c. Certificates.
 - d. Photocopies of warranties and bonds.

1.9 MANUAL FOR MATERIALS AND FINISHES

- A. Submit one copy of completed volumes 15 days prior to final inspection. Draft copy will be reviewed and returned, with Architect/Engineer comments. Revise content of document sets as required prior to final submission.
- B. Submit two sets of revised final volumes in final form with claim for Final Application for Payment.
- C. Building Products, Applied Materials, and Finishes: Include product data, with catalog number, size, composition, and color and texture designations. Include information for re-ordering custom manufactured products.
- D. Instructions for Care and Maintenance: Include manufacturer's recommendations for cleaning agents and methods, precautions against detrimental agents and methods, and recommended schedule for cleaning and maintenance.

- E. Moisture Protection and Weather Exposed Products: Include product data listing applicable reference standards, chemical composition, and details of installation. Include recommendations for inspections, maintenance, and repair.
- F. Additional Requirements: As specified in individual product specification sections.
- G. Include listing in Table of Contents for design data, with tabbed fly sheet and space for insertion of data.

1.10 MANUAL FOR EQUIPMENT AND SYSTEMS – Not Used

1.11 PRODUCT WARRANTIES AND PRODUCT BONDS

- A. Obtain warranties and bonds executed in duplicate by responsible subcontractors, suppliers, and manufacturers, within ten days after completion of applicable item of work.
- B. Execute and assemble transferable warranty documents and bonds from subcontractors, suppliers, and manufacturers.
- C. Verify documents are in proper form, contain full information, and are notarized.
- D. Co-execute submittals when required.
- E. Include Table of Contents and assemble in three D side ring binder with durable plastic cover.
- F. Submit prior to final Application for Payment.
- G. Time Of Submittals:
 - 1. For equipment or component parts of equipment put into service during construction with Owner's permission, provide extended warranty for the full length of the warranty period beyond the Date of Substantial Completion.
 - 2. Make other submittals within ten days after Date of Substantial Completion, prior to final Application for Payment.
 - 3. For items of Work for which acceptance is delayed beyond Date of Substantial Completion, submit within ten days after acceptance, listing date of acceptance as beginning of warranty or bond period.

PART 2 PRODUCTS - Not Used

PART 3 EXECUTION - Not Used

END OF SECTION

SECTION 02 41 19

SELECTIVE STRUCTURE DEMOLITION

PART 1 GENERAL

1.1 SUMMARY

- A. Section Includes:
 - 1. Demolishing designated construction.
 - 2. Cutting and alterations for completion of the Work.
 - 3. Protecting items designated to remain.
 - 4. Removing demolished materials.

1.2 CLOSEOUT SUBMITTALS

- A. Project Record Documents: Accurately record actual locations of capped utilities, concealed utilities discovered during demolition, and subsurface obstructions.

1.3 QUALITY ASSURANCE

- A. Conform to applicable code for demolition work, dust control, and products requiring electrical disconnection and re-connection
- B. Conform to applicable code for procedures when hazardous or contaminated materials are discovered.
- C. Obtain required permits from authorities having jurisdiction.

1.4 SEQUENCING

- A. Owner will conduct salvage operations before demolition begins to remove materials Owner chooses to retain.

1.5 SCHEDULING

- A. Cooperate with Owner in scheduling noisy operations and waste removal that may impact Owners operation and in adjoining spaces.
- B. Coordinate utility and building service interruptions with Owner.
 - 1. Do not disable or disrupt building fire or life safety systems without three days prior written notice to Owner.
 - 2. Schedule tie-ins to existing systems to minimize disruption.
 - 3. Coordinate Work to ensure fire sprinklers, fire alarms, smoke detectors, emergency lighting, exit signs and other life safety systems remain in full operation in occupied areas.

1.6 PROJECT CONDITIONS

- A. Conduct demolition to minimize interference with occupied building areas.

- B. Cease operations immediately if structure appears to be in danger and notify Architect/Engineer. Do not resume operations until directed.

PART 2 PRODUCTS

Not Used.

PART 3 EXECUTION

3.1 PREPARATION

- A. Notify affected utility companies before starting work and comply with their requirements.
- B. Mark location and termination of utilities.
- C. Erect, and maintain temporary barriers and security devices, including warning signs and lights, and similar measures, for protection of the public, Owner, and existing improvements indicated to remain.
- D. Erect and maintain weatherproof closures for exterior openings.
- E. Erect and maintain temporary partitions to prevent spread of dust, odors, and noise to permit continued Owner occupancy.
- F. Prevent movement of structure; provide temporary bracing and shoring required to ensure safety of existing structure.
- G. Provide appropriate temporary signage including signage for exit or building egress.
- H. Do not close or obstruct building egress path during building occupancy.
- I. Do not disable or disrupt building fire or life safety systems without 3 days prior written notice to Owner.

3.2 DEMOLITION

- A. Conduct demolition to minimize interference with adjacent occupied building areas.
- B. Maintain protected egress from and access to adjacent existing buildings at all times.
- C. Do not close or obstruct public roadways or sidewalks without permits.
- D. Cease operations immediately when structure appears to be in danger and notify Architect/Engineer.
- E. Disconnect and remove designated utilities within demolition areas.

WEST BRANCH – ROSE CITY AREA SCHOOLS
2024 DOOR AND WINDOW REPLACEMENT PROJECT
Ogemaw Heights High Schools and
Surline Elementary/Middle School
January 19, 2024

- F. Cap and identify abandoned utilities at termination points when utility is not completely removed. Annotate Record Drawings indicating location and type of service for capped utilities remaining after demolition.
- G. Demolish in orderly and careful manner. Protect existing improvements, supporting structural members.
- H. Carefully remove building components indicated to be reused.
 - 1. Disassemble components as required to permit removal.
 - 2. Package small and loose parts to avoid loss.
 - 3. Mark components and packaged parts to permit reinstallation.
 - 4. Store components, protected from construction operations, until reinstalled.
- I. Remove demolished materials from site except where specifically noted otherwise. Do not burn or bury materials on site.
- J. Remove materials as Work progresses. Upon completion of Work, leave areas in clean condition.
- K. Remove temporary Work.

END OF SECTION

SECTION 08 41 13

ALUMINUM-FRAMED ENTRANCES AND STOREFRONTS

PART 1 GENERAL

1.1 SUMMARY

- A. Section includes aluminum frames, aluminum doors, and AL/FRP hybrid doors. Doors and frames shall be fitted with factory applied weatherstripping as specified herein.
- A. Related Sections:
 - 1. Section 08 71 00 – Door Hardware.
 - 2. Section 08 80 00 – Glazing.

1.2 REFERENCES

- A. AAMA:
 - 1. AAMA/NWWDA 101/I.S. 2 - Aluminum, Vinyl (PVC) and Wood Windows and Glass Doors.
 - 2. AAMA 1304 – Forced Entry Resistance Test Method for Sliding Glass Doors.
 - 3. AAMA 1503 – Voluntary Test Method for Thermal Transmittance and Condensation Resistance of Windows, Doors and Glazed Wall Sections.
- B. American National Standards Institute:
 - 1. ANSI A250.4 - Test Procedure and Acceptance Criteria for Physical Endurance for Steel Doors and Hardware Reinforcings.
- C. ASTM International:
 - 1. ASTM B117 - Operating Salt Spray (Fog) Apparatus.
 - 2. ASTM B 209 - Aluminum and Aluminum-Alloy Sheet and Plate.
 - 3. ASTM B 221 - Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes.
 - 4. ASTM D256 – Standard Test Method for Determining the Izod Pendulum Impact Resistance of Plastics.
 - 5. ASTM D543 - Evaluating the Resistance of Plastics to Chemical Reagents.
 - 6. ASTM D570 – Standard Test Method for Water Absorption of Plastics.
 - 7. ASTM D638 - Tensile Properties of Plastics.
 - 8. ASTM D790 - Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials.
 - 9. ASTM D1308 - Effect of Household Chemicals on Clear and Pigmented Organic Finishes.
 - 10. ASTM D1621 - Compressive Properties of Rigid Cellular Plastics.
 - 11. ASTM D1623 - Tensile and Tensile Adhesion Properties of Rigid Cellular Plastics.
 - 12. ASTM D 1667 - Flexible Cellular Materials - Vinyl Chloride Polymers and Copolymers (Closed-Cell Form).
 - 13. ASTM D 2000 - Classification System for Rubber Products in Automotive Applications.
 - 14. ASTM D 2126 - Response of Rigid Cellular Plastics to Thermal and Humid Aging.
 - 15. ASTM D2583 – Standard Test Method of Indention Hardness of Rigid Plastics by Means of Barcol Impressor.
 - 16. ASTM D5420 - Standard Test Method for Impact Resistance of Flat, Rigid Plastic Specimen by Means of a Striker Impacted by a Falling Weight (Gardner Impact).
 - 17. ASTM D 6670-01 - Standard Practice for Full-Scale Chamber Determination of Volatile Organic Emissions from Indoor Materials/Products.

18. ASTM E84 – Standard Test Method for Surface Burning Characteristics of Building Materials.
19. ASTM E90 - Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions.
20. ASTM E283 - Determining the Rate of Air Leakage through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen.
21. ASTM E330 - Structural Performance of Exterior Windows, Curtain Walls, and Doors by Uniform Static Air Pressure Difference.
22. ASTM E331 - Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Uniform Static Air Pressure Difference.
23. ASTM E1886 - Standard Test Method for Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and Exposed to Cyclic Pressure Differentials.
24. ASTM F 476 - Security of Swinging Door Assemblies.
25. ASTM F 1642-04 – Standard Test Method for Glazing Systems Subject to Air blast Loading.

D. Florida Building Code

1. SFBC PA 201 - Impact Test Procedures.
2. SFBC PA 203 - Criteria for Testing Products Subject to Cyclic Wind Pressure Loading.
3. SFBC 3603.2 (b)(5) - Forced Entry Resistance Test.

E. National Wood Window and Door Association

1. NWWDA T.M. 7-90 – Cycle Slam Test Method

F. DHI - Door Hardware Institute: The Installation of Commercial Steel Doors and Steel Frames, Insulated Steel Doors in Wood Frames and Builder's Hardware.

1.3 DESIGN REQUIREMENTS

- A. Provide door and frame assemblies that have been designed and fabricated to comply with requirements for system performance characteristics listed below, as demonstrated by testing manufacturer's corresponding standard systems.
- B. Thermal Movement: Design storefront systems to provide for expansion and contraction of component materials.

1.4 PERFORMANCE REQUIREMENTS – AL WIDE STILE MONUMENTAL DOORS AND FRAMES

A. Door Panel.

1. Thermal Transmittance, NFRC-100-2010: U-Factor = 0.63 Btu/hr·ft²·°F
2. Condensation Resistance Factor, AAMA 1503-98, CRF_p = 23.
3. Indoor Air Quality, ASTM-D5116, ASTM-D6607: GreenGuard, GreenGuard Gold.

B. Door and Thermally Broken Aluminum Frame Assembly.

1. Thermal Transmittance, NFRC 100.
 - a. Commercially Glazed Swinging Entrance Door (> than 50% glass)
 - 1) U-Factor = 0.62 Btu/hr·ft²·°F.
2. Air Leakage, NFRC 400, ASTM-E283.
 - a. Commercially Glazed Swinging Entrance Door (> than 50% glass)
 - 1) 0.39 cfm/sqft @ 1.57 psf.
 - 2) 0.78 cfm/sqft @ 6.24 psf.
3. Sound Transmission, ASTM-E90: STC = 30, OITC = 28.

1.5 PERFORMANCE REQUIREMENTS – FRP DOORS

- A. Air Infiltration: For a single door 3'-0" x 7'-0", test specimen shall be tested in accordance with ASTM E283 at pressure differential of 6.27 psf. Door shall not exceed 0.58 cfm/ft².
- B. Water Resistance: For a single door 3'-0" x 7'-0", test specimen shall be tested in accordance with ASTM E331 at pressure differential of 7.50 psf. Door shall not have water leakage.
- C. Indoor air quality testing per ASTM D6670-01: GREENGUARD Environmental Institute Certified including GREENGUARD for Children and Schools Certification.
- D. Hurricane Test Standards, Single Door:
 - 1. Uniform Static Load, ASTM E 330: Plus or minus 195 pounds per square foot.
 - 2. Forced Entry Test, 300 Pound Load Applied, SFBC 3603.2 (b)(5): Passed.
 - 3. Cyclic Load Test, SFBC PA 203: Plus or minus 53 pounds per square foot.
 - 4. Large Missile Impact Test, SFBC PA 201: Passed.
- E. Hurricane Test Standards, Pair of Doors with single point latching:
 - 1. Uniform Static Load, ASTM E 330: Plus or minus 112.5 pounds per square foot.
 - 2. Forced Entry Test, 300 Pound Load Applied, AAMA 1304: Passed.
 - 3. Cyclic Load Test, ASTM E1886: Plus or minus 75 pounds per square foot.
 - 4. Large Missile Impact Test, ASTM E1886: Passed.
- F. Blast Test, Doors and Frames, ASTM F1642-04, 6 psi / 41 psi-msec: Minimal Hazard.
- G. Swinging Door Cycle Test, Doors and Frames, ANSI A250.4: Minimum of 25,000,000 cycles.
- H. Cycle Slam Test Method, NWWDA T.M. 7-90: Minimum 5,000,000 Cycles.
- I. Swinging Security Door Assembly, Doors and Frames, ASTM F476: Grade 40.
- J. Salt Spray, Exterior Doors and Frames, ASTM B117: Minimum of 500 hours.
- K. Sound Transmission, Exterior Doors, STC, ASTM E90: Minimum of 26.
- L. Thermal Transmission, Exterior Doors, U-Value, AAMA 1503-98: Maximum of 0.29 BTU/hr x sf x degrees F. Minimum of 55 CRF value.
- M. Surface Burning Characteristics, FRP Doors and Panels, ASTM E84:
 - 1. Flame Spread: Maximum of 200, Class C.
 - 2. Smoke Developed: Maximum of 450, Class C.
- N. Surface Burning Characteristics, Class A Option On Interior Faces of FRP Exterior Panels and Both Faces of FRP Interior Panels, ASTM E84:
 - 1. Flame Spread: Maximum of 25.
 - 2. Smoke Developed: Maximum of 450.
- O. Impact Strength, FRP Doors and Panels, Nominal Value, ASTM D256: 14.0 foot-pounds per inch of notch.
- P. Tensile Strength, FRP Doors and Panels, Nominal Value, ASTM D638: 12,000 psi.

- Q. Flexural Strength, FRP Doors and Panels, Nominal Value, ASTM D790: 21,000 psi.
- R. Water Absorption, FRP Doors and Panels, Nominal Value, ASTM D570: 0.20 percent after 24 hours.
- S. Indentation Hardness, FRP Doors and Panels, Nominal Value, ASTM D2583: 55.
- T. Gardner Impact Strength, FRP Doors and Panels, Nominal Value, ASTM D5420: 120 in-lb.
- U. Abrasion Resistance, Face Sheet, Taber Abrasion Test, 25 Cycles at 1,000 Gram Weight with CS-17 Wheel: Maximum of 0.029 average weight loss percentage.
- V. Stain Resistance, ASTM D1308: Face sheet unaffected after exposure to red cabbage, tea, and tomato acid. Stain removed easily with mild abrasive or FRP cleaner when exposed to crayon and crankcase oil.
- W. Chemical Resistance, ASTM D543. Excellent rating.
 - 1. Acetic acid, Concentrated.
 - 2. Ammonium Hydroxide, Concentrated.
 - 3. Citric Acid, 10%.
 - 4. Formaldehyde.
 - 5. Hydrochloric Acid, 10%.
 - 6. Sodium hypochlorite, 4 to 6 percent solution.
- X. Compressive Strength, Foam Core, Nominal Value, ASTM D1621: 79.9 psi.
- Y. Compressive Modulus, Foam Core, Nominal Value, ASTM D1621: 370 psi.
- Z. Tensile Adhesion, Foam Core, Nominal Value, ASTM D1623: 45.3 psi.
- AA. Thermal and Humid Aging, Foam Core, Nominal Value, 158 Degrees F and 100 Percent Humidity for 14 Days, ASTM D2126: Minus 5.14 percent volume change.

PART 2 PRODUCTS

2.1 SUBMITTALS

- A. Shop Drawings: Submit manufacturer's shop drawings, including elevations, sections, and details, indicating dimensions, tolerances, materials, fabrication, doors, panels, framing, hardware schedule, and finish.
- B. Product Data: Submit manufacturer's product data, including description of materials, components, fabrication, finishes, and installation.
 - 1. Include details of core, stile and rail construction, trim for lites and all other components.
 - 2. Include details of finish hardware mounting.
- C. Samples:
 - 1. Door: Submit manufacturer's sample of door showing face sheets, core, framing, and finish.
 - 2. Color: Submit manufacturer's samples of standard colors of doors and frames.

2.2 CLOSEOUT SAUBMITTALS

- A. Maintenance Manual: Submit manufacturer's maintenance and cleaning instructions for doors, including maintenance and operating instructions for hardware supplied by door manufacturer.

2.3 QUALITY ASSURANCE

- A. Standards: Comply with the requirements and recommendations in applicable specification and standards by AAMA, except to the extent more stringent requirements are indicated.
- B. Instruction: Manufacturer or manufacturer's representative will be available for consultation to all parties engaged in the project including instruction to installation personnel.
- C. Field Measurement: Field verify all information prior to fabrication and furnishing of materials. Furnish and install materials omitted due to lack of verification at no additional cost to Owner.
- D. Regulation and Codes: comply with the current edition in force at the project location of all local, state and federal codes and regulations, including the Americans with Disabilities Act.

2.4 QUALIFICATIONS

- A. Manufacturer:
 - 1. Company specializing in manufacturing products specified in this section with minimum twenty-five years documented experience.
 - 2. Door and frame components from same manufacturer.
- B. Supplier/Installer shall be factory direct authorized distributors of the specified product. Installers shall be as approved by the manufacturer with minimum 5 years documented experience with projects of similar size and scope.

2.5 DELIVERY, STORAGE, AND HANDLING

- A. Deliver materials to site in manufacturer's original, unopened containers and packaging, with labels clearly identifying opening door mark and manufacturer.
- B. Store materials in clean, dry area indoors in accordance with manufacturer's instructions.
- C. Protect materials and finish from damage during handling and installation.

2.6 FIELD MEASUREMENTS

- A. Verify field measurements prior to fabrication.

2.7 COORDINATION

- A. Coordinate the work with frame opening construction, door, and hardware installation.

2.8 WARRANTY

- A. Provide a 10 year warranty covering doors, frames, and factory hardware against failure in materials and workmanship, including excessive deflection, faulty operation, defects in hardware installation, and deterioration of finish or construction in excess of normal weathering.

- B. Provide a limited lifetime (while the door is in its specified application in its original installation) warranty covering failure of corner joinery, core deterioration, delamination or bubbling of door skin.

PART 3 PRODUCTS

3.1 ALUMINUM-FRMAED ENTRANCES AND STOREFRONTS

- A. Manufacturers
 - 1. Special-Lite, Inc.
 - 2. Substitutions: Not permitted.

3.2 ALUMINUM-FRAMING

- A. Model: SL-450TB.
- B. Framing:
 - 1. Size: 2 inches by 4-1/2 inches, thermally broken; and 2 inches by 6 inches, thermally broken.
 - 2. Material: Aluminum extrusions made from prime-equivalent billet that is produced from 100% reprocessed 6063-T6 alloy recovered from industrial processes, ASTM B221.
 - 3. Jambs, Mullions, Sills, Horizontal Intermediates, and Headers: 0.080-inch wall thickness.
 - 4. Lock Jambs, Hinge Jambs, and Door Headers: 0.125-inch wall thickness.
- C. Thermal Break: Fiberglass pultrusion thermal strut and pocket filler.
- D. Glazing Gaskets: Gaskets installed in captive assembly of glazing stops.
 - 1. EPDM: ASTM D2000.
 - 2. Closed-Cell Foam: ASTM D1667.

3.3 AL WIDE STILE ALUMINUM DOORS

- A. Model: SL-15 Wide Stile Monumental Door.
- B. Construction:
 - 1. Door Thickness: 1-3/4 inches.
 - 2. Stiles:
 - a. 4-3/4" wide with integral glass stop on exterior side, no snap or applied stops allowed.
 - b. Aluminum extrusions made from 6063 aluminum alloys with a minimum temper of T5.
 - c. Screw or snap in place applied caps are not acceptable.
 - d. Meeting stiles to include integral pocket to accept pile brush weather seal.
 - 3. Rails:
 - a. Top Rail Height: 6-1/2 inches.
 - b. Bottom Rail Height: 10 inches.
 - c. Integral glass stops on exterior side, no snap or applied stops allowed.
 - d. Aluminum extrusions made from 6063 aluminum alloys with a minimum temper of T5.
 - e. Screw or snap in place applied caps are not acceptable.
 - 4. Corners:
 - a. True mortise and tenon joints.
 - b. Secured with 3/8" diameter full-width steel tie rod.
 - c. Weld, glue, or other methods of corner joinery are not acceptable.

5. Mid Rail:
 - a. Width: 8 inches.
 - b. One-piece extrusion with integral exterior glass stops.
 - c. Secure to vertical stiles with mortise & tenon joints with 3/8" steel tie rods and locking hex nuts.
6. Hardware:
 - a. Pre-machine doors in accordance with templates from specified hardware manufacturers.
 - b. Surface mounted closures will be reinforced for but not prepped or installed at factory.
7. Reinforcements:
 - a. Aluminum extrusions made from 6061 or 6063 aluminum alloys.
 - b. Sheet and plate to conform to ASTM-B209.
 - c. Alloy and temper to be selected by manufacturer for strength, corrosion resistance, and application of required finish, and control of color.
 - d. Bars and tubes to meet ASTM-B221.

3.4 AL/FRP FLUSH DOORS

- A. Model: SL-17 Flush Doors with SpecLite3 fiberglass reinforced polyester (FRP) face sheets.
- B. Door Opening Size: As indicated on the Drawings.
- C. Construction:
 1. Door Thickness: 1-3/4 inches.
 2. Stiles and Rails: Aluminum extrusions made from prime-equivalent billet that is produced from 100% reprocessed 6063-T6 alloy recovered from industrial processes, minimum of 2-5/16-inch depth.
 3. Corners: Mitered.
 4. Provide joinery of 3/8-inch diameter full-width tie rods through extruded splines top and bottom integral to standard tubular shaped stiles and rails reinforced to accept hardware as specified.
 5. Securing Internal Door Extrusions: 3/16-inch angle blocks and locking hex nuts for joinery. Welds, glue, or other methods are not acceptable.
 6. Furnish extruded stiles and rails with integral reglets to accept face sheets. Lock face sheets into place to permit flush appearance.
 7. Rail caps or other face sheet capture methods are not acceptable.
 8. Extrude top and bottom rail legs for interlocking continuous weather bar.
 9. Meeting Stiles: Pile brush weatherseals. Extrude meeting stile to include integral pocket to accept pile brush weatherseals.
 10. Bottom of Door: Install adjustable bottom weather bar with nylon brush weatherstripping into extruded interlocking edge of bottom rail.
 11. Glue: Use of glue to bond sheet to core or extrusions is not acceptable.
- D. Face Sheet:
 1. Material: SpecLite3 FRP, 0.120-inch thickness, finish color throughout.
 2. Protective coating: Abuse-resistant engineered surface. Provide FRP with SpecLite3 protective coating, or equal.
 3. Texture: Pebble.
 4. Color: As selected from Manufacturer's standard colors.
 5. Adhesion: The use of glue to bond face sheet to foam core is prohibited.
- E. Core:
 1. Material: Poured-in-place polyurethane foam.

2. Density: Minimum of 5 pounds per cubic foot.
3. R-Value: Minimum of 9.
4. ASTM E84: Class A.

F. Cutouts:

1. Manufacture doors with cutouts for required vision lites, louvers, and panels.

G. Hardware:

1. Premachine doors in accordance with templates from specified hardware manufacturers and hardware schedule.
2. Factory install hardware specified to be by door manufacturer.

3.5 ARCHITECTURAL PANELS

A. FRP Panels: Model SL-37 Architectural Panels with SpecLite3 FRP face sheets.

1. Size: As indicated on the Drawings.
2. Thickness: 1 inch.

B. Face Sheets:

1. Material: SpecLite3 FRP, 0.120-inch thickness, finish color throughout. Abuse-resistant engineered surface.
2. Texture: Pebble.
3. Color: As selected from Manufacturer's standard colors.

C. Insulated Speclite3 FRP Panels:

1. Insulated Panels: Two 0.120-inch minimum thickness sheets.
2. Core: Poured-in-place foam polyurethane core of a minimum of 5 pounds per cubic foot density.
3. Form components to function as single unit.
4. R-Value: Minimum of 4 for 1-inch panels.

D. Class A Flame Spread and Smoke Developed Rating:

1. Class A flame spread and smoke developed rating on interior faces of exterior panels and both faces of interior panels.
2. Flame Spread, ASTM E 84: Maximum of 25.
3. Smoke Developed, ASTM E 84: Maximum of 450.

3.6 ACCESSORIES

A. Aluminum plate, channel, and angle extrusions for stops and trims:

1. Same material and finish as framing members.
2. Sized as indicated in Drawings.

B. Fasteners:

1. Material: Aluminum, 18-8 stainless steel, or other noncorrosive metal.
2. Compatibility: Compatible with items to be fastened.
3. Exposed Fasteners: Screws with finish matching items to be fastened.

C. Joint Sealants for installation at perimeter of aluminum-framed systems:

1. High Performance General Purpose Exterior Sealant: Polyurethane; ASTM C920, Grade NS, Class 25, Uses M, G, and A; multi-component.
 - a. Acceptable Products:

- 1) Dymeric 240FC manufactured by Tremco.
 - 2) Sikaflex-2c NS manufactured by Sika Corp.
 - 3) Dynatrol II by Pecora Corporation.
 - 4) Or equal.
2. Color: Standard colors matching finished surfaces.

3.7 FABRICATION

- A. Sizes and Profiles: The required sizes for door and frame units, and profile requirements are shown on the drawings.
- B. Coordination of Fabrication: Field measure before fabrication and show recorded measurements on shop drawings.
- C. Complete cutting, fitting, forming, drilling, and grinding of metal before assembly. Remove burrs from cut edges.
- D. Maintain continuity of line and accurate relation of planes and angles. Secure attachments and support at mechanical joints, with hairline fit at contacting members.

3.8 HARDWARE

- A. Premachine doors in accordance with templates from specified hardware manufacturers and hardware schedule.
- B. Hardware Schedule:
 1. Hinges: As specified in Section 08 71 00.
 2. Locking Hardware: As specified in Section 08 71 00.
 3. Flush Bolts/Surface Bolts: As specified in Section 08 71 00.
 4. Door Pulls:
 - a. AL Monumental Doors: As specified in Section 08 71 00.
 - b. AL/FRP Flush Doors: SL-86
 5. Push Bars: As specified in Section 08 71 00.
 6. Concealed adjustable bottom brush. Install door manufacturer's multidirectional adjustable bottom with double nylon brush weatherstripping. Door bottom must be concealed and adjust to accommodate irregular tapered floor conditions.
 7. Finish: Black anodized to match existing.

3.9 GLAZING

- A. Design glazing system for replacement of glass.
- B. Manufacturer's standard flush glazing system of recessed channels and captive glazing gaskets and applied stops as indicated on the Drawings.
- C. Allow for thermal expansion on exterior units.
- D. Water diverter to fit into glazing pocket.

3.10 FINISHES

- A. Anodized Surfaces: Non-specular as fabricated mechanical finish, medium matte chemical finish, and Architectural Class I, 0.7 mils, anodized coating:
 - 1. Clear, AA-M10C12C22A44.
- B. FRP Surfaces: Pebble Texture, Light Grey color.

PART 4 EXECUTION

4.1 EXAMINATION

- A. Verify that opening sizes and tolerances are acceptable.

4.2 INSTALLATION

- A. Comply with manufacturer's recommendations and specifications for the installation of the doors and frames. Factory install hardware, glass and louvers in doors. Factory assemble side lites and transoms to the greatest extent possible.
- B. Set units plumb, level and true to line, without warp or rack of doors or frames. Anchor securely in place. Separate aluminum and other metal surfaces with bituminous coatings.
- C. Set thresholds in a bed of mastic and backseal.
- D. Glaze doors and frames as specified in Section 08 80 00.
- E. Install perimeter sealants for a complete and weathertight installation.
- F. Clean surface promptly after installation of doors and frames, exercising care to avoid damage to the protective coatings.
- G. Ensure that the doors and frames will be without damage or deterioration (other than normal weathering) at the time of acceptance.
- H. Provide owner with all adjustment tools and instruction sheets. Arrange an in service session to Owner at Owner's convenience

4.3 ERECTION TOLERANCES

- A. Maximum Diagonal Distortion: 1/16 inch measured with straight edges, crossed corner to corner.

4.4 ADJUSTING

- A. Adjust door for smooth and balanced door movement.
- B. Adjust door closer for full closure.

END OF SECTION

SECTION 08 51 13

ALUMINUM WINDOWS

PART 1 GENERAL

1.1 SUMMARY

- A. Section Includes: Section includes Architectural Aluminum Windows including perimeter trims, stools, accessories, shims and anchors, and perimeter sealing of window units.
- B. Related Requirements:
 - 1. Section 08 80 00 – Glazing: Requirements for glass.

1.2 REFERENCE STANDARDS

- A. Aluminum Association:
 - 1. AA DAF-45 - Designation System for Aluminum Finishes.
- B. American Architectural Manufacturers Association:
 - 1. AAMA 101 - Voluntary Performance Specification for Windows, Skylights and Glass Doors.
 - 2. AAMA 611 - Voluntary Specification for Anodized Architectural Aluminum.
 - 3. AAMA 805 - Voluntary Specification for Sealants.
 - 4. AAMA 1503 - Voluntary Test Method for Thermal Transmittance and Condensation Resistance of Windows, Doors and Glazed Wall Sections.
- C. American Society of Civil Engineers:
 - 1. ASCE 7 - Minimum Design Loads for Buildings and Other Structures.
- D. ASTM International:
 - 1. ASTM A36/A36M - Standard Specification for Carbon Structural Steel.
 - 2. ASTM A611 - Standard Specification for Steel, Cold Rolled Sheet, Carbon, Structural.
 - 3. ASTM A570/570M - Standard Specification for Steel, Sheet and Strip, Carbon, Hot Rolled.
 - 4. ASTM B209 - Standard Specification for Aluminum and Aluminum-Alloy Sheet and Plate.
 - 5. ASTM B221 - Standard Specification for Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes.
 - 6. ASTM C509 - Standard Specification for Elastomeric Cellular Preformed Gasket and Sealing Materials.
 - 7. ASTM D3656 - Standard Specification for Insect Screening and Louver Cloth Woven from Vinyl-Coated Glass Yarns.
 - 8. ASTM E90 - Standard Test Method for Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements.
 - 9. ASTM E283 - Standard Test Method for Determining the Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen.
 - 10. ASTM E330 - Standard Test Method for Structural Performance of Exterior Windows, Curtain Walls, and Doors By Uniform Static Air Pressure Difference.
 - 11. ASTM E331 - Standard Test Method for Water Penetration of Exterior Windows, Curtain Walls, and Doors By Uniform Static Air Pressure Difference.
 - 12. ASTM E413 - Classification for Rating Sound Insulation.

13. ASTM E547 - Standard Test Method for Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Cyclic Static Air Pressure Differential.

- E. National Fenestration Rating Council Incorporated:
1. NFRC 100 - Procedures for Determining Fenestration Product U-Factors.

1.3 DEFINITIONS

- A. Definitions: For fenestration industry standard terminology and definitions refer to American Architectural Manufacturers Association (AAMA) – AAMA Glossary (AAMA AG).

1.4 SYSTEM DESCRIPTION

- A. General: Commercial Grade Architectural Aluminum Windows, including glass and glazing at window manufacturer's factory, integral blinds, perimeter trims, sills and stools where indicated, window installation hardware and accessories, shims and anchors, and perimeter sealing of window units.
- B. Test Units.
1. All test unit sizes and configurations shall conform to the minimum size in accordance with AAMA/WDMA/CSA 101/I.S.2/A440 (NAFS) and AAMA 910.
2. Units submitted for laboratory testing shall be units of the manufacturer's standard construction, glazed and assembled in accordance with the manufacturer's specifications and AAMA/WDMA/CSA 101/I.S.2/A440 (NAFS).

1.5 SUBMITTALS

- A. Product Data: Submit component dimensions, anchorage and fasteners, glass, internal drainage, and typical details.
- B. Shop Drawings: Indicate opening dimensions, framed opening tolerances, affected related Work; and installation requirements.
- C. Samples: Submit samples of factory finished aluminum surfaces, infill panels, and operating hardware for selection.
- D. Manufacturer's Certificates: Certify Product performance ratings by independent third party such as AAMA, CAWM, or NFRC as meeting or exceeding specified requirements.

1.6 QUALIFICATIONS

- A. Manufacturer Qualifications: Manufacturer capable of providing field service representation during construction, approving acceptable installer and approving application method.
- B. Installer Qualifications: Installer experienced (as determined by contractor) to perform work of this section who has specialized in the installation of work similar to that required for this project and who is acceptable to product manufacturer.

1.7 QUALITY ASSURANCE

- A. Source Limitations: Obtain aluminum windows through one source from a single manufacturer.

- B. Product Options: Drawings indicate size, profiles, and dimensional requirements of aluminum windows and are based on the specific system indicated. Refer to Division 01 Section “Product Requirements.” Do not modify size and dimensional requirements.
 - 1. Do not modify intended aesthetic effects, as judged solely by Architect, except with Architect's approval. If modifications are proposed, submit comprehensive explanatory data to Architect for review.

1.8 DELIVERY, STORAGE, AND PROTECTION

- A. Ordering: Comply with manufacturer's ordering instructions and lead-time requirements to avoid construction delays.
- B. Packing, Shipping, Handling and Unloading: Deliver materials in manufacturer's original, unopened, undamaged containers with identification labels intact.
- C. Storage and Protection: Store materials protected from exposure to harmful weather conditions. Handle window material and components to avoid damage. Protect window material against damage from elements, construction activities, and other hazards before, during and after window installation.

1.9 WARRANTY

- A. Warranty Period: Two (2) years from Date of Substantial Completion.
- B. Insulating Glass: Warranted to be free from defects (excluding breakage) for a period of five (5) years.

PART 2 PRODUCTS

2.1 ALUMINUM WINDOWS

- A. Manufacturer and Product List:
 - 1. Kawneer Model 8225TL as basis of design.
 - 2. Substitutions permitted.
- B. Aluminum Windows include: Kawneer Company, Inc., Series 8225TL ISOLock® Architectural Windows in accordance with AAMA/WDMA/CSA 101/I.S.2/A440 (NAFS) North American Fenestration Standard for Windows, Doors and Skylights Specifications for a Class and Grade of F-HC100 / F-AW100.
- C. Window Configuration:
 - 1. Thermally Broken Fixed Window in combination with Thermally Broken Outswing Casement Window and Thermally Broken Project-in Window.
 - a. Include screens for Project-in ventilation window.
 - b. Include “Emergency Window”
- D. Performance Requirements: Fixed Window
 - 1. Air Infiltration: The test specimen shall be tested in accordance with ASTM E283 at a minimum window size of 60" x 99". The air infiltration rate shall not exceed 0.10 cfm/ft at a static air pressure differential of 6.24 psf.

2. Water Resistance: The test specimen shall be tested in accordance with ASTM E547 and ASTM E 331 at a minimum window size of 60" x 99". There shall be no leakage as defined in the test method at a static air pressure differential of 12 psf.
 3. Uniform Load Deflection: A minimum static air pressure difference of 100 psf shall be applied in the positive and negative direction in accordance with ASTM E330. There shall be no deflection in excess of L/175 of the span of any framing member.
 4. Uniform Load Structural Test: A minimum static air pressure difference of 150 psf shall be applied in the positive and negative direction in accordance with ASTM E 330. The unit shall be evaluated after each load.
 5. Component Testing: Window components shall be tested in accordance with procedures described in AAMA/WDMA/CSA 101/I.S.2/A440 (NAFS).
 6. Condensation Resistance Test: (CRF) when tested in accordance with AAMA 1503 with clear glass, the condensation resistance factor shall not be less than (CRF_f 59) frame and (CRF_g 57) glass.
 7. Thermal Transmittance Test: (U-Factor): When tested in accordance with AAMA 1503, the conductive thermal transmittance (U-Factor) shall not be more than .58 BTU/hr/sf/°F or BTU/hr/sf/°F per AAMA 507 or NFRC 100 when using project specified glass.
 8. Sound Performance: When tested in accordance with ASTM E90 and E413, the sound transmission loss (STL) shall not be less than 39.
- E. Performance Requirements: Outswing Casement and Projected Windows.
1. Air Infiltration: The test specimen shall be tested in accordance with ASTM E283 at a minimum window size of 36" x 60". The air infiltration rate shall not exceed 0.10 cfm/ft at a static air pressure differential of 6.24 psf.
 2. Water Resistance: The test specimen shall be tested in accordance with ASTM E547 and ASTM E 331 at a minimum window size of 36" x 60". There shall be no leakage as defined in the test method at a static air pressure differential of 12 psf.
 3. Uniform Load Deflection: A minimum static air pressure difference of 90 psf shall be applied in the positive and negative direction in accordance with ASTM E 330. There shall be no deflection in excess of L/175 of the span of any framing member.
 4. Uniform Load Structural Test: A minimum static air pressure difference of 135 psf shall be applied in the positive and negative direction in accordance with ASTM E330. The unit shall be evaluated after each load.
 5. Component Testing: Window components shall be tested in accordance with procedures described in AAMA/WDMA/CSA 101/I.S.2/A440 (NAFS).
 6. Condensation Resistance Test (CRF): When tested in accordance with AAMA 1503, the condensation resistance factor (CRF) shall not be less than:
 - a. (CRF_f) not less than 56 with clear glass.
 - b. (CRF_g) not less than 55 with clear glass.
 7. Thermal Transmittance Test (U-Factor): When tested in accordance with AAMA 1503, the conductive thermal transmittance (U-Factor) shall not be more than:
 - a. Outswing Casement: U-Value not more than .60 BTU/hr/sf/°F.
 - b. Project-in: U-Value not more than .62 BTU/hr/sf/°F.
 8. Forced Entry Resistance: All windows shall conform to ASTM F588, Grade 10.

2.2 MATERIALS

- A. Aluminum (Windows and Components): Alloy and temper recommended by manufacturer for type of use and finish indicated, complying with the requirements of standards indicated below.
1. Extruded Material Standard: ASTM B221, 6063-T6 alloy and temper.

- B. Steel Reinforcement: Complying with ASTM A36/A36M for structural shapes, plates and bars; ASTM A611 for cold-rolled sheet and strip or ASTM A570/A570M for hot-rolled sheet and strip.
- C. Weather-stripping: Ventilators shall be double weather-stripped with a resilient foam core clad with UV-resistant elastomer.
- D. Glazing Gaskets: Standard glazing gaskets shall be a dry glazed elastomer in accordance with ASTM C509-91.
- E. Glazing Sealant: Glazing material shall be a 100 percent silicone, neutral-cure sealant in accordance with AAMA 805.2-94, Group A.
- F. Fasteners: Aluminum, nonmagnetic stainless steel or other materials to be non-corrosive and compatible with aluminum window members, trim, hardware, anchors, and other components.
- G. Thermal Barrier: The thermal barrier shall be Kawneer ISOLOCK® with a minimum 3/8" separation consisting of a two-part, chemically curing high density polyurethane which is mechanically and adhesively bonded to the aluminum.
- H. Glass: Conforming with requirements in Section 08 80 00.
 - 1. Outer Pane: Clear Low E float glass.
 - 2. Inner Pane: Clear float glass.
 - 3. Pane Thickness: Minimum 1/4 inch thick.
- I. Hardware:
 - 1. Locking: Cast White Bronze Cam Locks (Standard).
 - 2. Hinging: 4-Bar Hinges (Standard).
 - 3. Egress Hardware Set (Provide on casement windows in all student occupied spaces over 250 ft²).
 - a. Locking: Multipoint Lock
 - b. Hinging:
 - 1) Butt Hinges
 - 2) Friction Adjusters
 - c. "Escape/Rescue Window" Label
- J. Exterior Panning and Interior Trims: Extruded aluminum, 6063-T6 alloy and temper, extruded to profiles and details indicated. Seal exterior joints with manufacturer's standard sealant to assure water-tight joints.
 - a. Exterior Panning and Trims: All panning profiles shall be a minimum thickness of 0.062" to match the profiles as shown the drawings. All panning shall be factory fabricated for field assembly. All corner joinery shall be factory cut. Joinery at the sill shall be coped and butt-type construction. All preparations for assembly shall be completed by the window manufacturer. Upon assembly, panning frame joints shall be back-sealed to prevent moisture penetration.
 - b. Interior Trims: The interior face trim minimum wall thickness shall be 0.062". The face trim shall snap-fit onto concealed mounting clip. Exposed fasteners shall not be accepted. The mounting clip shall be extruded aluminum of 6063-T6 alloy and temper. The minimum wall thickness shall be 0.062". The trim clips shall be provided in 4" lengths and spaced a maximum of 18" center to center.

- K. Insect Screen Frame: Rolled aluminum frame of rectangular sections; fit with adjustable hardware; nominal size similar to operable glazed unit.
- L. Insect Screens: ASTM D3656, Class 2, 18 by 14 mesh, charcoal color.

2.3 COMPONENTS

- A. The frame depth shall be not less than 2 1/4". Provide extended leg sill were indicated.
- B. All frame members shall have minimum wall thickness of 0.090" and shall provide the structural strength sufficient to meet the specified performance requirements.
- C. Glazing beads shall be extruded aluminum and shall be a minimum thickness of 0.060".
- D. Reference to tolerances for wall thickness and other cross-sectional dimensions of window members are nominal and in compliance with AA Aluminum Standards and Data.
- E. All references to dimensions for wall thicknesses and other cross-sectional dimensions of window members are nominal.

2.4 ACCESSORIES

- A. Spacers, Setting Blocks, Gaskets, and Bond Breakers: Manufacturer's standard permanent, non-migrating types in hardness recommended by manufacturer, compatible with sealants, and suitable for system performance requirements.
- B. Framing system gaskets, sealants, and joint fillers as recommended by manufacturer for joint type.
- C. Sealants and joint fillers for joints at perimeter of window system:
 - 1. High Performance General Purpose Exterior Sealant: Polyurethane; ASTM C920, Grade NS, Class 25, Uses M, G, and A; multi-component.
 - a. Acceptable Products:
 - 1) Dymeric 240FC manufactured by Tremco.
 - 2) Sikaflex-2c NS manufactured by Sika Corp.
 - 3) Dynatrol II by Pecora Corporation.
 - 4) Or equal.
 - 2. Color: Standard colors matching finished surfaces.
- D. Perimeter Anchors: When steel anchors are used, provide insulation between steel material and aluminum material to prevent galvanic action.

2.5 FABRICATION

- A. General: Fabricate components per manufacturer's installation instructions. When assembled, components will have accurately fitted joints to produce hairline joints.
 - 1. Window Frame Joinery: Screw-Spline
 - 2. Factory sealed frame and vent corner Joints
- B. Prepare components to receive anchor devices. Fabricate anchors.

- C. Arrange fasteners and attachments to ensure concealment from view.
- D. Prepare components with internal reinforcement for operating hardware.
- E. Permit internal drainage weep holes and channels to migrate moisture to exterior. Furnish internal drainage of glazing spaces to exterior through weep holes.
- F. Assemble insect screen frame, miter and reinforce frame corners. Fit mesh taut into frame and secure. Fit frame with four spring loaded steel pin retainers.
- G. Weatherstrip operable units.
- H. Factory glaze window units.

2.6 FINISHES

- A. Finish Coatings: Conform to AAMA 611.
 - 1. Clear Anodized Aluminum Surfaces: AA-M12C22A41 non-specular as fabricated mechanical finish, medium matte chemical finish, and Architectural Class I 0.7 mils (0.018 mm) clear anodized coating.
- B. Apply coat of bituminous paint on concealed aluminum surfaces in contact with cementitious or dissimilar materials.

PART 3 EXECUTION

3.1 EXAMINATION

- A. Site Verification of Conditions: Verify substrate conditions (which have been previously installed under other sections) are acceptable for product installation in accordance with manufacturer's instructions. Verify openings are sized to receive window system and sill plate is level in accordance with manufacturer's acceptable tolerances. Do not proceed with installation until unsatisfactory conditions have been corrected.
 - 1. Field Measurements: Verify actual measurements/openings by field measurements before fabrication; show recorded measurements on shop drawings.

3.2 INSTALLATION

- A. General: Install window units plumb, level, and true to line, without warp or rack of frames or sash with manufacturer's prescribed tolerances. Provide support and anchor in place.
 - 1. Dissimilar Materials: Provide separation of aluminum materials and other corrodible surfaces from sources of corrosion or electrolytic action contact points by complying with AAMA and Aluminum Association recommendations.
 - 2. Weather Tight Construction: Install sill members and other members in a bed of sealant or with joint filler or gaskets, to provide weather tight construction. Coordinate installation with wall flashings and other components of construction.
- B. Attach window frame and shims to perimeter opening to accommodate construction tolerances and other irregularities.

- C. Install operating hardware.
- D. Apply sealants to window perimeter to provide a complete and weathertight installation.

3.3 TOLERANCES

- A. Maximum Variation from Level or Plumb: 1/16 inches every 3 ft non-cumulative or 1/8 inches per 10 ft, whichever is less.

3.4 ADJUSTING

- A. Adjust hardware for smooth operation and secure weathertight closure.

3.5 CLEANING

- A. Remove protective material from factory finished aluminum surfaces.
- B. Wash surfaces by method recommended and acceptable to sealant and window manufacturer; rinse and wipe surfaces clean.
- C. Remove excess sealant by moderate use of mineral spirits or other solvent acceptable to sealant and window manufacturer.

END OF SECTION

SECTION 08 71 00

DOOR HARDWARE

PART 1 GENERAL

1.1 SUMMARY

- A. Section includes:
 - 1. Furnish hardware required to complete the work as shown on the drawings and as specified herein;
 - 2. Furnish trim attachments and fastenings, specified or otherwise required, for proper and complete installation.
 - 3. Furnish all items of Finish Hardware specified, scheduled, shown or required herein except those items specifically excluded from this section of the specification.
- B. Related Sections:
 - 1. Section 08 41 13 – Aluminum-Framed Entrances and Storefronts.

1.2 DEFINITIONS

- A. "Finish Hardware": Items required for swinging doors, except special types of unique and non-matching hardware specified under door and frame Sections of these Specifications.

1.3 DESIGN REQUIREMENTS

- A. Thoroughly review finish hardware schedule, comparing it with the floor plan, door schedule, and door details to verify hardware requirements, quantities, door swings, finishes, and sizes.
- B. If an inconsistency or error in the proposed construction documents is suspected, the hardware supplier is to bring it immediately to the attention of the Architect. If the quantity of items is questioned, for bidding purposes, assume the higher quantity is required and price accordingly.
- C. Architect's review of Submittals is for design concept only, and does not relieve the Contractor of the responsibility to furnish sufficient material and functions required for a complete, and code-worthy installation. Determination of all quantities is the responsibility of the Contractor.

1.4 PERFORMANCE REQUIREMENTS

- A. Furnish finish hardware complying with the requirements of laws, codes, ordinances and guidelines of governmental authorities having jurisdiction:
- B. NFPA 101, "Life Safety Code", 2015 edition.
- C. International Building Code - 2015 Edition
- D. ANSI A117.1-2015 Accessible and Usable Buildings and Facilities

1.5 SUBMITTALS

- A. Hardware Schedule:

1. Submit "Finish Hardware Schedule" in the following format:
 - a. Vertically-typed, double-spaced;
 - b. Organized into "hardware sets", indicating complete designations of every item required for each door or opening. Include the following information for each item of finish hardware:
 - 1) Manufacturer
 - 2) Type
 - 3) Style
 - 4) Function
 - 5) Size
 - 6) Degree and direction of opening swing ("hand")
 - 7) Finish
 - 8) Fasteners
 - 9) Location of hardware set cross-referenced to indications on floor plans, door, schedule, and frame schedule.
 - 10) Explanation of all abbreviations, symbols, codes, etc. contained in schedule.
 - 11) Mounting heights and locations for hardware.
 - 12) Door and frame sizes and materials.
 - 13) Keying information.
 - c. Electrified Hardware system operation description.
- B. Product Data:
 1. Submit, in booklet form Manufacturers Catalog cut sheets of scheduled hardware.
 2. Submit product data with hardware schedule.
- C. Electrified Hardware Drawings:
 1. Submit Riser & Wire Diagram RPIOH091423 drawings showing relationship of all electrical hardware components to door and frame. Indicate number and gage of wires required. RPIOH091423 shall be included with the submittals.
 - a. Include wiring drawing showing point to point wire hook up for all components.
 - b. Include system operations descriptions for each type of opening; describe each possible condition

1.6 QUALITY ASSURANCE

- A. Perform Work in accordance with the following requirements:
 1. ANSI A156 series.
 2. NFPA 80.
 3. UL 305.

1.7 QUALIFICATIONS

- A. Manufacturer: Company specializing in manufacturing products specified in this section with minimum three years documented experience.
- B. Source limitations: Obtain each type of hardware (latch and lock sets, hinges, closers, etc.) from a single manufacturer, although several may be indicated as offering products complying with requirements.

1.8 DELIVERY, STORAGE, AND HANDLING

- A. Package hardware items individually with necessary fasteners, instructions, and installation templates, when necessary; label and identify each package with door opening code to match hardware schedule.
 - 1. Include instructions, templates, and fasteners needed for installation.

1.9 COORDINATION

- A. Coordinate Owner's keying requirements during course of Work.

PART 2 PRODUCTS

2.1 GENERAL

- A. Requirements for design, grade, function, finish, size, and other distinctive qualities of each finish hardware item is indicated in the Drawings.
- B. Product designations:
 - 1. Provide the product designated or the comparable product by the Manufacturers listed under this Section.
- C. ANSI/BHMA designations:
 - 1. Used to describe hardware items, or to define quality or function. Provide products complying with these standards in addition to additional requirements of this Section.
- D. Hand of door: Drawings show direction of slide, swing ("hand") of door leafs.
- E. Hardware: Use hardware manufactured to conform to published templates and, generally, prepared for machine screw installation. Do not provide hardware which has been prepared for self-tapping sheet metal screws, except as specifically indicated.

2.2 MATERIALS

- A. Base metals:
 - 1. Manufacturer's standard metal alloy, composition, temper and hardness, but in no case of lesser (commercially-recognized) quality than that specified for applicable hardware units by applicable ANSI A156 series standard for each type hardware item and with ANSI A156.18 for finish designations indicated.
 - 2. Do not furnish "optional" materials for those indicated, except as otherwise specified.
- B. Fasteners:
 - 1. Furnish Phillips flat-head screws with each hardware item, unless otherwise indicated.
 - 2. Exposed screws: Match finish of hardware (even where noted to be "prepared for paint").
 - 3. Use concealed fasteners for hardware units which are exposed when door is closed, except where no standard units of type specified are available with concealed fasteners.
 - 4. Do not use thru-bolts where bolt head or nut on opposite face would be exposed.
 - 5. Where adequate reinforcement is not feasible, thru-bolting would only be acceptable if through sleeves, or if sex-screw fasteners are used.

- C. Furnish a complete set of specialized tools and maintenance instructions as needed for Owner's continued adjustment, maintenance, and removal and replacement of finish hardware.

2.3 MANUFACTURED UNITS

A. Reference standards:

- 1. Comply with BHMA/ANSI A156 current series for each product type.

B. Hardware finishes:

- 1. Materials and Finishes Standard: Comply with ANSI A156.18 (BHMA 1301). Finish designations used in schedules are listed, therein.
- 2. Provide matching finishes for hardware units at each door, unless otherwise indicated.
- 3. Match the color and texture of hardware items to manufacturer's standard finish for the latch set, lockset, or push-pull unit.
- 4. Provide quality of finish, including thickness of plating or coating, composition, hardness, and other qualities complying with manufacturer's standards, but in no case less than that specified or described by referenced standards.

C. Hardware for fire-rated openings:

- 1. Comply with NFPA 80.
- 2. Tested and listed by Underwriters Laboratory (UL), or Factory Mutual (FM) for type, size and use of door, and complying with requirements of door and door frame label.
- 3. Provide UL or FM label on door indicating "Fire door to be equipped with fire-exit hardware".
- 4. Provide UL or FM label on exit device indicating "Fire Exit Hardware".

2.4 PRODUCTS

A. Hinges:

- 1. Continuous Hinges:
 - a. Continuous hinges shall be Heavy-Duty 304 Stainless-Steel Pin & Barrel hinges with 600lb rating.
 - b. ANSI/BHMA A156.26 -Grade 1.
 - c. Fire-rating: "WHI-listed" or "UL-listed" as necessary.
 - d. Placement of fire label will be on top of the door at cont. hinge locations.
 - e. Provide hinge filler plates to fill existing hinge preps.
 - f. Undersize doors according to hinge clearance requirements.
 - g. Furnish power transfer preps as specified.
 - h. Acceptable manufacturer's: PBB, IDC, Zero.
- 2. Butt Hinges:
 - a. ANSI A156.1 - for commercial quality.
 - b. Provide only template-produced units.
 - c. All butt hinges to be ball bearing-5 knuckle type Standard or Heavy Weight as specified.
 - d. Hinges at exterior doors shall be of non-ferrous material.
 - e. All hinges shall be provided Non-removable (NRP)
 - f. Size and number of hinges as specified; otherwise according to hinge manufacturer's recommendation for door size and weight.
 - g. Acceptable products: PDQ, PBB

B. Lock Cylinders and Keying:

- 1. General:
 - a. All final cylinders by Owner.
- 2. Cylinders:
 - a. Type: Mortise or rim-type as required by function of locking device.

- b. Provide screw on cams or tail piece as required.
 - c. Construct lock cylinder parts from brass/bronze, stainless steel or nickel silver.
 - d. Provide solid machined cylinder rings with tension spring to resist wrenching of cylinder. Length, finish and size as required.
 - e. Provide cylinder(s) and core(s) as required by function for each locking device.
3. System:
- a. Unless otherwise indicated, final combined cylinders by owners.

C. Locksets:

- 1. Mortise Locks as required to match existing preps:
 - a. Comply with ANSI A156.13 - 1987, Grade 1 criteria for mortise locks
 - b. Function: Mechanical and Electric functions Indicated in the hardware sets.
 - i. Electrical lock requirements: Motor Driven 24VDC, Field Selectable NFS-Fail Safe / FSC-Fail Secure Trim with RX request to exit switch. Lockset case shall to be non-handed.
 - c. Provide sized lip of strike based on frame conditions.
 - d. Provide appropriate fasteners for lock and strike.
 - e. Trim: Stainless Steel, BJSJ equal to PDQ.
 - f. Acceptable products: Schlage L9000, PDQ MR.

D. Exit Devices & Fire Exit Hardware

- 1. General:
 - a. Comply with ANSI A156.3, Grade 1, Types 1, 4, and 28 criteria for products supplied.
 - b. At fire doors:
 - (1) Provide UL or FM label on exit device indicating "Fire Exit Hardware", where appropriate.
 - (2) Mount exit device using sex-bolts on labeled wood doors.
 - c. Type: Flat, push-bar type –Thick-walled aluminum body with stainless steel Touch pad.
 - d. Provide functions as specified in sets.
 - i. Electrical panic requirements: Motor Driven 24VDC <1 AMP inrush with SS request to exit switch.
 - e. Trim: BSN lever style, functions as specified.
 - f. Provide dead-locking latch bolts.
 - g. Provide glass bead trim kit 6290150 at raised lite trim locations.
 - h. Alarmed panics as scheduled.
- 2. Acceptable products: PDQ 6000, SDC 6000.

E. Push / Pulls Bars & Grips

- 1. General:
 - a. ANSI A156.16 - 1989 Grade 1 criteria.
- 2. Description:
 - a. Offset pull bar 1" in diameter straight / offset & center to center as specified.
 - b. Straight push, low-profile flat bar x center to center as required.
 - c. Offset Ladder pulls 36" CTC, 1-1/4" Dia., 48" overall
- 3. Mounting:
 - a. Mount push-pull bars back-to-back and 4 -134 mount at free ends
 - b. Mount pull bars with 4-134 mount at free ends.
 - c. Mount offset pulls to avoid conflict with exit device operation.
 - d. Mount back-to-back pulls with appropriate fasteners accounting on door thickness and type.
- 4. Acceptable products: Don Jo, PDQ, Hiawatha

- F. Closers:
1. General:
 - a. ANSI A156.4 - 1986 Grade 1 criteria.
 - b. All closers shall be the products of one manufacturer.
 2. Description:
 - a. Full rack-and-pinion type with double heat-treated spindle.
 - b. Cast Iron Body.
 - c. Hydraulic fluid: non-gumming and non-freezing.
 - d. Closer body: non-handed, multi-size spring power.
 - e. With three non-critical V valves and hex key adjustment to independently regulate sweep latch speed and backcheck.
 - f. Provide mounting brackets necessary to clear sound seals and weatherstrip.
 - g. Enclose in a full, molded cover.
 - h. Provide drop plates and / or special brackets for proper mounting.
 - i. Pressure Relief Valves will not be accepted on Door Closers.
 - j. Provide Barrier Free power setting as required by ANSI A117.1
 3. Acceptable products: International PDQ 7000, 44CI Series, LCN 4040XP.
- G. Stops:
1. General:
 - a. ANSI A156.16 - 1989 Grade 1 criteria.
 - b. Provide stops where scheduled, wall or floor, as opening conditions dictate, utilizing wall stops wherever possible.
 2. Description:
 - a. Wall stops: Cast brass, bronze or stainless steel. Concave wall stop to have stainless steel washer imbedded in rubber stop.
 - b. Floor stops: Cast Stainless, brass or bronze, and plated as required.
 - c. Make selection of floor stop height based upon floor conditions and door undercut.
 - d. Overhead Stops: Stainless steel body sized for width of door.
 3. Acceptable products: PDQ, Hiawatha, Don Jo
- H. Kick plates, mop plates and armor plates:
1. General: ANSI A156.16 - 1989 criteria.
 2. Description:
 - a. Minimum .050" thick
 - b. Dimensions:
 - 1) Width: 2" less than door width to which they are to be applied.
 - 2) Kick plate height: 10"
 - c. Mounting:
 - 1) Install kick plates and armor plates flush to bottom edge of door.
 3. Acceptable manufacturers: Hiawatha, PDQ and Don Jo
- I. Thresholds:
1. General:
 - a. ANSI A156.21 - 1989, Grade 1 criteria.
 - b. Comply with A.D.A. requirements, unless otherwise scheduled.
 2. Description:
 - a. Flat profile
 - b. Installation locations are scheduled.
 - c. Provide templates for thresholds to related door suppliers to coordinate proper undercut.
 3. Acceptable products: Reese, IDC, KN Crowder
- J. Miscellaneous Hardware Equipment and Material:

1. General:
 - a. Provide items and types as specified.

2.5 OTHER MATERIALS

- A. Provide other materials, not specifically described but required for a complete and proper installation, as selected by the Contractor subject to the approval of the Architect.

2.6 HARDWARE FINISHES

- A. General:
 1. Provide matching finishes for hardware units at each door or opening, to the greatest extent possible and except as otherwise indicated.
 2. Reduce differences in color and textures as much as commercially possible where the base metal or metal forming process is different for individual units of hardware exposed at the same door or opening.
 3. In general, match items to the manufacturer's standard finish for the latch and lock set (or push/pull units if no latch/lock sets) for color and texture.
 4. Provide finishes matching those established by BHMA or, if none established, match the Architect's sample.
 5. Provide quality of finish, including thickness of plating or coating (if any), composition, hardness and other qualities complying with manufacturer's standards, but in no case less than that specified for the applicable units of hardware by referenced standards.
 6. Finish designations used in schedules and elsewhere listed in ANSI A156.18 "Materials and Finishes Standard", including coordination with the traditional U.S. finishes shown by certain manufacturers for their products.
- B. Provide the following hardware finishes, unless otherwise scheduled: Dull Chrome, Stainless Steel, and Aluminum color pallet.
- C. Base material: Manufacturer's standard high-carbon steel, brass, or bronze.

PART 3 EXECUTION

3.1 EXAMINATION

- A. Verify doors and frames are ready to receive door hardware and dimensions are as indicated on shop drawings.
- B. Examine the areas and conditions under which work of this Section will be performed. Correct conditions detrimental to timely and proper completion of the Work. Do not proceed until unsatisfactory conditions are corrected.

3.2 INSTALLATION

- A. Coordinate as required with other trades to assure proper and adequate provision in the work of those trades for interface with the work of this Section.
- B. General:
 1. Install each item in its proper location firmly anchored into position, level and plumb, and in accordance with the manufacturer's recommendations.

2. Handing, hardware heights, locations, and degree of opening swing are indicated in the Drawings and Finish Hardware Schedule.
3. Mount finish hardware units:
 - a. At recommended heights and locations as shown in approved finish hardware schedule, complying with requirements of the A.D.A., and pertinent provisions of the Building Code.
 - b. To function at proper degree of opening of doors as indicated on approved finish hardware schedule.
 - c. By manufacturer's template.
 - d. Prior to final finishing of the door. Remove hardware to allow finishing of door, and permanently reinstall hardware upon completion of finishing operation.
4. Reinforce, where necessary, the substrate to assure proper attachment.
5. Drill and countersink units which are not factory-prepared for anchorage fasteners.
6. Space fasteners and anchors in accordance with industry standards.

C. Installing closers:

1. Mount closers per manufacturer's template and secure the Architect's approval of the closer installation.
2. The Contractor will be required to replace doors onto which closers are improperly mounted at no additional cost to the Owner. Repair or patching of such doors will not be acceptable.

D. Installing Stops: Install all wall stops into reinforced wall or stud. Projection type wall stops (115) should be mounted 80" from finish floor, with sloped portion of the stop facing up / flat side down. Install floor stops out of the way foot traffic at a height high enough to accommodate any ramp or uneven floor condition.

E. Installing thresholds at exterior doors: Set in full bed of butyl-rubber, or polyisobutylene mastic sealant.

F. Installing weatherstrip: Install weatherstrip prior to installing closers, OH Stops or panic hardware. Template closers and panic devices from weatherstrip and install all closer / OH Stop shoe brackets and panic device strikes onto the weatherstrip without notching or cutting the weatherstrip.

G. Installing Sweeps: Install all sweeps on exterior side of opening.

3.3 ADJUSTING AND CLEANING

- A. Check and adjust each item of hardware and each door upon completion of final installation. Verify proper function, and replace units which cannot be made to operate freely and smoothly, as intended for the application.
- B. Clean adjacent surfaces soiled by hardware installation.

3.4 PROTECTION OF INSTALLED CONSTRUCTION

- A. Do not permit adjacent work to damage hardware or hardware finish.

3.5 HARDWARE SETS

Hardware Set 1 –Rim Panic [Always Locked] + Closer

1 ea.	Continuous Hinge CH51	32D
1 ea.	Rim Panic 6310R CD (01)	32D
1 ea.	Combinated Mortise Cylinder by Owner (CD)	26D
1 ea.	Flush Pull SL-86 by door manufacturer	----
1 ea.	Closer 7101 BC SCS x DPPA-BS-NFB (push side mount)	AL
1 ea.	Threshold S205 (notch & cope as required)	AL
1 set	Sweeps and Weatherstrip by door and frame supplier	AL

Hardware Set 2 – Rim Panics x Mullion w/ Pull Trim [Lock / Unlock] + Closers
 (Requires 3” stiles & top rail and 10” bottom rail)

2 ea.	Continuous Hinge CH51	32D
1 ea.	Panic Device 6400R CD BS (01)	32D
1 ea.	Panic Device 6400R CD BS (03)	32D
1 ea.	Keyed Mullion 9300	689
2 ea.	Combinated Rim Cylinder by Owner (03) (KM)	26D
2 ea.	Combinated Mortise Cylinder by Owner (CD)	26D
2 ea.	Pull 1157 x 4 134 Mount	32D
2 ea.	Closer 7101 BC SCS Stop x DPPA-BS-NFB	689
1 ea.	Threshold S205A	AL
1 set	Mullion Seal 628	----
1 set	Sweeps and Weatherstrip by door and frame supplier	AL

Hardware Set 3 – Rim Panics x Mullion w/ Pull Trim [Lock / Unlock] + Closers

2 ea.	Continuous Hinge CH51	32D
1 ea.	Panic Device 6300R CD (01)	32D
1 ea.	Panic Device 6300R CD (03)	32D
1 ea.	Keyed Mullion 9300	689
2 ea.	Combinated Rim Cylinder by Owner (03) (KM)	26D
2 ea.	Combinated Mortise Cylinder by Owner (CD)	26D
2 ea.	Flush Pull SL-86 by door manufacturer	----
2 ea.	Closer 7101 BC SCS Stop x DPPA-BS-NFB	689
1 ea.	Threshold S205A	AL
1 set	Mullion Seal 628	----
1 set	Sweeps and Weatherstrip by door and frame supplier	AL

END OF SECTION

SECTION 08 80 00

GLAZING

PART 1 GENERAL

1.1 SUMMARY

- A. Section Includes:
 - 1. Glazing for aluminum-framed entrances and storefronts.
 - 2. Glazing for aluminum windows.
 - 3. Glazing materials and installation requirements are included in this section for other sections referencing this section.
- B. Related Sections:
 - 1. Section 08 41 13 – Aluminum-Framed Entrances and Storefronts: Glazed doors.
 - 2. Section 08 51 13 – Aluminum Windows.

1.2 REFERENCES

- A. American National Standards Institute:
 - 1. ANSI Z97.1 - Safety Glazing Materials Used in Buildings Safety.
- B. American Society of Civil Engineers:
 - 1. ASCE 7 - Minimum Design Loads for Buildings and Other Structures.
- C. ASTM International:
 - 1. ASTM C920 - Standard Specification for Elastomeric Joint Sealants.
 - 2. ASTM C1048 - Standard Specification for Heat-Treated Flat Glass-Kind HS, Kind FT Coated and Uncoated Glass.
 - 3. ASTM C1193 - Standard Guide for Use of Joint Sealants.
 - 4. ASTM E119 - Standard Test Methods for Fire Tests of Building Construction and Materials.
 - 5. ASTM E1300 - Standard Practice for Determining Load Resistance of Glass in Buildings.
 - 6. ASTM E2190 - Standard Specification for Insulating Glass Unit Performance and Evaluation.
- D. Consumer Products Safety Commission:
 - 1. CPSC 16 CFR 1201 - Safety Standard for Architectural Glazing.
- E. Glass Association of North America:
 - 1. GANA - Sealant Manual.
 - 2. GANA - Glazing Manual.
- F. National Fenestration Rating Council Incorporated:
 - 1. NFRC 100 - Procedures for Determining Fenestration Product U-Factors.
 - 2. NFRC 200 - Procedure for Determining Fenestration Product Solar Heat Gain Coefficient and Visible Transmittance at Normal Incidence.
 - 3. NFRC 300 - Test Method for Determining the Solar Optical Properties of Glazing Materials and Systems.
- G. National Fire Protection Association:
 - 1. NFPA 80 - Standard for Fire Doors, Fire Windows.

2. NFPA 252 - Standard Methods of Fire Tests of Door Assemblies.
3. NFPA 257 - Standard on Fire Test for Window and Glass Block Assemblies.

H. Underwriters Laboratories Inc.:

1. UL 9 - Standard for Fire Tests of Window Assemblies.
2. UL 10B - Standard for Fire Tests of Door Assemblies.
3. UL 10C - Positive Pressure Fire Tests of Door Assemblies.
4. UL 263 - Standard for Fire Tests of Building Construction and Materials.
5. UL - Building Materials Directory.

1.3 PERFORMANCE REQUIREMENTS

- A. Provide glass and glazing materials for continuity of building enclosure:
1. To maintain continuous air barrier and vapor retarder throughout glazed assembly from glass pane to heel bead of glazing sealant.
- B. Glass Thickness: Select minimum thickness in accordance with ASTM E1300 to resist specified design loads with the following maximum probability of breakage:
1. Vertical Glass: 8 lites per 1000 for wind loads with 3 seconds maximum load duration.
 2. Sloped Glass: 1 lite per 1000 for wind and snow loads with 30 days maximum load duration.
 3. Minimum Thickness: 1/4 inch for exterior glass.
- C. Structural Design: Design in accordance with applicable code for most critical combination of wind, snow, seismic, and dead loads.
- D. Wind Loads: Design and size glass to withstand positive and negative wind loads acting normal to plane of wall, including increased loads at building corners.
1. Design Wind Load: Per ASCE 7.
- E. Exterior Glass Deflection: Maximum of 1/175 of glass edge length or 3/4 inch, which ever is less with full recovery of glazing materials.
- F. Thermal and Solar Optical Performance: Measured or calculated in accordance with the following:
1. Maximum U-Values: Comply with ICC IEEC for climate zone in which project is located. Measure in accordance with NFRC 100.
 2. Maximum SHGC: Comply with ICC IEEC for climate zone in which project is located. Measure in accordance with NFRC 200.
 3. Solar Optical Properties: NFRC 300.

1.4 SUBMITTALS

- A. Product Data:
1. Glass: Provide structural, physical, and thermal and solar optical performance characteristics, size limitations, special handling or installation requirements.
 2. Glazing Sealants, Compounds and Accessories: Provide chemical, functional, and environmental characteristics, limitations, special application requirements. Identify available colors where exposed.
- B. Design Data:
1. Submit design calculations for glass thicknesses.

- C. Manufacturer's Certificate: Certify sealed insulating glass, meets or exceeds specified requirements.
- D. Installer's Certificate: Certify glass furnished without identification label is installed in accordance with Construction Documents and applicable code.

1.5 QUALITY ASSURANCE

- A. Perform Work in accordance with GANA Glazing Manual, GANA Sealant Manual, for glazing installation methods.

1.6 QUALIFICATIONS

- A. Installer: Company specializing in performing Work of this section with minimum three years documented experience approved by manufacturer.

1.7 ENVIRONMENTAL REQUIREMENTS

- A. Do not install glazing when ambient temperature is less than 50 degrees F.
- B. Maintain minimum ambient temperature before, during and 24 hours after installation of glazing compounds.

1.8 WARRANTY

- A. Furnish five year warranty to include coverage for sealed glass units from seal failure, interpane dusting or misting, and replacement of same.

PART 2 PRODUCTS

2.1 FLOAT GLASS MATERIALS

- A. Tempered Glass (FG-CT): ASTM C1048, Type 1 transparent flat, Quality Q3, Kind FT fully tempered, Condition A uncoated, float glass with horizontal tempering.
 - 1. Furnish tempered glass conforming to CPSC 16 CFR 1201 Category II.

2.2 FLOAT GLASS PRODUCTS

- A. Float Glass Manufacturers:
 - 1. ACH Glass Operations.
 - 2. AFG Industries, Inc.
 - 3. Guardian Industries Corp.
 - 4. PPG Industries.
 - 5. Pilkington North America, Inc.
 - 6. Substitutions permitted.
- B. Low E Glass: Annealed, Heat strengthened, and Tempered float glass as specified; Class 1 clear.
 - 1. Clear Low E tempered glass (FG-ECT).
 - 2. Minimum Thickness: 1/4 inch.
 - 3. Solar Light Transmittance: 70 percent minimum.
 - 4. Solar Heat Gain Coefficient: 0.38 maximum.

2.3 INSULATING GLASS PRODUCTS

- A. Insulating Glass Manufacturers:
 - 1. AFG Industries, Inc..
 - 2. Arch Aluminum and Glass.
 - 3. Guardian Industries Corp.
 - 4. PPG Industries.
 - 5. Viracon.
 - 6. Substitutions permitted.

- B. Double Pane Insulating Glass (IG): ASTM E2190 certified by Insulating Glass Certification Council; with silicone sealant edge seal; purge interpane space with dry hermetic air.
 - 1. Total Unit Thickness: 1 inch unless otherwise indicated.
 - 2. Insulating Glass Unit Edge Seal Construction: Aluminum, bent and soldered corners.
 - 3. Outer Pane: Glass Type FG-ECT.
 - 4. Inner Pane: Glass Type FG-CT.

2.4 GLAZING SEALANTS

- A. Elastomeric Glazing Sealants: Materials compatible with adjacent materials including glass, insulating glass seals, and glazing channels.
 - 1. Silicone Glazing Sealant: ASTM C920, Type S, Grade NS, Class and Use suitable for glazing application indicated; single component; chemical curing; capable of water immersion without loss of properties; non-bleeding, non-staining, cured Shore A hardness of 15 to 25; compounded by manufacturer specifically for glazing.
 - a. Structural Silicone: Furnish high-modulus structural silicone glazing materials where sealant bonds glass to substrate.

- B. Pre-Formed Glazing Tape: Size to suit application.
 - 1. Preformed butyl compound; 10 to 15 Shore A durometer hardness; coiled on release paper; black color.
 - a. Butyl Corner Sealant: ASTM C920 single component non-skinning butyl compatible with glazing tape; color to match tape.

2.5 GLAZING ACCESSORIES

- A. Setting Blocks: Elastomeric material recommended by glass manufacturer, 80 to 90 Shore A durometer hardness, length of 0.1 inch for each square foot of glazing or minimum 4 inch x width of glazing rabbet space minus 1/16 inch x height to suit glazing method and pane weight and area.

- B. Spacer Shims: Elastomeric material recommended by glass manufacturer, 50 to 60 Shore A durometer hardness, minimum 3 inch long x one half the height of glazing stop x thickness to suit application.

- C. Glazing Clips: Manufacturer's standard type.

PART 3 EXECUTION

3.1 EXAMINATION

- A. Verify openings for glazing are correctly sized and within acceptable tolerance.
- B. Verify surfaces of glazing channels or recesses are clean, free of obstructions impeding moisture movement, weeps are clear, and ready to receive glazing.

3.2 PREPARATION

- A. Clean contact surfaces with solvent and wipe dry.
- B. Seal porous glazing channels or recesses with substrate compatible primer or sealer.
- C. Prime surfaces scheduled to receive sealant.

3.3 INSTALLATION

- A. Perform installation in accordance with GANA Glazing Manual.
 - 1. Glazing Sealants: Comply with ASTM C1193.
 - 2. Fire Rated Openings: Comply with NFPA 80.
- B. Exterior Wet/Dry Method (Preformed Tape and Sealant) Installation:
 - 1. Cut glazing tape to length and set against permanent stops, 3/16 inch below sight line. Seal corners by butting tape and dabbing with compatible butyl sealant.
 - 2. Apply heel bead of butyl sealant along intersection of permanent stop with frame ensuring full perimeter seal between glass and frame to complete continuity of air and vapor seal.
 - 3. Place setting blocks at 1/4 points with edge block no more than 6 inches from corners.
 - 4. Rest glazing on setting blocks and push against tape and heel bead of sealant with sufficient pressure to attain full contact at perimeter of pane or glass unit.
 - 5. Install removable stops, with spacer strips inserted between glazing and applied stops, 1/4 inch below sight line. Place glazing tape on glazing pane or unit with tape 1/4 inch below sight line.
 - 6. Fill gap between glazing and stop with elastomeric glazing sealant to depth equal to bite of frame on glazing, but not more than 3/8 inch below sight line.
 - 7. Apply cap bead of elastomeric glazing sealant along void between stop and glazing, to uniform line, flush with sight line. Tool or wipe sealant surface smooth.

3.4 CLEANING

- A. Remove glazing materials from finish surfaces.
- B. Remove labels after Work is complete.
- C. Clean glass and adjacent surfaces.

3.5 SCHEDULE

- A. Exterior Doors and Windows: Type IG-DP, glazing method recommended by manufacturer.

WEST BRANCH – ROSE CITY AREA SCHOOLS
2024 DOOR AND WINDOW REPLACEMENT PROJECT
Ogemaw Heights High Schools and
Surline Elementary/Middle School
January 19, 2024

END OF SECTION